

Oracle Contact Center Anywhere Supervision Manager Guide

Version 8.1.3
May 2009

ORACLE

Copyright © 2005, 2009 Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS. Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third party content, products and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third party content, products or services.

Contents

Chapter 1: What's New in This Release

Chapter 2: Getting Started

Overview of Supervision Manager	11
Agents and Workgroups	12
Types of Supervisor Accounts	13
Managing Sidebar and Application Tabs	13
Expanding Sidebar Tabs	13
Collapsing the Sidebar	13
Collapsing the Interaction Control Bar Area	14
About Panels	14
Changing the Name of a Panel	14
Adding a New Panel	15
Deleting a Panel	15
Restoring a Panel	15
About Supervisor Templates	16
Publishing a Template	16
About Views and View Windows	17
Creating a View Window	17
Managing View Windows	19
Switching Between View Windows in the Same Panel	19
Moving an Entire View Window	20
Deleting a View Window	20
Changing View Window Contents	20
Resizing a View Window	21
Changing the Column Width	21
Sorting the Column Contents	21
Selecting Multiple Columns	22
Moving a Column	22
Display Styles	22

Chapter 3: Launching Supervision Manager

- Starting and Logging In 25
- Troubleshooting Supervision Manager When You Log In 26
 - Mismatched API Error Message 26
 - Resolving API Error Message 26
 - Forcing a Logout Due to Inactivity 27
 - Java Applet Error Messages 27

Chapter 4: Configuring Supervision Manager

- Default Settings for Supervision Manager 29
- Specifying Sounds for New Interactions 30
- Identifying Your Email Program 30
- Using a Welcome Prompt 31
- Working Off-Hook 31
- Using Automatic Call Acceptance for ACD Calls 31
- Selecting a Project for Billing 32
- Changing the Appearance of Icons 33
- Identifying Phone Options 33
 - Setting Your Phone Extension 33
- Setting Regional Options (Time Zone and Date Formats) 35
- Configuring Your Email (POP3) Server 35
- Recording Voicemail Prompts 36

Chapter 5: Working with Agents

- Monitoring Agents 37
- Disconnecting or Logging Out an Agent 39
- Sending Messages 40
 - Broadcasting a Message to All of Your Agents 40
 - Sending a Message to One Agent 41
- Chatting with an Agent 41
 - Ending a Chat Session 42
- Viewing and Taking Over an Agent's Screen 42
- Recording an Agent's Interaction 43
 - Turning Recording On or Off Manually 43

Quality Control Recordings	44
Finding Recordings	44
Listening to a Recording	44
Predefined System States	45

Chapter 6: Configuring Alarms

Alarms	49
Alarm Types	49
Alarm Levels	50
Creating a Status Duration Alarm	50
Creating a Media Duration Alarm	52
Creating a General Alarm	53
Viewing Activated Alarms	55
Editing an Alarm	55
Deleting an Alarm	56
Enabling or Disabling Alarms	56

Chapter 7: Viewing Statistics

Types of View Window	59
Creating Agents Statistics View	60
Creating an Interactions Statistics View	63
Creating a Partition Statistics View	64
Creating a Project Media Totals Statistics View	65
Creating a Project Statistics View	68
Creating a Workgroup Media Totals Statistics View	72
Creating a Workgroup Statistics View	75
Creating a Predictive Project Statistics View	80

Chapter 8: Making Predictive Calls

Administrator Responsibilities	83
Supervisor Responsibilities	83
Starting Predictive Dialing	84

Chapter 9: Working with Standard Reports

Standard Reports	87
Viewing Standard Reports	89
Selecting a Date from the Calendar	92
Report Start and End Times	93
Contact Center Operations Reports	93
Weekly Project Routing Schedules Report	93
Workgroup Skills Report	94
Workgroup Productivity Reports	95
Outcome Statistic Report	95
Workgroup Interval Time by Media Report	98
Workgroup Segments Report	100
Overdue Callbacks Report	109
Workgroup Interval Time Report	110
Predictive and Preview Reports	113
Preview Summary Report	113
Predictive Summary Report	115
Predictive Detailed Report	120
Predictive Productivity Report	125
Predictive Dialer Total Report	127
Agent Profile and Productivity Reports	131
Login by Groups of Users Report	131
Agent Skills Report	132
Agent Utilization Report	132
Direct Dialing Statistics Report	133
Agent Information Report	136
Agent Interaction Report	137
Login by User Report	139
Project Segments Report	140

Chapter 10: Working with Advanced Reports

Advanced Reports	143
Viewing Advanced Reports	145
Defining the Period in an Advanced Report	146
Defining the Display Time, Language, and Date Format for an Advanced Report	146
Interval Workgroup Performance Report	147
User Login/Logout Report	160
User Hourly Average Report	161

Daily Project Performance Report 164
Daily User Performance Report 168
Peak Interactions Report 172
Interaction Outcome by Workgroup Report 173
User Status Duration Report 174

Appendix A: Glossary

Index

1

What's New in This Release

What's New in Oracle Contact Center Anywhere Supervision Manager, Version 8.1.3

Table 1 lists the changes described in this version of the documentation to support release 8.1.3 of the software.

Table 1. What's New in Oracle Contact Center Anywhere Supervision Manager Guide, Version 8.1.3

Topic	Description
Creating a Project Media Totals Statistics View on page 65	Modified topic. Added the statistics column, POP3 Queued, to the table.
Creating a Media Duration Alarm on page 52	Modified topic. It describes using alarms to notify you when an agent's status exceeds the specified thresholds.
Creating a Project Statistics View on page 68	Modified topic. It describes creating a view to evaluate the success of a specific project.
Creating a Workgroup Media Totals Statistics View on page 72	Modified topic. Added the statistics column, POP3 Queued, to the table.
Direct Dialing Statistics Report on page 133	Modified topic. It describes the Direct Dialing Statistics Report, which tracks nonworkgroup calls.
Workgroup Interval Time by Media Report on page 98	Modified topic. It describes how many interactions of each media type your contact center receives at specific times of the day, during a specified period.
User Login/Logout Report on page 160	Modified topic. It describes for each user (agents and supervisors) the user's login and logout activity, the duration of the login, and the logout reason for a specified date and time.
Daily Project Performance Report on page 164	Modified topic. It describes the contact center activity by call number and type, time measurements, and service-level performance compared with the preset thresholds.

2

Getting Started

This section provides an overview of Oracle Contact Center Anywhere Supervision Manager. It includes the following topics:

- [Overview of Supervision Manager](#)
- [Agents and Workgroups](#)
- [Types of Supervisor Accounts](#)
- [Managing Sidebar and Application Tabs](#)
- [About Panels](#)
- [About Supervisor Templates](#)
- [About Views and View Windows](#)
- [Creating a View Window](#)
- [Managing View Windows](#)
- [Display Styles](#)

Overview of Supervision Manager

Supervision Manager is a Java application that allows you to do the following tasks:

- **Managing Agent Activity.** You can manage agents and operations from work or home.
- **Managing Workflow.** You can monitor interactions in the queue and see the real-time status of interactions, which allows you to adjust the workflow management and improve response time.
- **Monitoring in Real-Time.** You can assist the agent, send messages to one or all agents, and listen in or join agent calls.
- **Recording for Quality.** You can record and listen to agent conversations, and use recordings to improve agent communication skills.
- **Viewing Contact Center Statistics.** You can run reports that provide concrete performance statistics.

With Supervision Manager, you can supervise agents from almost any computer that can access your contact center.

This guide describes only the features that are available to a supervisor. To learn about agent features (which as a supervisor, you can also access) see *Oracle Contact Center Anywhere Interaction Manager Guide*.

NOTE: Internet Explorer or Firefox is required to launch Supervision Manager for the first time, to access the online help, and to push pages. For more information, see *Oracle Contact Center Anywhere Release Notes* on OTN.

Agents and Workgroups

Agents handle customer requests by phone, email, or chat.

Workgroups usually consist of a group of agents who do the same type of job or work in the same area of a company. For example, a contact center might have workgroups for:

- PC Technical Support: English
- PC Technical Support: Spanish
- PC Presale: English
- PC Presale: Spanish

When a customer reaches a contact center (for example, by phone, email, or chat) the customer is immediately connected to a project. Your administrator uses the project as a basis to route the customer, usually to a workgroup.

Your Contact Center Anywhere administrator can create a wide variety of routing options, including some complex routing. [Figure 1](#) shows an example.




Figure 1. Customer Flow Through a Call Center

A *partition* is a way for your administrator to segment your contact center operations into smaller, more manageable units.

A *unit* is typically a set of projects and workgroups, and other information related to them (such as, FAQs, scripts, reports, and so on).

Types of Supervisor Accounts

Before using Supervision Manager, your administrator must create an account for you. However, your administrator can also create supervisor accounts with different levels of access: limited or full access.

NOTE: If you are unsure which type of account you have, contact your administrator.

Supervisor Account with Limited or Full Access

Supervisor accounts have access to every screen and feature in Supervision Manager:

- **Limited access.** With a limited-access supervisor account, you can monitor only the activity of agents whom an administrator assigns to you.
- **Full access.** With a full-access supervisor account, you can monitor the activity of agents whom an administrator assigns to you as well as view the statistics for all workgroups.

Managing Sidebar and Application Tabs

The Supervision Manager main screen provides five application tabs: Interaction, Supervision, Reporting, Quality Control, and Outbound Control. It also has sidebar tabs for: Workspaces, My Statistics, Contact, Outbound Preview, and Interaction History.

NOTE: Your configuration will determine the tabs that appear. For example, if Outbound is not a part of your configuration, the Outbound tab will not be present.

Expanding Sidebar Tabs

You can expand and collapse the View and Alarms sidebar tabs by clicking the up or down arrows located on the right of each tab. Expanding the tab provides additional selections.

To expand and collapse panels

- 1 Double-click the My Panels icon.
The arrow to the right of My Panels displays a context menu.
- 2 Click the arrow to display the context menu.

Collapsing the Sidebar

You can also expand or collapse the entire sidebar area.

NOTE: Pausing on a minimized sidebar panel displays the name of the panel.

To collapse the sidebar

- 1 Click one of the arrows on the window.

The sidebar tabs collapse to show only the icons.

Collapsing the Interaction Control Bar Area

In addition, you can expand or collapse the Interaction Control Bar area, by clicking the arrow below it, to further maximize your workspace area.

To collapse the Interaction Control Bar area

- 1 Click the arrow below the Interaction Control Bar area.

The size of your workspace area will be maximized.

About Panels

A *panel* is a workspace view area, which you can modify to show workgroup, agent, interaction, and other contact center details. Panel templates are created and assigned to the supervisor. When you first log in, you see the configuration of the panel and view combination. You can modify the panels to reflect specific workgroups, users and projects as required. You can also restore the modified panels back to the configuration assigned to you.

NOTE: Only a user with administrative rights can publish a supervisor template.

You can do the following:

- Change the name of a panel.
- Add up to 20 new panels.
- Delete panels.
- Create up to 15 view windows for each panel.
- Reorder panels by dragging and dropping them.
- Restore templates to the default templates.
- Add a group of view windows to My Panels, and so on, and then click between the panels.

For more information views and view windows, see [About Views and View Windows on page 17](#).

Changing the Name of a Panel

You can create a different name for each of your panels to help you manage the information that the panels contain.

To change the name of a panel

- 1 Click the existing panel name.
The panel name is highlighted.
- 2 Type the new panel name over the existing one, and then press Enter.

Adding a New Panel

You can add up to 20 panels to the sidebar, or to a group of existing panels. You can rearrange them to suit your business needs. The new panels function is the same as the default panels.

To add a new panel

- 1 Click the default panel.
- 2 Select Add Panel.

Deleting a Panel

You can delete a panel from the sidebar or from a group of existing panels. Deleting a panel removes all your personal configurations and views on the panel.

To delete a panel

- 1 Click the panel that you want to delete.
- 2 Select Delete Panel.

Restoring a Panel

You can restore a panel to the baseline panel template that was assigned to you.

To restore panels

- 1 Click the panel.
- 2 Select Restore Template.

About Supervisor Templates

Supervisor templates are used by the Oracle Contact Center Anywhere system administrator to configure a set of panels and associated views as a baseline template for a particular Oracle Contact Center Anywhere user. The user edits the panels or view to reflect specific workgroups, users, and projects as appropriate. There are predefined templates available in Oracle Contact Center Anywhere that are used as the system default. The Oracle Contact Center Anywhere system administrator can use the default templates as a starting point to create his or her own templates, or use them as delivered.

The templates outline the data items that are included with the views and the view set for each panel. They reflect the key performance indicators that management wants the supervisors to monitor. The changes that a system administrator makes to the panels or views in the supervisor template are saved in the configuration.

Supervisor Template for Alarm View Configurations

In the alarm view, generic data that does not require explicit objects to be defined can be preset in a supervisor template. Three types of alarms can be configured:

- **Media Duration.** This alarm type does not require objects to be defined.

- **Status Duration.** This alarm type has a generic portion and a user specific portion.

The generic portion can be included in the template. The user specific portion (that is, specific Objects) must not be included in the template. To handle this case, templates will revert to ALL as opposed to specific user data.

- **General Alarm.** This alarm type has a generic portion and a user specific portion.

Publishing a Template

Publishing a template makes the template available for assignment to users through normal administrative functions. Published templates are available to select in Administration Manager for setting supervisor accounts.

CAUTION: Only a user with administrative rights and permissions can publish templates.

To publish a new template

- 1 Log in to Supervision Manager with an administrator account.
- 2 Create a supervision configuration in a panel.
- 3 Select Publish Template.
- 4 Fill in the name of the template.
- 5 Click Yes in the confirmation dialog to save and publish the new template.

Templates are available to assign to the user and are displayed only in the drop-down list of the user definition where the template is assigned. For more information about templates, see *Oracle Contact Center Anywhere Administration Manager Guide*.

About Views and View Windows

A view is a group of real-time, contact center statistics and information (such as agents, interactions, project media totals, and so on). As you select one or more views from the Sidebar Views list, Supervision Manager adds them to a view window within a selected panel.

Creating a View Window

You create a view window so that you can:

- Display real-time contact center statistics.
- Monitor and interact with agents.

To create a view window

- 1 Log in to Supervision Manager, select the Supervision tab, and select a panel.
- 2 In the sidebar, click the arrows to expand (or collapse) the panels and views.
- 3 In the sidebar, select a panel.

NOTE: You cannot move the view window to another panel after Supervision Manager creates it. You must recreate it again, after selecting a different panel.

- 4 Click an item from the view window.

The Configuration window opens for the selected view.

- 5 Select the General tab, if it is not already selected:
 - a Type a new name in the Name box.
 - b (Optional) In the Description box, describe the purpose of this view. You can use a maximum of 250 characters.
 - c Select one of the following:
 - Tabular/Numeric Columns: This option is the default option and requires no further configuration.

- Graphs/Charts: This option allows you to display your information in one of the following formats: line graph and pie chart.

NOTE: The Interactions display does not have a graphical option.

The following table describes the graph types and options.

Graph Type	Graph Option	Time Frame*	Description
Line	Plot value markers (Yes or No)	Can select a time frame (15 minutes (mins), 30 mins, 1 hour (hr), 2 hrs, 4 hrs, and 8 hrs.)	Displays line only (default value). If selected, markers plot the data values with a line connecting the markers.
Pie	No other options	Not applicable	Pie charts display with a legend of the color-value and a percentage of the whole chart.

NOTE: *Time Frame: Each display commences with the user’s login. From that point, the client tracks real-time data for the duration of the time frame. If the user logs out of Supervision Manager, the statistics are removed. For more information about the display of contact center statistics, see [Display Styles on page 22](#).

6 Select the Data Elements tab.

The Data Elements tab shows all of the fields related to Workgroup Statistics. By default, all fields are already selected and appear in your view window (or your last selections appear). You can remove fields by using the left and right arrows, or by double-clicking them, which moves them to the Available Columns list.

NOTE: Depending on the Display Style that you select, some options might not be available.

7 You can do one or more of the following:

- Change the order of the fields by clicking Move Up or Move Down.
- Adjust the width of the view.
- Adjust each column width.

8 Select the Workgroups tab (or whichever tab is the Principal Identifier tab for the view that you selected). Select the third tab in the Configuration window.

The name for this tab depends on the type of view that you select. For example, if you create an Agent View window, the tab is labeled Users, and so on. The Workgroups tab shows all of the accessible workgroups, from which you can make your specific selections.

NOTE: The name of this Principal Identifier tab and what information it shows depends on the view that you select.

For example, if you select the Agent View, then the Users tab appears as the Principal Identifier. This tab shows all of the agents whom you can monitor. If you select the Interactions View, then the Principal Identifier tab is the Projects tab, which shows all of the projects that you can access.

- 9 Click OK.

See [Chapter 7, “Viewing Statistics,”](#) for individual column descriptions in each of the possible views (Agents, Interactions, Partition, Project Media Totals, Predictive Project Statistics, Workgroup Media Totals, Workgroup Statistics, and Project Statistics).

NOTE: The next time that you recreate a workgroups statistics view, Supervision Manager recalls your previous selections. So, you do not have to select them again.

Managing View Windows

You can create multiple view windows in the same panel, and you can create view windows in any panel. When the view windows are in a panel, you can:

- Name a view window and assign a unique name to it.
- View multiple view windows in the same panel.
- Switch between view windows in the same panel.
- Move an entire view window.
- Delete a view window.
- Change view window contents.
- Resize a view window.

Multiple View Windows in the Same Panel

View windows can be the same type or different types. For example, you can have two Workgroup Statistics Views in the same panel:

- Agent View
- Interactions View

Switching Between View Windows in the Same Panel

If you have multiple view windows in a panel, you can switch their order to see more details.

To switch between view windows in the same panel

- 1 Click the Show/Hide task bar option.
A View box icon is displayed for each of the views in your panel.
- 2 Click the View box icon to bring the view windows to the foreground when you have more than one view window overlapping with each other.
You can move the Workgroup Statistics View on top of both the Agents View and the Interactions View.

Moving an Entire View Window

If you have multiple view windows in a panel, you can move them to see all of their contents.

To move an entire view window

- 1 Click the title bar of the view window that you want to move.
- 2 Drag and drop the entire window to a new location.

You can move the Agents View and the Interactions View under the Workgroup Statistics View, so you can see all information in all three view windows.

NOTE: The workspace area increases, and the scroll bar lengthens to include the entire area.

Deleting a View Window

If you no longer need a view window, you can delete it.

NOTE: After you delete a view window, the only way to recover it is to recreate it using the Configuration window. For more information on creating a view window, see [Creating a View Window](#) on page 17.

To delete a view window

- 1 Select the view window that you want to delete.
- 2 Click Yes to confirm that you want to delete the view window.

Changing View Window Contents

You can change the contents of a view window by opening the Configuration window. From this dialog box, you can add or remove columns of information.

To change view window contents

- 1 Click and drag the scroll bar to display the top of the view window.
- 2 Click Edit

The Edit option is a check mark in a square.

- 3 In the Edit Configuration window, you can:
 - Select the Adjust width of view preserving width of existing columns check box. (This option keeps the width of the columns, and either increases or decreases the overall view to fit, as necessary.)
 - Select the Adjust column widths preserving width of view check box. (This keeps the overall size of the view, and either shrinks or widens each of the columns to fit, as necessary.)

- Add or remove columns.
- Change the order of the columns.
See [Creating a View Window on page 17](#).

Resizing a View Window

You can change the size of the view window to view more or less information, by manually adjusting the size. For more information on changing the size, see [Changing View Window Contents on page 20](#).

To resize a view window

- 1 Click any edge of the view window until the cursor changes to a double-arrow.
NOTE: Click the side edge to increase or decrease its length to show additional columns. Click the top edge to increase or decrease its height to view additional rows.
- 2 While holding the mouse, drag the view window to a new size.
TIP: You can click and drag a corner to change both the length and width of the view window.

Changing the Column Width

You can expand or shrink the width of an individual column to view all of its information.

To change the column width

- 1 Click a column side until the cursor changes to a double-arrow.
- 2 Drag the column width to the size that you want.

Sorting the Column Contents

You can sort a column's contents in ascending or descending order.

To sort the contents of a column

- 1 Click anywhere in a column heading.
An arrow appears, pointing either up or down to indicate the sort order.
- 2 Click the column heading again to change the order of the column contents.
NOTE: The arrow and the information order reverse each time that you click the column heading.

Selecting Multiple Columns

You can select multiple columns.

To select multiple columns

- 1 Press and hold the Ctrl key on the keyboard while you click each column heading.

Moving a Column

You can move a column to a new position, before or after another column.

To move a column

- 1 Click the column heading of the column that you want to move.
- 2 Drag it to its new position.

Display Styles

In the View Window Configuration pane, you can display data in the following styles:

- **Line chart.** (With or without markers). Use a line chart for any type of numerical or percentage data.

NOTE: Because you can include as many values as are available, it is best to keep your selections to a minimum. Otherwise, images overlap and are difficult to view. It is recommended that you select five or fewer elements for each chart.

For most data, you can quickly see the trends.

NOTE: The average always appears as the first color block on the left. The average is calculated within the view and is not provided as a data element.

- **Pie chart.** Each value is compared with the total, and a color legend is displayed. Use pie charts for results-type data, for example, outcomes for inbound or outbound projects, or dialer results for a predictive campaign.

When selecting a pie chart, data must be numeric and must be similar data for a meaningful representation. Thus, examples include:

- Duration (time format)
- Call for each agent (numbers)
- Ratios
- Pool ratios
- Agent ratios

- Average wait times (time format)

NOTE: Because you can include as many values as are available, it is best to keep your selections to a minimum. Otherwise, images overlap and are difficult to view. It is recommended that you select five or fewer elements for each chart.

In a pie chart, Supervision Manager assigns a color to each data element. The order of the color assignment is defined by the order of the displayed data elements that you select.

3

Launching Supervision Manager

This section describes how to start and log in to Oracle Contact Center Anywhere Supervision Manager. It includes the following topics:

- [Starting and Logging In](#)
- [Troubleshooting Supervision Manager When You Log In](#)

Starting and Logging In

You must log in to Supervision Manager to accept contact center interactions, supervise contact center agents, or configure your contact center system preferences. During the log in, you might be required to select a partition.

About Partitions

A *partition* is a way for your administrator to segment your contact center operations into smaller, more manageable units. A *unit* is typically a set of projects and workgroups, and other information related to them (such as FAQs, scripts, reports, and so forth). Partitioning has two purposes:

- **Functional.** Allows you to segment your configurations within a single company.
- **Security.** For example, assigning agents to specific partitions means they are able to log in and work only on one of these partitions. Furthermore, supervisors can monitor and supervise only the partitions to which they belong.

For more information on partitions, see *Oracle Contact Center Anywhere Administration Manager Guide*.

To start Supervision Manager

- 1 Start Internet Explorer.

NOTE: You must have Internet Explorer version 6.0 or later to launch Supervision Manager for the first time, to access the online help, and to display pages. For more information on software requirements, see *Oracle Contact Center Anywhere Installation and Upgrade Guide*.

- 2 Enter the URL address for Supervision Manager provided by your contact center administrator. The Supervision Manager Launch screen appears.
- 3 Click the link to launch Supervision Manager. The Copyright screen opens for a short time, and then the Java script loads. When the Java script finishes loading, the Login screen opens.
- 4 Type your company alias, user name, and password into the corresponding boxes.

- 5 From the drop-down list, choose your preferred language.

Text appears in the language that you select.

- 6 Click Login.

During the login, a progress bar appears while Supervision Manager authenticates your user name and password. If partitions are configured, a Select Partition dialog box opens. For more information, see [About Partitions on page 25](#).

- 7 Select a partition from the drop-down list, and click OK.

The Supervision Manager Main screen opens.

NOTE: If the main screen does not appear, contact your system administrator to confirm that you are using the correct address, company alias, user name, and password.

TIP: Before you log in, add the Supervision Manager Launch screen to your browser's Favorites menu. Then, for subsequent Interaction Manager sessions, load the Supervision Manager Launch screen by choosing it from your Favorites menu.

Troubleshooting Supervision Manager When You Log In

Occasionally, you might see one of the following error messages when you log in to Supervision Manager:

Mismatched API Error Message

A message appears, Mismatched API Version, after Supervision Manager performs an upgrade while you still have Supervision Manager open.

Resolving API Error Message

You can resolve API error messages.

To resolve API error message

- 1 Log out.
- 2 Shut down Supervision Manager.
- 3 Restart Supervision Manager.

NOTE: Supervision Manager upgrades itself when you attempt to log in.

Forcing a Logout Due to Inactivity

If Supervision Manager is configured to log users out due to inactivity when you exceed the maximum inactivity time set by your administrator, Supervision Manager will terminate your session, display the Inactivity Timeout message, and log you out.

NOTE: If you are logged out due to inactivity, when you attempt to log in again, an error message might appear indicating that you are locked out, and you will not be able to log in without the assistance of your system administrator who must reactivate your account.

Java Applet Error Messages

To run Supervision Manager, you must have the Java applet installed on your PC. An *applet* is a small Internet-based program written in Java (a programming language for the Web). Applets are designed to run inside a Web browser, and to perform some tasks, such as animated graphics, and interactive tools.

If Java is not installed, or if you have the wrong version, a message appears informing you of the problem, and provides information about solving the problem.

4

Configuring Supervision Manager

This section describes how to configure various settings for Supervision Manager. It includes the following topics:

- [Default Settings for Supervision Manager](#)
- [Specifying Sounds for New Interactions](#)
- [Identifying Your Email Program](#)
- [Using a Welcome Prompt](#)
- [Working Off-Hook](#)
- [Using Automatic Call Acceptance for ACD Calls](#)
- [Selecting a Project for Billing](#)
- [Changing the Appearance of Icons](#)
- [Identifying Phone Options](#)
- [Setting Regional Options \(Time Zone and Date Formats\)](#)
- [Configuring Your Email \(POP3\) Server](#)
- [Recording Voicemail Prompts](#)

Default Settings for Supervision Manager

Although the default settings allow you to use Supervision Manager immediately, you can change these settings to meet any unique requirements that you have. For more information on logging in to Supervision Manager, see [Starting and Logging In on page 25](#).

You can, for example, configure Supervision Manager to play a specific sound when you receive an interaction. If you work from multiple locations (such as from the contact center, from your home, or from a different office location), then you must configure your telephone settings each time that you change locations.

NOTE: As a supervisor, you might not want to take interactions (calls, email, Web chats, and so on). However, it is recommended that you set your workstation so that you can take interactions, if you want.

Specifying Sounds for New Interactions

When you receive a new interaction, such as a call, email, or Web chat, you can configure Supervision Manager to play a specific sound to alert you to the arrival of the interaction. In addition, you can direct Supervision Manager to play the sound once or continuously until you accept the interaction (calls, email, Web chats, and so on).

To specify sounds for new interactions

- 1 From the toolbar click Configure.
The Configuration dialog box displays.
- 2 You can configure the following sound options:
 - **Popup.** Automatically displays the Supervision Manager screen in the foreground, whenever you receive interactions.
 - **Play Sound.** Identify which sound to play. You can:
 - Type the filename and location (path) of the sound file into the Sound File text box.
 - Click Browse to locate the sound (.wav) file on your computer or network, and then click the filename.

Supervision Manager plays the sound once when you receive an interaction. You can load a different sound file at any time.
 - **Play Continuously.** Supervision Manager plays the sound (.wav) file that you loaded repeatedly until you accept the interaction.
- 3 Click OK to save your configuration settings.

Identifying Your Email Program

To manage email or voicemail interactions, you must specify which email client application (such as Microsoft Outlook Express) to launch.

To identify your email program

- 1 From the toolbar click Configure.
The Configuration dialog box displays.
- 2 In the Email Client Configuration text box, do one of the following:
 - In the Email Client Configuration text box, type the filename and location (path) of the email program that you use.
 - Click Browse, locate the file on your computer or network, and then click the filename.
- 3 Click OK.
To configure Supervision Manager to log you in to your email client automatically, see [Configuring Your Email \(POP3\) Server on page 35](#).

Using a Welcome Prompt

You can choose to play a welcome prompt to the customer who made an Automatic Call Distributor (ACD) call, before the customer begins speaking with you. An ACD call occurs when someone dials a number associated with your contact center and is routed to your workgroup, instead of calling your direct number. An example of a welcome prompt might be: *Hello, my name is John Smith*. Welcome prompts are useful in environments where you give the same greeting to each caller.

To play a welcome prompt

- 1 From the toolbar click Configure.
The Configuration dialog box displays.
- 2 In Other Settings, select the Play Welcome Prompt check box, and then click OK.
For more information, see [Recording Voicemail Prompts on page 36](#).

Working Off-Hook

Working *off-hook* means that when you log in, you are connected to the Interaction Manager server and your connection remains active during the entire time you are signed in. To work off-hook, you must configure Supervision Manager and the server to recognize that you are working off-hook.

To work off-hook

- 1 From the toolbar click Configure.
The Configuration dialog box displays.
 - 2 In Other Settings, select the Work Off-hook (Disable Dial Tone) check box, and then click OK.
 - 3 From the toolbar click the Actions link, select Connect to Server from the drop-down list, and then wait for the phone to ring.
 - 4 When the phone rings, pick up your telephone receiver to begin working off-hook.
Leave your receiver off-hook until you are finished for the day.
- CAUTION:** Each time that you physically hang up the receiver, you must repeat this procedure.
- NOTE:** After you select Connect to Server, this option changes to Hang-up to notify you to hang up the phone after you finish accepting all calls.

Using Automatic Call Acceptance for ACD Calls

A feature of working off-hook is that you can automatically accept ACD calls as soon as they arrive in Supervision Manager. An ACD call occurs when someone dials a number associated with your contact center and is routed to your workgroup, instead of calling your direct number.

When a call arrives, a tone plays and Supervision Manager automatically connects you to the caller so that you do not have to click Accept Interaction.

To use automatic call acceptance

- 1 From the toolbar click Configure.
The Configuration dialog box displays.
- 2 In Other Settings, select the Work Off Hook (Disable Dial Tone) check box.
- 3 Select the Automatic Call Acceptance check box.
- 4 Click OK.

CAUTION: The Automatic Call Acceptance feature works only with ACD calls. Oracle Contact Center Anywhere does not automatically accept calls made to your direct phone number (such as direct inbound) or extension-to-extension calls. For these call types, you must click Accept Interaction to manually accept the call.

Selecting a Project for Billing

If your contact center is configured to allow agents to make outbound calls, you must first select a project. Selecting a project allows Supervision Manager to bill your outbound calls to a specific project, and to use a predesigned, project-specific template for contact information, phone numbers, and other information.

Because each project is different, it is important to select the correct one. If you select a project other than the one assigned to the contact, then one of two things occurs:

- If Supervision Manager cannot find a matching project number, it will not assign a project to the customer or the interaction record, and it will use a default template. This template might not satisfy all requirements for your project.
- If Supervision Manager finds a matching project, it will use its template, even though you identified the wrong project. This template might not satisfy all requirements for your project.

NOTE: If you are not sure which billing project to use, check with your supervisor.

To select a project for billing

- 1 From the toolbar, click Configure.
The Configuration dialog box opens displays.
- 2 In Other Settings, select the Project Billing check box.
A list of available projects opens.
- 3 Select a project from the list, and click OK.

Changing the Appearance of Icons

You can change the appearance of your Supervision Manager icons to suit your individual needs. You can make the icons small or large, and display them with or without text. If you are a new user, you might want to see the icons with their corresponding text descriptions until they become familiar to you.

To change the appearance of icons

- 1 From the toolbar, click Configure.
The Configuration dialog box opens displays.
- 2 From the Customization drop-down list, select one of the following:
 - Small Icons Without Text
 - Large Icons Without Text
 - Small Icons With Text
 - Large Icons Without Text.
- 3 Click OK.
- 4 Click OK after the message, Update Successful, appears.

Identifying Phone Options

You can access the contact center from a variety of locations. To receive calls at your present location, select the type of phone system that your company uses to route calls, and then enter your personal extension number for that system. You must repeat these steps each time that you access the contact center from a different location (for example, your home, a different office location, or the contact center).

Setting Your Phone Extension

You can specify the extension where you want to receive calls.

To set your phone extension

- 1 From the toolbar, click Configure.
The Configuration dialog box displays.
- 2 Click the Phone tab, and identify the type of phone you are using.
CAUTION: If you are not sure which type of phone you are using, contact your contact center administrator.
- 3 Choose your phone type from the following:

- If you choose SIP (Session Initiation Protocol), enter the IP address for your workstation in the corresponding address box.

SIP is a signaling protocol for Internet conferencing, telephony presence, events notification, and instant messaging.

- If you choose PBX (Private Branch Exchange), enter your extension number in the corresponding phone box.

PBX is a private telephone network used within an enterprise, which works as a switching system to provide telephone communications between internal stations and external telephone networks. Users of the PBX share a specific number of outside lines for making telephone calls that are external to the PBX.

- If you work remotely, for example, if you work at home or at a site that is different from the contact center, click *Outside Phone*, select your Country Code from the drop-down list, and then type your phone number in the adjacent box.

If you select *Outside Phone*, you can also select the adjacent *Play Announcement* check box. When selected, Oracle Contact Center Anywhere Supervision Manager plays a recorded message telling you there is a phone interaction waiting to be connected. You also have the option to accept or decline the interaction.

- If you choose Dialogic Analog Extension, type your MSI (Modular Station Interface) identification number in the MSI ID box.

NOTE: This option is for a contact center system that uses an MSI board for the phone extension. For more information on working off-hook, see [Working Off-Hook on page 31](#).

- 4 Click OK to save your configuration settings.

Setting an Outside Phone Number

If you plan to travel from one workstation to another, you must configure Supervision Manager to recognize which number you will be using before you leave.

To set an outside phone number

- 1 From the toolbar, click the Status drop-down arrow, and select Last Call.

The status drop-down arrow is located next to the user name on the left side of the screen.

- 2 Click Configure.

The Configuration dialog box displays.

- 3 Click the Phone tab, and select the Outside Phone check box.

- 4 Select the Country from the drop-down list, and type the phone number that you will use at the other location.

NOTE: Add the area code and eliminate the preceding zero if necessary.

- 5 Click OK.

6 Log out of Supervision Manager.

When you log in at the other location, Supervision Manager will be ready to send interactions to the number that you identified.

NOTE: Each time that you change phone numbers, you must repeat this procedure.

Setting Regional Options (Time Zone and Date Formats)

You can configure your time zone and date format to match someone else's time zone and date format. You might want to do this, for example, if you work in a different time zone from most of your customers (or your company headquarters), and it would be easier to work within their time zone.

To set regional options

1 From the toolbar, click Configure.

The Configuration dialog box displays.

2 Click the Regional Options tab.

3 Do one of the following:

- To set your time zone to the same time zone defined for your company, choose Company Defined Time Zone.
- To set a different time zone, click User Defined Time Zone, and then choose a time zone from the Set Time Zone drop-down list.

4 Do one of the following:

- To set your date format to the same format defined for your company, select Company Defined Date Format.
- To set a different date format, click User Defined Date Format, and then choose a date format from the drop-down list.

5 Click OK to save your configuration settings.

All Supervision Manager screens immediately display times and dates in the time zone and format that you select.

NOTE: The date format for the United States is mm/dd/yyyy. The format for Europe is dd/mm/yyyy.

Configuring Your Email (POP3) Server

This task is optional. To receive voicemail by dialing in from a phone, you must have the following:

- A server on your network that distributes email (the POP3 server)
- An account on that mail server with your user name and password

In most cases, your system administrator sets up your mail account, and you will never have to change any settings. However, your contact center might require you to change your POP3 login information.

To configure POP3 login information

- 1 From the toolbar, click Configure.

The Configuration dialog box displays.

- 2 Click the Email tab.
- 3 Enter or change the User and Password field information to match your POP3 server login.

You can do this step at any time. If you are not sure what to enter, contact your supervisor or administrator.

NOTE: If you click the User and Password fields, but find that you cannot edit the fields, it means that your administrator has not yet entered your initial POP3 information in Administration Manager. Contact your administrator for more information.

Recording Voicemail Prompts

You can personalize the recorded message that a customer hears before you pick up the phone and before the customer leaves a voicemail message. Example messages include your personally recorded greeting, your name, and a welcome prompt.

To record a voicemail prompt

- 1 Make sure your phone is configured.

For more information on configuring your phone, see [Identifying Phone Options on page 33](#).

- 2 From the toolbar, click Configure.
The Configuration dialog box displays.
- 3 Click the Voicemail Prompt tab.
- 4 Click the Here hyperlink, and wait for your phone to ring.
- 5 When your phone rings, pick it up, and follow the instructions you hear over your telephone hand set.
- 6 When you finish recording your message, press Star on your phone, or hang up.
- 7 Click OK.

5

Working with Agents

This section explains how to monitor and supervise the tasks performed by the agents whom you supervise. It includes the following topics:

- [Monitoring Agents](#)
- [Disconnecting or Logging Out an Agent](#)
- [Sending Messages](#)
- [Chatting with an Agent](#)
- [Viewing and Taking Over an Agent's Screen](#)
- [Recording an Agent's Interaction](#)
- [Finding Recordings](#)
- [Predefined System States](#)

Monitoring Agents

A primary concern of any contact center is to handle callers in a uniform, professional manner. So, contact center supervisors use different methods to monitor agents' calls.

Supervision Manager goes beyond simple monitoring. To use your knowledge across your teams, you can listen to an agent without the agent knowing, coach an agent, without the customer knowing, or join an agent to speak with both the agent and the customer.

Listening to an Agent

You can listen to the active phone interaction for any agent that you supervise. The agent does not know when you are listening.

To listen to an agent

- 1 Create an Agent View.
See [Creating Agents Statistics View on page 60](#).
- 2 In the Agent View, select the agent whom you want.
TIP: You can find an agent on an ACD Call by viewing the Agent View statistics (status).
- 3 Click the Listen to Agent icon.
Supervision Manager connects your telephone to the agent's phone extension.

- 4 Pick up your telephone and begin listening.

Your handset is in listen-only mode, so neither the customer nor the agent can hear you.

NOTE: No tones are played to either the supervisor or agent handsets.

Stop Listening to an Agent

You can stop listening to an agent, without the agent knowing.

To stop listening to an agent

- Hang up your phone.

Coaching an Agent

Coaching allows you to talk to the agent while the agent is handling an interaction and is working off-hook. The agent can hear you, but the customer cannot, which is commonly known as *whisper coaching*.

To coach an agent

- 1 In the Agent View, select the agent whom you want to coach.
- 2 Click the Listen with Whisper Coaching icon.

Supervision Manager connects your telephone to the agent's extension when the agent is on an ACD call.

- 3 Pick up your telephone and begin coaching the agent.

Stop Coaching an Agent

You can stop coaching the agent at any time.

To stop coaching an agent

- Hang up your phone.

NOTE: It is best to inform agents about this capability before using it, because a sudden voice in the agent's ear can cause anxiety and unforeseen behavior during a call.

Joining an Agent

Joining an agent is similar to a conference call. Both the agent and the customer can hear you.

To join an agent

- 1 In the Agent View, select the agent whom you want to join.

- 2 Click the Join icon.

Contact Center Anywhere Interaction Manager connects your telephone to the agent's extension.

- 3 Pick up your telephone, and begin speaking.

Both the agent and the customer can hear you.

Removing Yourself from the Joined Interaction

You can leave the conversation when you want to.

To remove yourself from a joined interaction

- Hang up your phone.

Disconnecting or Logging Out an Agent

In some cases, during a monitoring session, you might determine that an agent needs additional training or coaching prior to answering any more calls. Or, in extreme circumstances, you might want to remove an agent from a call due to unprofessional behavior.

You can disconnect a caller from the agent, so that the caller is connected only to your phone, or log the agent out of the contact center, and change the agent's password to prevent further access to the contact center.

Disconnecting Both the Agent and the Caller

You can disconnect both the agent and the caller, and make the agent available to take another call.

To disconnect both agent and caller

- 1 In the Agent View window, select the agent whom you want to disconnect.

- 2 Click the Hang Up icon, and click OK.

Supervision Manager immediately disconnects the agent, and the caller and returns the agent to Available status. The agent is ready for the next interaction.

Logging an Agent Out of Interaction Manager

You can log an agent out of Interaction Manager, so that the agent cannot take another call without first logging in.

To log an agent out of Interaction Manager

- 1 In the Agent View window, select the agent whom you want log out.

- 2 Click the Log Out icon.

The Supervisor Logout dialog box appears.

- 3 Depending on how you want to log the agent out of Interaction Manager, do one of the following:

- Click OK without entering any information.

This step leaves the agent with the ability to log in to Interaction Manager again, using the normal password, and does not disconnect the call.

- Type a new password in the Enter new password box, and click OK.

NOTE: If you were listening, Supervision Manager routes the caller to you. If you were not listening, Supervision Manager disconnects the caller.

This step forces the agent to enter a new password, which you provide, but does not disconnect the call. You must give this new password to the agent before the agent can log in again to Interaction Manager.

NOTE: If you were listening, Supervision Manager routes the caller to you. If you were not listening, Supervision Manager disconnects the caller.

- Type a new password in the Enter new password box, select the Hang-up Agent Channel check box, and click OK.

This step forces the agent to use a new password, which you provide, and disconnects the call. You must give this new password to the agent before the agent can log in to Interaction Manager again.

Sending Messages

During a shift, you might want to notify your team about urgent issues (such as ACD queues backing up) or matters of lesser importance (such as a team meeting). Supervision Manager lets you broadcast and send messages using Agent View.

- Use the Broadcast feature to send a message to all of the agents who are assigned to you and logged in. Your text message appears on each agent's screen in the wallboard.

NOTE: Agents who are not logged in at the time the broadcast message is sent will not receive the message. The message will not be present to agents who log in after a broadcast message is sent.

- Use the Message feature to send a message to one agent. Your text message appears only on the screen of the agent whom you select in the wallboard.

NOTE: These messages are one-way only. The agent cannot respond. If you want the agent to be able to respond, use the Chat feature.

Broadcasting a Message to All of Your Agents

You can broadcast a message to all your agents.

To send a broadcast message to all agents

- 1 In the Agent View, click the Broadcast icon.

The Send Broadcast Message dialog box opens.

- 2 Type your message in the box, and click OK.

The text message that you entered appears in the wallboard of every logged-in agent that you supervise.

The wallboard stops scrolling until the agent reads your message, and clicks OK.

Sending a Message to One Agent

You can send a message to a single agent.

To send a message to one agent

- 1 In the Agent View, select an agent.

- 2 Click the Message icon.

The Send Message to Agent dialog box opens.

- 3 In the Message box, type your text, and then click OK.

Only the agent whom you select sees your message in the wallboard.

NOTE: The Wallboard stops scrolling until the agent reads your message, and clicks OK.

Chatting with an Agent

In some cases, coaching an agent during a call is not advisable. An agent might not be able to concentrate on the caller. Instead, you can send them a specific script of what to say, or some other information, to help them to resolve the caller's issue.

You might also ask the agent to communicate with you to clarify information. The advantages of using a supervisory chat function are:

- You can start a text-based chat with any agent that you supervise.
- An agent does not have to be handling an interaction for you to chat with the agent.
- Your chat opens in a new window on the agent's screen, so if the agent is managing an interaction, your chat does not cause any disruption.
- Although you can only chat one-on-one with each agent, you can have multiple chat sessions, (each with a different agent) at the same time.

To chat with an agent

- 1 In the Agent View, select the agent with whom you want to chat.

- 2 Click the Chat icon.

The Chat With User window opens.

- 3 Type your message in the box at the bottom, and then click Send.

Your message appears in the upper portion of the Chat With User window, together with your name. An Active Direct Chat window appears in the selected agent's Interaction Bar. When the agent clicks Accept, a Chat With User window opens, showing your message and name. The agent types a response in the Text area of the Chat With User window, and clicks Send. You can use the URL tab to send the agent a URL to assist with the call.

Ending a Chat Session

When you have finished chatting, you can end the session.

To end a chat session

- Click Delete in the top-right corner of the Chat With User Window.

While chatting with an agent, if the agent logs out, Supervision Manager terminates the chat interaction and alerts you.

Viewing and Taking Over an Agent's Screen

At times, while monitoring your agents, you might want to see what agents can see on their computer screens. Or, in the case of new agents, you might want to help them navigate through the screens necessary to meet the caller's needs:

- You can view an agent's computer without the agent knowing that you are watching.
- You can also take over an agent's computer and use it as if you were sitting directly in front of it. This feature is useful when showing the agent how to do or find something.

NOTE: The features described in this topic are currently available only for users on Windows workstations.

NOTE: For the Remote View and Take Over features to work, your administrator might have to install additional third-party software components on your agents' workstations. If you are not able to use these features, contact your administrator. For more information, see *Oracle Contact Center Anywhere Installation and Upgrade Guide*.

To view or take over an agent's computer

- 1 In the Agent View, select the agent whom you want to supervise, and click the View icon.

A new window opens, showing the agent's screen. You can see everything that is happening on the agent's computer, in real-time.

- 2 To take over the agent's mouse, click Remote Control.

Now, you can move the mouse, and take over the agent's computer.

You can still navigate to another screen in your computer by first selecting the original window. In addition, if you open a new window (using your browser), you can view a different agent at the same time. Thus, by opening new windows, you can view multiple agents, each one in a different window.

CAUTION: Viewing several agents in this way might slow the performance of your system.

Stopping Viewing or Taking Over an Agent's Screen

You can return control to the agent, and stop viewing the agent's screen.

To stop viewing or taking over an agent's computer

- 1 After you finish taking over an agent's screen, click View.
- 2 After you finish viewing an agent's screen, click Delete.

The window closes and ends the remote session.

Recording an Agent's Interaction

You can automatically record an agent's active (current) phone interaction, and save the recording for later review. Sometimes you might want to record a good call or a bad call for later coaching.

NOTE: You cannot use the automatic recording feature to record agent-to-agent calls.

Turning Recording On or Off Manually

You can turn recording on and off manually.

NOTE: Make sure that the unannounced recording of conversations is permitted by law in your area, the agent's area, and the customer's area.

To turn recording on and off manually

- 1 In the Agent View window, select the agent whom you want to record.
- 2 Click the Record icon.
Supervision Manager begins recording the call.
- 3 Click the Stop icon to stop recording.

Supervision Manager saves the recording in the Oracle Contact Center Anywhere database. To find a recording, see [Finding Recordings on page 44](#).

Quality Control Recordings

The Quality Control tab is where you can search the database for saved recordings, such as previously recorded telephone conversations. If you previously recorded a phone interaction, or if there is an existing recording that you want to hear, you must first find the recorded interaction. For more information on how to record a call, see [Turning Recording On or Off Manually on page 43](#).

TIP: To find a recording, see [Finding Recordings on page 44](#).

Finding Recordings

Supervision Manager stores recordings in the Oracle Contact Center Anywhere database. Find recordings by choosing a project and a user (agent), and then entering a specific interaction date range. For more information on how to record a call, see [Turning Recording On or Off Manually on page 43](#).

To find recordings

- 1** Click the Quality Control tab and, in the sidebar, click the Recording arrow to open the option.
- 2** From the Recordings options, use some or all of the selections to create search parameters for locating the recording in the database:
 - a** From the Project drop-down list, select a project.
The default selection is to search All projects.
 - b** From the User drop-down list, select the user you recorded.
The default selection is to search All users.
 - c** In the Period From box, type the date, or select a date from the calendar, to specify the first day to search.
 - d** Use the two boxes below the From date box to specify the time of day when you want to start searching. Type or select the hour (from 00 to 23) and the minutes (from 00 to 59).
 - e** In the To box, type the date, or select a date from the calendar to specify the last day to search.
 - f** Use the two boxes below the To date box to specify the time of day when you want to stop searching. Type or select the hour (from 00 to 23) and the minutes (from 00 to 59).
 - g** Click Find.

Recordings that meet the search parameters appear in a list in your workspace (up to a maximum of 500 matches).

Listening to a Recording

You can listen to the recordings you find. See [Finding Recordings on page 44](#).

To listen to a recording

- 1 From the list of recordings, select the recording that you want.
- 2 Click the Play arrow to play the recording.

Supervision Manager launches the default audio application that your system associates with the .wav or .mp3 files, and plays the recording.

Predefined System States

Although a different agent status might appear, Oracle Contact Center Anywhere Supervision Manager always assigns an agent to one of three internal states:

- Available
- Busy
- On Break

Table 2 lists the interaction statuses, as they appear, and the corresponding system state. It also indicates whether agents can receive new interactions while they are in that state.

Table 2. Interaction Status, System State, and Meaning

Interaction Status	System State	Description
ACD Call	Busy	The agent is handling a call.
ACD Callback	Busy	The agent is handling a callback request.
ACD Chat	Busy	The agent is handling a chat interaction.
ACD Email	Busy	The agent is handling an email interaction.
ACD Fax	Busy	The agent is handling a fax interaction.
ACD Status Outbound Email	Busy	The agent is using Interaction Manager Contact tab to initiate an outbound email.
ACD Voicemail	Busy	The agent is responding to a voicemail interaction.
ACD Web Callback	Busy	The agent is handling a Web callback request.
Available	Available	The agent is not presently handling an interaction. NOTE: The agent can manually select this status or automatically receive this status after completing an interaction (depending on your configuration).
Busy	Busy	The agent is not available to receive any other ACD interactions.
Direct Chat	Busy	A supervisor and an agent are chatting.
Last Call	Busy	The agent selected Last Call so that Oracle Contact Center Anywhere will not send another interaction after the agent completes the current one.
Login	Available	Reserved for future use.
Logout	On Break	The agent logged out of Interaction Manager. NOTE: Logout appears only in the Company Directory.
New Inbound Call	Busy	The agent accepted a call made directly to the phone from a number that was outside the contact center.
New Inbound Extension	Busy	The agent accepted a call made directly to the phone from an internal extension.
New Outbound Call	Busy	The agent dialed a number outside the contact center.
New Outbound Extension	Busy	The agent dialed a company extension.
New Predictive Call	Busy	The agent accepted a predictive call.
New Preview Call	Busy	The agent accepted a preview call.

Table 2. Interaction Status, System State, and Meaning

Interaction Status	System State	Description
No Answer	On Break	The agent did not answer a workgroup call after the maximum allowed number of rings.
On Break	On Break	The agent selected On Break to alert Oracle Contact Center Anywhere not to send any interactions.
Selecting Outcome	Busy	The agent disconnected from the last interaction, but is still selecting an outcome for that interaction.
SMS	Busy	The agent is handling an SMS interaction.
Supervising	Busy	A user logged in to Supervision Manager and is not available to receive ACD interactions.
Wrap Up	Busy	The agent is wrapping up an interaction. Oracle Contact Center Anywhere automatically changes the agent status to Available when the wrap-up time expires. NOTE: Wrap-up time does not apply to Outbound Calls.

NOTE: Your administrator might have created additional statuses to control agent availability. Contact your administrator for a description of the custom statuses.

6

Configuring Alarms

This section describes the different types of alarms, and how you can create, enable, disable, and view them while working in Oracle Contact Center Anywhere Supervision Manager. It includes the following topics:

- Alarms
- Alarm Types
- Alarm Levels
- Creating a Status Duration Alarm
- Creating a Media Duration Alarm
- Creating a General Alarm
- Viewing Activated Alarms
- Editing an Alarm
- Deleting an Alarm
- Enabling or Disabling Alarms

Alarms

In a busy contact center, a supervisor wants to know immediately when agents are spending too much time on the phone, if interactions are on hold for too long, or if a workgroup is overflowing too many calls into another workgroup. Supervision Manager lets supervisors configure alarms that will alert them to specific issues immediately, so that they can address these issues quickly.

Configuring the alarms feature means that Supervision Manager will automatically notify you whenever your alarm conditions are met. For example, you can create an alarm to notify you when an agent holds the same status too long or when an agent is working on an interaction of a specific type. You can select from three different types of alarms, and set up to five severity levels within each. As soon as you create an alarm, it takes effect and remains in your Supervision Manager until you temporarily disable it or delete it. Alarms use a 24-hour clock that resets at midnight. When alarm conditions are met, the alarm is activated. You can view all activated alarms in your workspace. For more information on viewing alarms, see [Viewing Activated Alarms on page 55](#).

You can use the default templates for your alarm views that were preset by the administrator. For more information on using the default templates, see [Supervisor Template for Alarm View Configurations on page 16](#).

Alarm Types

When creating an alarm, first select the type that you want to create from the following:

- **Status Duration Alarm.** When you select this alarm type, Supervision Manager notifies you when agent hold times and the hold time threshold are reached. This information is critical in managing the queue hold times and for alerting you when an agent has a call that is above the average time length, or when an agent might need assistance. Agents talking longer than the reasonable expectation set for the call can cause the queue to back up. Knowing when this backup is occurring is essential for being proactive in managing the queue.
- **Media Duration Alarm.** When you select this alarm type (interaction handling time), this alarm type is activated when the duration for a specific media type exceeds the threshold. Thus, a floor supervisor can better determine whether agents are spending too much time on a specific type of interaction. Knowing this might help a supervisor decide if more training is required for specific interaction types, or if stronger action is required for the individual agents.
- **General Alarm.** Use this alarm type to create alarms for specific columns of information (such as login duration, total interactions, and so forth) from one or more views (including agents, interactions, partitions, project media totals, interactions, workgroup media totals, and workgroup statistics views). Thus, you can track project-, agent-, and workgroup-specific information (such as calls overflowing out of workgroups) and more actively manage workloads and personnel.

Alarm Levels

For each alarm type (status duration, media duration, and general), you can also create a maximum of five severity levels. Each security level has a corresponding color:

- Very low (green)
- Low (blue)
- Medium (yellow)
- High (orange)
- Very high (red)

For example, for outbound calls if you set a low (blue) alarm for 5 minutes and a high (orange) alarm for 20 minutes, then if:

- The agent stays on an outbound call for 5 minutes, the agent's row turns blue.
- The agent stays on an outbound call for 20 minutes, the agent's row turns red.

Creating a Status Duration Alarm

Use a Status Duration alarm to notify you when an agent's status exceeds the specified thresholds. You determine and set the duration time. When an agent meets or exceeds that time, the agent's entry changes color on your screen.

To create a status duration alarm

- 1 In the Alarms sidebar tab, click the New Alarm.

The New Alarm Definition dialog box opens.

- 2 Click Status Duration, and then click Next.

The Alarm Levels dialog box opens.

- 3 From the User Status drop-down list, select one of the following statuses: Available, On Break, or Busy.

The following table describes the alarm statuses.

Status	Description
Available	The agent is available to accept a new interaction.
Busy	The agent cannot accept a new interaction. (The agent might be handling an interaction, wrapping-up an interaction, or otherwise engaged.)
On Break	The agent is not available to accept a new interaction.

- 4 For each alarm level, select its corresponding check box, and then do the following:

- a In the first text box of each selected alarm, enter the threshold (minutes) to activate the alarm for this level.
- b In the second text box of each selected alarm, enter the threshold (seconds) to activate the alarm at this level.

- 5 Click Next.

The New Alarm Definition (Objects) dialog box opens so that you can select which users Supervision Manager will apply the alarm.

- 6 Do one of the following:

- Select the All objects check box to apply this alarm to all users, including future users who do not yet appear in the list.
- Select one or more users from the Available Users box, and click the double-right arrows to move them to the Displayed Users box.

Supervision Manager applies the alarm to only those users whom you move to the Displayed Users box.

- 7 Click Next.

The Name dialog box opens.

- a In the Name text box, enter a name for the alarm.
- b In the Description text box, type a description for the alarm.

- 8 Click Finish.

The name of your new alarm appears in the Alarms selection in My Alarms.

Status Duration Alarms

When your administrator sets alarm types (busy, available, or on break), Administration Manager automatically applies the alarm to all company custom agent statuses.

NOTE: Only an administrator with access to Administration Manager can create these custom statuses.

For example, if your administrator configured a custom status called Clearing Support Ticket, and then set the corresponding ACD state as Busy, Supervision Manager automatically applies the alarm connected to the Busy status to the clearing support ticket, because they are both statuses with Busy as the underlying value.

Creating a Media Duration Alarm

The Media Duration Alarm notifies you when an agent is working on an interaction of a type and time that you specify.

To create a media duration alarm

- 1 In the Alarms sidebar tab, click the New Alarm.
The New Alarm Definition dialog box opens.
- 2 Select Media Type, and then click Next.
The New Alarm Definition (Alarm Levels) dialog box opens.
- 3 From the Media Duration drop-down list, select a call-handling duration type (such as Inbound Call).

The following table describes the duration alarm media types and how each one works.

Media Duration Alarm Types (Call Handling Duration)	Description
Workgroup Call	Sets a time limit for telephone-based customers.
Workgroup Chat	Sets a time limit for the duration of chat interactions.
Workgroup Email	Sets a time limit for email interactions that are waiting in the queue.
Workgroup Fax	Sets a time limit for fax interactions that are waiting in the queue.
Workgroup Callback	Sets a time limit for callback requests (left by phone customers) that are waiting in the queue.
Workgroup Web Callback	Sets a time limit for callback requests (left by phone customers) that are waiting in the queue.
Workgroup Voicemail	Sets a time limit for voicemail interactions (left by phone customers) that are waiting in the queue.

- 4 Select the check box for one or more alarm levels and for each alarm level that you select:
 - a In the first text box, enter the threshold (minutes) to activate the alarm for this level.
 - b In the second text box, enter the threshold (seconds) to activate the alarm for this level.

For example, select an Inbound Call media type, and then enter 5 in the minutes text box of the Medium column. Thus, if an agent stays on an Inbound Call for more than 5 minutes, the agent's row turns yellow.
- 5 Click Next, and do the following:
 - a In the Name text box, enter a name for the alarm.
 - b In the Description text box, type a description for the alarm.
- 6 Click Finish.

The name of your new alarm (from the Name box in [Step 5](#)) appears in the Alarms selection, in My Alarms.

Creating a General Alarm

The General Alarm notifies you when the specific conditions that you set are met. You can set conditions for the following views: Agents, Interactions, Project Media Totals, Interactions, Workgroup Media Totals, and Workgroup Statistics. Each View provides different columns for you to select (such as Login Duration, % Busy, Total Interactions, and so on).

To create a general alarm

- 1 In the Alarms sidebar tab, click the New Alarm.

The New Alarm Definition dialog box opens.
- 2 Click General and then Next.

The New Alarm Definition (View) dialog box opens.
- 3 From the View drop-down list, select one of the following views:
 - Agents
 - Interactions
 - Partitions
 - Project Media Totals
 - Project Statistics
 - Workgroup Media Totals
 - Workgroup Statistics

For more information on views and view windows, see [Types of View Window on page 59](#).

- 4 From the Column drop-down list, make a selection.

The column choices vary, depending on which of the seven views that you select.

- a If you want to add another column, click Add Column.

The first column that you selected appears in a new *Column 1* text box and a new *Column 2* box appears.

- b Continue selecting, and adding columns in this way.

To remove a column, click Remove.

- 5 When you are finished, click Next.

The New Alarms Definition Alarm Levels dialog box opens, showing the columns that you selected next to each alarm level.

- 6 Click each alarm level that you want to set.

- 7 Then, for each alarm level, follow these steps:

- a From the first column's drop-down list (such as Status Duration), select either Greater than or Less than.

- b In the adjacent boxes, type your specific threshold values.

For example, in Status Duration mins. and secs. boxes, type the number of minutes and seconds for this alarm level. For % Available, type the percentage of total time.

- c Repeat the previous two steps for each column that you selected.

- 8 Click Next.

Unless you selected the Interactions View, the New Alarm Definition Objects dialog box opens. This dialog box is where you identify the objects to which Supervision Manager will apply the alarm. The objects vary, depending upon the view that you select. The objects might be users, projects, partitions, or workgroups.

If you selected the Interactions View, then do not select any object. The New Alarm Definition Objects dialog box does not appear. Skip to [Step 10](#).

- 9 Do one of the following:

- Click the All objects check box to apply the alarm to all objects, including future ones that do not yet appear in the list.
 - From the list in Available xxxxxx (where xxxxxx indicates users, projects, partitions, or workgroups), select one or more objects to which Supervision Manager will apply the alarm. Click the double-right arrows to move your selections to the Displayed Users box.

Supervision Manager applies the alarm only to those objects appearing in the Displayed box.

- 10 Click Next.

The New Alarm Definition (Name) dialog box opens.

- 11 Enter a name and a description for the alarm in the corresponding text boxes, and click Finish.

The name of your new alarm appears in Alarms, in My Alarms.

Viewing Activated Alarms

You can view all activated alarms in your workspace.

To view activated alarms

- 1 In the sidebar, click Current Alarms.

An Alarms dialog box opens in your workspace, which shows only the alarms that have been triggered.

NOTE: The alarms are displayed in real-time. Alarms that were triggered but went to a normal state are not displayed.

The following table describes the Alarms dialog box and the triggered alarms.

Column	Description
Alarm	The name of the alarm.
Object	The objects (such as a user, project, partition, or workgroup) you selected from the New Alarm Definition dialog box.
Start	The current time when the Current Alarms dialog box is opened.
Value	The value depends on the alarm type: <ul style="list-style-type: none"> ■ For a status alarm, this value shows how long the alarm has been activated (from when it was first triggered). ■ For a media type alarm, this value shows the media type (such as Workgroup Call, Workgroup Chat, and so on). ■ For a general alarm, this value shows the name of the columns that you selected when creating the alarm.
Severity	The alarm color identifies the alarm level (very low, low, medium, high, and very high), which you set in the Alarm Levels dialog box.
Active	A check mark indicates that the user is currently triggering the alarm.

NOTE: Alarms that were activated in the past, but are currently not active remain in the Alarms dialog box (without a check mark in the Active column) until you close and reopen the Alarms dialog box again.

Editing an Alarm

You can edit alarm information.

To edit an alarm

- 1 In the sidebar, click Alarms.

- 2 In My Alarms, click the name of the alarm that you want to edit.

The xxx Alarm Definition dialog box displays (where xxx represents the name of the alarm).

- 3 Change the name or description of the alarm.
- 4 Click the tab of the next area that you want to modify, such as Alarm Levels.

Because these tabs vary, depending on the alarm type, do one of the following:

- If you are editing a status duration alarm, the Edit Alarm Definition dialog box provides two additional tabs: Alarm Levels and Objects. Click the appropriate tab.

For more information on status duration alarms, see [Creating a Status Duration Alarm on page 50](#).

- If you are editing a media duration alarm, the Edit Alarm Definition dialog box provides an Alarm Level tab. Click the Alarm Level tab to change the alarm levels and times for each alarm.

For more information on media duration alarms, see [Creating a Media Duration Alarm on page 52](#).)

- If you are editing a general alarm, the Edit Alarm Definition dialog box might provide an Alarm Levels tab and Objects tab, depending on the view. Click the appropriate tab.

For more information on general alarms, see [Creating a General Alarm on page 53](#).

Deleting an Alarm

You can delete any alarm listed in My Alarms.

To delete an alarm

- 1 In My Alarms, right-click the alarm that you want to delete.

A menu of options appears.

- 2 Select Delete.

A confirmation message appears.

- 3 Click OK.

The selected alarm is deleted and removed from the My Alarms list.

Enabling or Disabling Alarms

By default, alarms are automatically enabled upon creation. You can, however, temporarily disable a single alarm or all of your alarms at once.

To enable or disable alarms

- 1 In My Alarms, right-click the alarm to enable it.
- 2 From the menu of options, click one of the following:
 - Disable (temporarily stops the alarm)
 - Disable All (temporarily stops all alarms)
 - Enable (restarts the alarm after disabling it)
 - Enable All (restarts all alarms after disabling them)

7

Viewing Statistics

This section describes how to view statistics. It includes the following topics:

- [Types of View Window](#)
- [Creating Agents Statistics View](#)
- [Creating an Interactions Statistics View](#)
- [Creating a Partition Statistics View](#)
- [Creating a Project Media Totals Statistics View](#)
- [Creating a Project Statistics View](#)
- [Creating a Workgroup Media Totals Statistics View](#)
- [Creating a Workgroup Statistics View](#)
- [Creating a Predictive Project Statistics View](#)

NOTE: This section assumes that you already understand the basics, and provides the available statistics for each of the view window types.

Types of View Window

You create a different view window for each group of contact center statistics that you want to view or monitor. The view window types are:

- Agents
- Interactions
- Partition
- Predictive Project Statistics
- Project Media Totals
- Project statistics
- Workgroup Media Totals
- Workgroup Statistics

You can create as many view windows with statistics as you need. When you create a view window with the statistics of your choice, it is always available whenever you log in to Supervision Manager, until you delete it. In addition, you can modify any of your view windows at any time, and Supervision Manager recalls your changes.

The basics for creating, editing, and deleting any view window are identical, no matter which View you create. The only differences are the available statistics for each type of view window.

For more information about view windows, see the following topics:

- [About Views and View Windows on page 17](#)
- [Creating a View Window on page 17](#)
- [Managing View Windows on page 19](#)

Creating Agents Statistics View

Create an agents statistics view window to monitor real-time activity for the agents whom you supervise. From the Agents Statistics View, you can monitor agents, disconnect or log out an agent, send messages, chat with an agent, view or take over an agent's screen, and record an agent's interaction.

To create agents statistics view

- 1 Select a panel, open the Views options, and then click Agents.

The Agents Configuration dialog box displays.

- 2 Enter a name and description, and then select how you want to view the information.
- 3 Click the Data Elements tab to select some or all of the statistics to view.

The following table describes the available real-time statistics.

Statistics (Column)	Description
% Available	The percentage of time when the agent's status was Available for one day, from 12 A.M. to 12 A.M. It is calculated as follows: (total time that the agent's status was Available divided by the agent's cumulative, logged-in time to Oracle Contact Center Anywhere, daily from midnight to midnight) multiplied by 100.
% Busy	The percentage of time when the agent's status was Busy for one day, from 12 A.M. to 12 A.M. It is calculated as follows: (total time that the agent's status was Busy divided by the agent's cumulative, logged-in time to Oracle Contact Center Anywhere, daily from midnight to midnight) multiplied by 100.
% On Break	The percentage of time when the agent's status was On Break for one day, from 12 A.M. to 12 A.M. It is calculated as follows: ((total time that the agent's status was On Break) divided by (the agent's cumulative logged-in time to Oracle Contact Center Anywhere, daily from midnight to midnight)) multiplied by 100.
Agent	The name of the agent whom you supervise. NOTE: The agent's name appears only when the agent is logged in to Oracle Contact Center Anywhere Interaction Manager.

Statistics (Column)	Description
AHT Total (Average Handle Time)	The AHT calculation for all interactions is as follows: (total talk time) plus (total wrap time) divided by (total number of interactions handled).
Assistance Needed	A notice to you that this agent needs assistance.
ATT Call (Average Transaction Time)	The time spent on calls, including hold time. The transaction time begins when the agent accepts the call (media type) and ends when the call is terminated. It is calculated as follows: (total talk time for the agent) divided by (total number of calls the agent handled).
ATT Chat	The time spent on a chat interactions, including hold time. The transaction time begins when the agent accepts the chat (media type) and ends when the chat is terminated. It is calculated as follows: (total chat time for the agent) divided by (total number of chats the agent handled).
ATT SMS	The time spent on SMS interactions, including hold time. The transaction time begins when the agent accepts the SMS interaction (media type) and ends when the SMS interaction is terminated. It is calculated as follows: (total SMS time for the agent) divided by (total number of SMSs that the agent handled).
ATT Email	The time spent on SMS interactions, including hold time. The transaction time begins when the agent accepts the email interaction (media type) and ends when the email interaction is terminated. It is calculated as follows: (total email time for the agent) divided by (total number of emails that the agent handled).
ATT Total	The total transaction time for all interactions is calculated as follows: (total time for the agent on all interactions) divided by (total number of interactions handled by the agent).
Available Time Total	The total time when the agent's status was Available.
Average Hold Time Total	The time an interaction is spent on Hold. The hold time is calculated as follows: (total hold time for the agent) divided by (total number of times the agent placed a call on hold).
Average (Avg) Ring Time	The time before the agent accepted an interaction. It is calculated as follows: (total ring time) divided by (total number of calls offered to the agent).
Average (Avg) Wrap Time	The time that the agent spent in a wrap-up state. It is calculated as follows: (total wrap-up time for the agent) divided by (total number of times the agent was in wrap-up).
Callback Answered	The total number of ACD callbacks the agent answered.
Chats Answered	The total number of chat interactions the agent accepted.

Statistics (Column)	Description
SMSs Answered	The total number of SMS interactions that the agent accepted.
Emails Answered	The total number of email interactions the agent accepted.
Department	The department to which the agent is assigned.
Direct Inbound Answered	The total number of direct inbound calls the agent accepted.
Extension	The agent's telephone extension number.
Extension Dialed	The number of internal calls that the agent dialed.
Fax Answered	The total number of fax interactions that the agent accepted.
Fax Sent	The total number of faxes that the agent sent.
Host IP Address	The Internet Protocol (IP) address of the agent's computer.
Interactions Assigned	The total number of current interactions assigned to the agent.
Interactions Total	The total number of interactions (of all media types) that Oracle Contact Center Anywhere offered to the agent.
Internal Ext Answered	The total number of internal extension calls that the agent accepted.
Login Duration	How long (hh:mm:ss) the agent was logged in to Oracle Contact Center Anywhere.
Monitor Type	If the agent is being monitored by a supervisor, this statistic identifies the monitoring type (such as coaching, listening, whispering, and so on).
Network Status	Displays the strength of the agent's network.
No Answer Total	The total number of ACD interactions that Oracle Contact Center Anywhere routed to the agent who received a status of No Answer.
Not Ready Time Total	The total amount of time that the agent was in a Not Ready (or unavailable) state. It is calculated as follows: (total login time) minus (total time in Available status).
Outbound Dialed	The total number of outbound calls that the agent dialed.
Partition	The partition that the agent is accessing.
Predictive Answered	The total number of predictive calls that the agent answered.
Preview Dialed	The total number of preview calls that the agent dialed.
Recording	Indicates whether the agent is currently being recorded.
Session ID	The agent's unique login session identification number, assigned by Oracle Contact Center Anywhere.
Session Server	The Session Server ID into which the agent is logged.
Status Duration	How long (hh:mm:ss) the agent has been in the current status.

Statistics (Column)	Description
Status in Workgroup	The current ACD status (Available, Busy, or On Break) of the agent while in the assigned workgroup.
Status Selected	The ACD status that the agent selected.
Status Selected Duration	How long (hh:mm:ss) the agent has been in the same status as Status Selected.
Transfers Made	The total number of transfers the agent made to other agents, workgroups, and external numbers.
User Name	The agent's system ID.
Web Callback Answered	The total number of Web callback interactions that the agent answered.
Wgrp Calls Answered	The total number of workgroup calls that the agent accepted.
Wgrp Vmail Answered	The total number of workgroup voicemail that the agent answered.

- 4 Click the Users tab where you can select one or more of the agents whom you supervise.
- 5 If want your view to include a Totals row, providing the totals for all columns (statistics), then select the Show Totals check box, and click OK.

Your Agents View appears in your workspace in the panel that you selected.

Creating an Interactions Statistics View

You create an interactions statistics view window to see how interactions are flowing through Oracle Contact Center Anywhere. This information helps you to determine the number of interactions your agents are currently handling and the number of interactions that are backing up in the queues.

Flow tracking begins when interactions enter Oracle Contact Center Anywhere, continues as they are routed to an agent, and ends when the interaction is disconnected.

The Interactions Statistics View uses 11 project-related metrics for customizing the interaction windows. In this way, you can track the information that is most salient to your specific application in real-time.

To create an Interactions Statistics view

- 1 Select a panel, open the Views options, and click Interactions.
The Interactions Configuration dialog box displays.
- 2 Enter a name and description.
- 3 Click the Columns tab.

- 4 Select the columns (statistics) that you want to display.

The following table is a list of the available statistics.

Statistics (Columns)	Description
Agent	The name of the agent handling the interaction.
ANI	The caller ANI (phone number they are calling from).
DNIS	A unique project DNIS (the phone number the customer dialed).
Ext Number	The extension number of the agent handling the interaction.
Location Duration	The total time the interaction stayed at a specified location.
Media Type	The interaction type, such as ACD Call, ACD Chat, ACD email, and so on.
Overflowed	Indicates whether the interaction met the overflow criteria.
Priority	The project's priority (very low, low, medium, high, or very high).
Project	The project's name.
System Duration	The total time the interaction was in Oracle Contact Center Anywhere.
Workgroup	The name of the workgroup handling the interaction.

- 5 Click OK.

Your Interactions View appears in your workspace, in the panel that you select.

Creating a Partition Statistics View

You create a partition statistics view window to see how interactions flow from the time that they enter Oracle Contact Center Anywhere to the time they are routed to an Interactive Voice Response (IVR) or workgroup. You can also see the number of internal interaction activities and the overall use-rate within the customer-distinct areas or partitions. This information is especially useful for outsourcing service providers who create these partitions.

To create a Partition Statistics view

- 1 Select a panel, open the Views options, and click Partition.
The Partition Configuration dialog box displays.
- 2 Enter a name and description.
- 3 Click the Columns tab.

- 4 Select the columns (statistics) that you want to display.

The following table describes the available statistics.

Statistics (Column)	Description
Abandon First Segment	The total number of ACD interactions that were abandoned during the first interaction segment within the partition.
Answer First Segment	The total number of ACD interactions that were answered during the first interaction segment (before transfer, overflow, and so on) within the partition.
Inbound Total	The total number of inbound interactions (ACD and direct).
Internal	The total number of station-to-station calls (inbound and outbound) within Oracle Contact Center Anywhere.
IVR Completed	The total number of calls completed for the partition within the IVR.
Transfer Out	The total number of calls transferred out of the partition.
Outbound Total	The total number of outbound interactions (predictive, preview, and direct) within the partition.
Total Interactions	The total number of interactions within the partition. It is calculated as follows: (total inbound) plus (total outbound) plus (total internal).
Utilization Rate	The percentage of time the agent workgroup responded to interactions compared to the total amount of time that the agent workgroup was available to receive interactions.

- 5 Click the Partitions tab, select the partitions that you want to include, and click OK.

Your Partitions View appears in your workspace in the panel that you selected.

Creating a Project Media Totals Statistics View

You create a project media totals statistics view to track the activities of callers who use any media option. The Project Media Totals provides statistics for all media types and includes 38 related metrics for customizing your view. In this way, you can track the information that is most salient to your specific application in real time.

TIP: Before setting up the window, determine which statistics are most useful. For example, if your team is accepting only workgroup calls, you might not want to track email, fax, predictive, or chat interactions.

To create a Project Media Totals Statistics view

- 1 Select a panel, open the Views options, and click Project Media Totals.

The Project Media Totals Configuration dialog box displays.

- 2 Enter a name and description.
- 3 Click the Columns tab.
- 4 Select the columns (statistics) that you want to display.

The following table is a list of the available statistics.

Statistics (Columns)	Description
ABD Calls	The total number of abandoned ACD calls.
ABD Chat	The total number of abandoned ACD chats. NOTE: Interactions are marked as abandoned when the interaction is terminated while still in a queue.
ANS Callbacks	The total number of answered ACD callbacks.
ANS Chat	The total number of answered chats.
ANS SMS	The total number of answered SMSs.
ANS Email	The total number of answered email.
ANS Fax	The total number of answered faxes.
ANS Inbound	The total number of answered incoming calls.
ANS Predictive	The total number of answered predictive calls.
ANS Preview	The total number of answered preview calls.
ANS Vmail	The total number of answered ACD voicemail.
ANS Web Callbacks	The total number of answered Web callbacks.
Calls Queued	The total number of workgroup calls in the queue.
CB Queued (Callbacks)	The total number of workgroup callbacks in the queue.
CB Total (Callbacks)	The total number of callbacks.
Chat Queued	The total number of chats in the queue.
Chat Total	The total number of chats.
SMS Queued	The total number of SMSs in the queue.
SMS Total	The total number of SMSs.
Email Queued	The total number of email in the queue.
Email Total	The total number of email.
Fax Queued	The total number of faxes in the queue.
Fax Total	The total number of faxes.

Statistics (Columns)	Description
Inbound Total	The total number of inbound workgroup calls of all types (including faxes, chats, and email).
OFL Calls Inbound (Overflow In Calls)	The total number of workgroup inbound calls that reached the overflow criteria.
OFL CB (Overflow Callbacks)	The total number of callbacks that reached the overflow criteria.
OFL Chat (Overflow Chat)	The total number of chats that reached the overflow criteria.
OFL SMS (Overflow SMS)	The total number of SMSs that reached the overflow criteria.
OFL Email (Overflow Email)	The total number of email that reached the overflow criteria.
OFL Fax (Overflow Fax)	The total number of faxes that reached the overflow criteria.
OFL Predictive (Overflow Predictive)	The total number of predictive dialing interactions that reached the overflow criteria.
OFL Preview (Overflow Preview)	The total number of preview dialing interactions that reached the overflow criteria.
OFL Vmail (Overflow Voicemail)	The total number of workgroup voicemail that the reached overflow criteria.
OFL WCB (Overflow Web Callbacks)	The total number of Web callbacks that reached the overflow criteria.
POP3 Queued	The total number of queued email on the POP3 server(s) for the project.
Predictive	The total number of active predictive calls.
Predictive Total	The total number of predictive call attempts made.
Preview	The total number of active preview calls.
Preview Total	The total number of preview calls made.
Vmail Queued	The total number of workgroup voicemail in the queue.
Vmail Total	The total number of queued voicemail.
WCB Queued (Web Callbacks)	The total number of Web callbacks in the queue.
WCB Total (Web Callbacks)	The total number of Web callbacks.

- 5 Click the Projects tab, and select the projects that you want to include, and click OK.

Creating a Project Statistics View

You create a project statistics view window to evaluate the success of a specific project. There are 59 different values to choose from to customize your view.

To create a Project Statistics view

- 1 Select a panel, open the Views options, and click Project Statistics.

The Project Statistics Configuration dialog box displays.

- 2 Enter a name and description, and click the Columns tab.

- 3 Select the columns (statistics) that you want to display.

The following table describes the available project statistics.

Status	Description
Abandon First Segment	The total number of ACD calls that are abandoned while in the queue for the first segment.
Abandoned Interactions Total	The total number of ACD calls that were abandoned while in the queue. (The count begins when the interaction is terminated by the originator.)
AHT Calls (Avg Handle Time)	The calculation for calls is as follows: (total talk) plus (total wrap) divided by (number of handled calls).
AHT Chat	The calculation for chat interactions is as follows: (average talk time) plus (wrap-up time).
AHT SMS	The calculation for SMS interactions is as follows: (average talk time) plus (wrap-up time).
AHT Email	The calculation for email is as follows: (average talk time) plus (wrap-up time).
Answer First Segment	The number of calls answered after arriving at a workgroup for the first time.
Answered Interactions Total	The total number of ACD calls that were answered. (Oracle Contact Center Anywhere marks calls as answered when an agent accepts the interaction.)
ASA Calls (Avg Speed of Answer)	The calculation for calls is as follows: (time begins when the ACD call enters the queue and ends when it is answered by an agent.)
ASA Chat	The calculation for chat interactions is as follows: (time begins when the ACD chat enters the queue and ends when it is answered by an agent.)
ASA SMS	The calculation for SMS interactions is as follows: (time begins when the ACD SMS enters the queue and ends when it is answered by an agent.)

Status	Description
ASA Email	The calculation for email interactions is as follows: (time begins when the ACD chat enters the queue and ends when it is answered by an agent.)
ATT Calls (Avg Talk Time)	The talk time begins when the agent accepts the call (media type) and ends when the call is terminated. It is calculated as follows: (time begins when an agent accepts the call and ends when the call is removed from the agent.)
ATT Chat	The talk time begins when the agent accepts the chat interaction (media type) and ends when the chat interaction is terminated. It is calculated as follows: (time begins when an agent accepts the chat, and ends when the chat is removed from the agent.)
ATT SMS	The talk time begins when the agent accepts the SMS interaction (media type) and ends when the SMS interaction is terminated. It is calculated as follows: (time begins when an agent accepts the SMS and ends when the SMS is removed from the agent.)
ATT Email	The talk time begins when the agent accepts the email interaction (media type) and ends when the email interaction is terminated. It is calculated as follows: (time begins when an agent accepts the email and ends when the email is removed from the agent.)
Avg Call Route Time	The average time that all calls spend in project menus and campaigns.
Avg Wrap Time Call	The average time callers spend in wrap-up. Wrap-up begins when an ACD interaction enters wrap-up and ends when the wrap-up state completes.
Avg Wrap Time Chat	The calculation for average wrap time chat interactions is as follows: (time begins when a chat interaction enters wrap-up, and ends when it completes wrap-up.)
Avg Wrap Time SMS	The calculation for average wrap time SMS interactions is as follows: (time begins when an SMS interaction enters wrap-up, and ends when it completes wrap-up.)
Avg Wrap Time Email	The calculation for average wrap time for email interactions is as follows: (time begins when an email interaction enters wrap up, and ends when it completes wrap up.)
Call External IVR	The total number of calls connected to an external IVR.
Chat Total	The total number of daily chats for the project.
Email Total	The total number of daily email for the project.
Ext to Ext Current	The total number of extension-to-extension (user-to-user) calls currently in Oracle Contact Center Anywhere.

Status	Description
Extension Calls Total	The total number of station-to-station calls (agent-to-agent and supervisor-to-agent).
Fax In Total	The total number of inbound faxes for the project.
Fax Out Total	The total number of outbound faxes for the project.
Inbound Calls Total	The total number of incoming calls (direct or workgroup) for the project.
Inbound Direct Current	The current number of direct inbound calls for the project.
IVR Completed	The total number of IVR calls that were completed while being processed by a project menu or campaign for the project.
IVR Transfer Out	The total number of IVR calls transferred out of Oracle Contact Center Anywhere from project menus or campaigns.
Max Wait Call	The longest time that a caller waited before an agent accepted a call for this project.
Max Wait Chat	The longest time a client waited before an agent accepted a chat for this project.
Max Wait SMS	The longest time a client waited before an agent accepted an SMS for this project.
Max Wait Email	The longest time that an email waited in the queue before an agent accepted it for this project.
Max Wrap Time ACD Call	The longest duration an ACD call spent in wrap-up for the day for this project.
Max Wrap Time ACD Email	The longest duration all ACD email spent in wrap-up for the day for this project.
Max Wrap Time ACD Chat	The longest duration all ACD chat spent in wrap-up for the day for this project.
Max Wrap Time ACD SMS	The longest duration all ACD SMS spent in wrap-up for the day for this project.
MTT Calls (Max Talk Time)	The longest time spent on a call. (For chat and email, this time is the maximum time spent after the agent accepts it until the agent ends it.)
MTT Chat (Max Talk Time)	The longest time spent on a chat (that is, from the time after the agent accepts the chat until the agent ends it).
MTT SMS (Max. Talk Time)	The longest time spent on an SMS (that is, from the time after the agent accepts the SMS until the agent ends it).
MTT EMail (Max Talk Time)	The longest time spent on an email (that is, from the time after the agent accepts the email until the agent ends it).
Outbound Calls Total	The total number of daily outbound calls.

Status	Description
Outbound Current	The total number of outbound calls currently in Oracle Contact Center Anywhere. (The count begins when an agent makes an outbound call and removes it from the count when the call terminates.)
Predictive Total	The total number of predictive calls made.
Preview Total	The total number of preview calls made.
SL Offline (Service Level)	The service level (SL) for offline interactions (email and faxes). It is calculated as follows: ((total answered offline interactions that are less than the threshold) divided by (total answered offline interactions)) multiplied by 100.
SL Online (Service Level)	The service level (SL) for online interactions (calls, chats, SMS, and callbacks). It is calculated as follows: ((total answered online interactions that are less than the threshold) plus the (total abandoned online interactions that are less than the threshold) divided by (total answered calls plus total abandoned calls)) multiplied by 50.
SMS Total (Short Message Service)	The total number of SMS text messages received. Oracle Contact Center Anywhere counts each message when it is received.
Total Interactions	The total number of interactions of all types.
Web Callback Total	The total number of Web callbacks. (Oracle Contact Center Anywhere counts a callback when a request is received.)
Wgrp Call Current (Workgroup)	The total number of ACD calls currently in the workgroup queue or being handled by agents in the workgroup. (Oracle Contact Center Anywhere counts an ACD call when it enters a queue.)
Wgrp Call Total (Workgroup)	The total number of workgroup ACD calls handled. (Oracle Contact Center Anywhere counts a call when it enters a workgroup.)
Wgrp Callback Current (Workgroup)	The total number of workgroup callbacks and live callbacks currently in Oracle Contact Center Anywhere.
Wgrp Callback Total (Workgroup)	The total number of callbacks handled. (Oracle Contact Center Anywhere counts an ACD callback when it enters a queue.)
Wgrp Chat Current (Workgroup)	The total number of workgroup chats currently in the queue and being handled.
Wgrp Email Current (Workgroup)	The total number of workgroup email currently in the queue and being handled.
Wgrp Fax Current (Workgroup)	The total number of current workgroup faxes currently in the queue and being handled.

Status	Description
Wgrp Fax Total (Workgroup)	The total number of workgroup faxes handled. (Oracle Contact Center Anywhere counts an ACD fax when it enters a queue.)
Wgrp Interactions Current (Workgroup)	The total number of workgroup interactions currently in the queue or being handled and includes all workgroup media types (including wgrp call current plus wgrp callback current plus wgrp voicemail current plus wgrp email current plus wgrp chat current plus wgrp fax current plus wgrp SMS current) currently in Oracle Contact Center Anywhere.
Wgrp Interactions Total (Workgroup)	The total number of workgroup ACD interactions handled for the day (including ACD calls, callbacks, voicemail, and faxes entering the queue, and email and chats entering Oracle Contact Center Anywhere), handled for the day.
Wgrp SMS Current (Workgroup)	The total number of workgroup Short Message Services (SMS) currently in the queue and being handled.
Wgrp Vmail Current (Workgroup)	The total number of workgroup voicemail currently in the queue and being handled.
Wgrp Vmail Total (Workgroup)	The total number of workgroup ACD voicemail. (Oracle Contact Center Anywhere counts an ACD voicemail when it enters a queue.)

- 4 Click the Projects tab, and then select the projects that you want to include.
- 5 If you want your view to include a Totals row, providing totals for all columns (statistics), then select the Show Totals check box, and click OK.

Creating a Workgroup Media Totals Statistics View

You create a Workgroup Media Totals Statistics View to track answered and abandoned statistics, as well as queued and overflowed interactions by media type. There are 37 statistics to choose from for your View.

To create a Workgroup Media Totals Statistics view

- 1 Select a panel, open the Views options, and click Workgroup Media Totals.
The Workgroup Media Totals Configuration dialog box displays.
- 2 Enter a name and description.
- 3 Click the Columns tab, where you can select the specific statistics that you want to view.

4 Select the columns (statistics) that you want to display.

The following table lists the available Workgroup Media Totals Statistics.

Statistics (Columns)	Description
ABD Calls	The total number of abandoned ACD calls in a workgroup. (Oracle Contact Center Anywhere marks a call as abandoned when the interaction terminates while in a queue.)
ABD Chat	The total number of abandoned ACD chats in a workgroup. (Oracle Contact Center Anywhere marks a chat as abandoned when the interaction terminates while in a queue.)
ANS Callbacks	The total number of callbacks for the workgroup that are received from Oracle Contact Center Anywhere and answered by agents.
ANS Chat	The total number of chat requests for the workgroup that are received from the Web and answered by the agent.
ANS SMS	The total number of SMS requests for the workgroup that are received from the Web and answered by the agent.
ANS Email	The total number of email requests for the workgroup that are downloaded from the mail server and answered by the agents.
ANS Fax	The total number of fax requests for the workgroup that are received from the Web and answered by agents.
ANS Inbound	The total number of all inbound interaction calls for the workgroup that are answered by the agents.
ANS Predictive	The total number of all predictive calls for the workgroup made by Oracle Contact Center Anywhere.
ANS Preview	The total number of all preview calls for the workgroup made by agents.
ANS Vmail	The total number of all inbound voicemail for the workgroup that are answered by the agents.
ANS Web Callbacks	The total number of all Web callback requests for the workgroup that are received from Oracle Contact Center Anywhere and answered by agents.
Calls Queued	The total number of calls queued.
CB Queued (Callbacks)	The total number of callbacks queued.
CB Total (Callbacks)	The total number of callbacks for the workgroup received by Oracle Contact Center Anywhere.

Statistics (Columns)	Description
Chat Queued	The total number of chats queued. (Oracle Contact Center Anywhere counts the chat when it enters the queue, and removes it when it exits the queue.)
Chat Total	The total number of chat requests for the workgroup received from the Web.
SMS Queued	The total number of SMSs queued. (Oracle Contact Center Anywhere counts the SMS when it enters the queue, and removes it when it exits the queue.)
SMS Total	The total number of SMS requests for the workgroup received by Oracle Contact Center Anywhere.
Email Queued	The total number of queued email.
Email Total	The total number of email requests for the workgroup received by Oracle Contact Center Anywhere.
Fax Queued	The total number of faxes queued.
Fax Total	The total number of fax requests for the workgroup received by Oracle Contact Center Anywhere.
Inbound Total	The total number of ACD calls for the workgroup received by Oracle Contact Center Anywhere.
OFL Call Inbound (Overflow In Calls)	The total number of inbound calls for the workgroup that met the overflow condition.
OFL CB (Overflow Callbacks)	The total number of callback requests for the workgroup that met the overflow condition.
OFL Chat (Overflow Chat)	The total number of ACD interactions that were answered by the overflow workgroup.
OFL SMS (Overflow SMS)	The total number of ACD interactions that were answered by the overflow workgroup.
OFL Email (Overflow Email)	The total number of email requests for the workgroup that met the overflow condition.
OFL Fax (Overflow Fax)	The total number of fax requests for the workgroup that met the overflow condition.
OFL Predictive (Overflow Predictive)	The total number of predictive call requests for the workgroup that met the overflow condition.
OFL Preview (Overflow Preview)	The total number of preview call requests for the workgroup that met the overflow condition.
OFL Vmail (Overflow Voicemail)	The total number of voicemail requests for the workgroup that met the overflow condition.
OFL WCB (Overflow Web Callbacks)	The total number of Web callback requests for the workgroup that met the overflow condition.

Statistics (Columns)	Description
POP3 Queued	The total number of queued email on the POP3 server(s) for the workgroup.
Predictive	The total number of predictive calls for the workgroup that are in a queue.
Predictive Total	The total number of predictive calls made for the workgroup.
Preview Total	All the preview calls for the workgroup that are in a queue.
Vmail Queued	The total number of voicemail queued.
Vmail Total	The total number of queued voicemail for the workgroup received by Oracle Contact Center Anywhere.
WCB Queued (Web Callbacks)	The total number of queued Web callbacks.
WCB Total (Web Callbacks)	The total number of Web callbacks for the workgroup received by Oracle Contact Center Anywhere.

- 5 Click the Workgroups tab, and then select the workgroups that you want to include.
- 6 If you want your view to include a Totals row, providing the totals for all columns (statistics), then select the Show Totals check box, click OK.

Creating a Workgroup Statistics View

You create a workgroup statistics view window to view the interaction activity in monitored workgroups with a high level of detail. You can view real-time statistics related to workgroup activity, which is critical for contact center supervisors. Using the Workgroup Statistics view window, you can:

- Track current and total interactions by media.
- Display Average Talk Time (ATT), and Average Handle Time (AHT) by media, as well as Maximum Talk Time (MTT by media).
- Monitor Average Speed to Answer (ASA) statistics by media.

TIP: Before you set up the Workgroup Statistics view window, it is best to determine which statistics are most useful. For example, if your team is accepting only workgroup calls, you might not want to track email, fax, predictive, or chat interactions.

To create a Workgroup Statistics view

- 1 Select a panel, open the Views options, and click Workgroup Statistics.
The Workgroup Statistics Configuration dialog box displays.
- 2 Enter a name and description.
- 3 Click the Columns tab.

4 Select the columns (statistics) that you want to display.

The following table describes the available Workgroup Statistics.

Statistics (Columns)	Description
% Abandoned	The percentage of abandoned interactions compared to the total number of interactions routed to the workgroup (for all media types). This percentage is calculated daily from 12 A.M. to 12 A.M. It is calculated as: ((total number of ACD interactions abandoned while in the queue) divided by (total number of interactions offered daily from midnight to midnight)) multiplied by 100.
% Answered	The percentage of answered interactions compared to the total number of interactions routed to the workgroup (for all media types). This percentage is calculated from 12 A.M. to 12 A.M. It is calculated as follows: ((total number of answered interactions) divided by (total number of interactions offered daily from midnight to midnight)) multiplied by 100.
% Available Agents	The percentage of currently logged-in agents in the Available state. It is calculated as follows: ((total number of available agents) divided by (total number of agents currently logged in to Oracle Contact Center Anywhere)) multiplied by 100.
% Unavailable Agents	The percentage of unavailable agents for the current day. It is calculated as follows: 1 minus ((total number of available agents) divided by total number of agents who are logged in currently to Oracle Contact Center Anywhere)) multiplied by 100.
Abandoned	The total number of abandoned interactions.
Active Alt Wgrp Agents	The total number of agents assigned to this workgroup who are busy working on interactions for other workgroups.
Active In Wgrp Agents	The total number of agents busy working on interactions for the workgroup.
Active Non Wgrp Agents	Total number of agents in this workgroup working on nonworkgroup interactions (such as direct inbound interactions, agent-to-agent interactions, and so on).
AHT Calls (Average Handle Time)	The calculation for workgroup calls (including hold and wrap-up time) is as follows: (total talk time) plus (total wrap-up time) divided by (total interactions).

Statistics (Columns)	Description
AHT Chat	The calculation for workgroup chat interactions (including hold and wrap-up time) is as follows: (total talk time) plus (total wrap-up time) divided by (total interactions).
AHT SMS	The calculation for workgroup SMS interactions (including hold and wrap-up time) is as follows: (total talk time) plus (total wrap-up time) divided by (total interactions).
AHT Email	The calculation for workgroup email interactions (including hold and wrap-up time) is as follows: (total talk time) plus (total wrap-up time) divided by (total interactions).
Answered Current	The total number of answered interactions that are currently in Oracle Contact Center Anywhere.
Answered Total	The total number of ACD interactions (for all inbound media types) answered by the workgroup.
ASA Calls (Average Speed to Answer)	The calculation for workgroup calls is as follows: (total time of all ACD calls in the queue until answered) divided by (total number of ACD calls).
ASA Chat	The calculation for workgroup chat interactions is as follows: (total time in the queue for all ACD chats until accepted) divided by (total number of ACD chats).
ASA SMS	The calculation for workgroup SMS interactions is as follows: (total time in the queue for all ACD SMSs until accepted) divided by (total number of ACD SMSs).
ASA Email	The calculation for workgroup email interactions is as follows: (total time in the queue of all ACD email until accepted) divided by (total number of ACD email).
Assigned Agents	The total number of assigned agents in the workgroup.
ATT Calls (Average Talk Time)	The transaction time begins when the agent accepts the call (media type) and ends when the call is terminated. The calculation for time spent on the phone with a caller, (including hold time) is as follows: (total talk time of all ACD calls) divided by (total number of ACD calls answered).
ATT Chat	The transaction time begins when the agent accepts the chat interaction (media type) and ends when the chat interaction is terminated. The calculation for time spent on chat interactions (including hold time) is as follows: (total talk time of all ACD chats) divided by (total number of ACD chats).

Statistics (Columns)	Description
ATT SMS	The transaction time begins when the agent accepts the SMS interaction (media type) and ends when the SMS interaction is terminated. The calculation for the time spent on SMS interactions (including hold time) is as follows: (total talk time of all ACD SMSs) divided by (total number of ACD SMSs).
ATT Email	The transaction time begins when the agent accepts the email interaction (media type) and ends when the email interaction is terminated. The calculation for time spent on email interactions (including hold time) is as follows: (total talk time of all ACD email) divided by (total number of ACD email).
Available Agents	The total number of logged-in agents in an Available state.
Avg Wrap Time Call (Average Wrap Time)	The amount of time spent in the wrap-up state after a workgroup call.
Avg Wrap Time Chat	The time spent in the wrap-up state after a chat. It is calculated as follows: (total wrap-up time for ACD chats) divided by (total number of ACD chats answered).
Avg Wrap time SMS	The time spent in the wrap-up state after an SMS. It is calculated as follows: (total wrap-up time for ACD SMSs) divided by (total number of ACD SMSs answered).
Avg Wrap Time Email	The time spent in the wrap-up state after an email. It is calculated as follows: (total wrap-up time for ACD email) divided by (total number of ACD email answered).
In Overflow	The total number of ACD interactions that overflowed into the workgroup from other workgroups. Oracle Contact Center Anywhere counts all overflow interactions (including those that go to No Answer, Voicemail, become a Callback, or go to a menu).
In Transferred	The total number of interactions transferred to the workgroup.
Logged In Agents	The total number of assigned agents logged in to Oracle Contact Center Anywhere.
Max TT Call (Max Talk Time)	The maximum talk time (MTT) spent on the phone with a caller (including hold time).
Max TT Chat (Max Talk Time)	The maximum talk time (MTT) spent on chat (including hold time).
MTT SMS (Max. Talk Time)	The maximum talk time (MTT) spent on SMS (including hold time).

Statistics (Columns)	Description
Max Wait Call	The longest queue time for an ACD call before being routed to an agent.
Max Wait Chat	The longest queue time for an ACD chat before being routed to an agent.
Max Wait SMS	The longest queue time for an ACD SMS before being routed to an agent.
Max Wait Email	The longest queue time for an ACD email before being routed to an agent.
MTT Email (Max Talk Time)	The maximum talk time (MTT) spent on email (including hold time).
Out Overflow	The total number of ACD interactions that overflowed out of the monitored workgroup and into another workgroup.
Out Transferred	The total number of ACD interactions that transferred out of the workgroup.
Queued Interactions	The total number of queued interactions for the workgroup (for all media types).
SL Offline (Service Level)	The percentage of offline interactions that were answered within the first threshold. It is calculated as follows: ((total answered offline interactions that are less than the threshold) divided by (total answered interaction)) multiplied by 100.
SL Online (Service Level)	The percentage of online interactions that were answered within the first threshold. It is calculated as follows: ((total answered online interactions that are less than the threshold) plus (total abandoned online interactions that are less than the threshold) divided by (total answered calls plus total abandoned calls)) multiplied by 50.
Total Interactions	The total number of interactions (for all media types) handled by the workgroup.
Unavailable Agents	The total number of agents who are unavailable. It is calculated as follows: (total number of agents) minus (total number of available agents).

- 5 Click the Workgroups tab, then select the workgroups that you want to include, and click OK. Your Workgroup Statistics View appears in your workspace in the panel that you selected.

Creating a Predictive Project Statistics View

You create a predictive project statistics view window to view the predictive projects with a high level of detail. You can view real-time statistics, which is critical for contact center supervisors.

TIP: Before you set up the Predictive Statistics view window, it is best to determine which statistics are most useful.

To create a Predictive Project Statistics view

- 1 Select a panel, open the Views options, and click Predictive Project Statistics.
The Predictive Project Statistics Configuration dialog box displays.
- 2 Enter a name and description.
- 3 Click the Columns tab.

- 4 Select the columns (statistics) that you want to display.

The following table lists the available Predictive Project Statistics.

Statistics (Columns)	Description
Action Call Failure	The outbound call attempt failed.
Action Callback	The outbound call attempt resulted in a callback request.
Action Connect To Agent	The outbound call attempt was successful and was connected to an agent.
Action Drop Caller	The outbound call attempt was successful, however an agent was not available and the call was abandoned.
Action Left Message	The outbound call attempt was successful and a message was left on an answering machine.
Action Left Message Callback	Number of calls where the action was to leave a message for callback.
Action Left Message Callback Error	Error with the left message callback action.
Action Left Message Error	Number of calls where the action was to leave a message.
Action Remove From List	The outbound call attempt was successful. The subsequent action was to remove the number from the calling list.
Action Route To Project Error	The outbound call attempt was successful. The subsequent action was to route to a project, however an error was encountered.
Action Route To Project	The outbound call attempt was successful and the call was routed to a project.
Action Send Fax	The number of successful outbound calls with a subsequent action to send a FAX.
Action Send Fax Error	Error when action to send Fax.
Agent Ratio	The ratio of agents to predictive projects.
Answered Calls	The number of calls dialed by Oracle Contact Center Anywhere and detected as Answered.
Available Channels	The number of outbound channels available for use by the predictive project at the running time. This number equals the maximum number of channels for the project subtracted from the number of channels in use.
Average Number Of Agents Used	The number of agents used to calculate the statistics for the project.
Average Wait Time	The time between predictive calls during which the agents are waiting, before being selected for another predictive call.

Statistics (Columns)	Description
Calls	The number of calls dialed by Oracle Contact Center Anywhere.
Calls Per Agent	The number of calls received per agent.
Channels In Use	The number of outbound channels currently in use by the predictive project.
Dropped Calls	The number of outbound call attempts that were successful, but failed to reach an available agent and were either disconnected or dropped.
Duration	The time when Predictive project is started until stopped. This column is reset once predictive project is stopped.
Logged In Agents	The number of agents logged in the predictive project.
Maximum Number Of Channels	The maximum Number of channels the predictive project can use. Granted by administrator.
Pool Ratio	The average number of agents used to the number of outbound calls.
Ratio	The ratio of unsuccessful to successful outbound attempts.
Result Answer	The outbound call attempt was successful and answered by customer.
Result Answering Machine	The outbound call attempt was successful and answered by answering machine.
Result Busy	The outbound call attempt was successful but the customer's phone was busy.
Result Call Failure	The outbound call attempt was unsuccessful as the called failed.
Result Fax	The outbound call attempt was successful and answered by fax.
Result Invalid	The outbound call attempt dials an invalid number.
Result No Answer	The outbound call attempt was successful and not answered by customer.

8

Making Predictive Calls

This section describes the prerequisites for making predictive calls, and how to begin a predictive project. It includes the following topics:

- [Administrator Responsibilities](#)
- [Supervisor Responsibilities](#)
- [Starting Predictive Dialing](#)

Administrator Responsibilities

Before you can make predictive calls, your administrator must first complete these tasks:

- Create and configure a predictive project.
- Upload at least one dialer list to the predictive project. (A dialer list contains the predictive phone numbers.)
- Start the predictive project in Administration Manager to initialize the predictive servers.
- Give you access rights to the predictive project.

Supervisor Responsibilities

After the administrator's responsibilities are completed, you, as a supervisor, control the actual predictive dialing from the Outbound Control tab. From the Outbound Control tab:

- Your administrator must give you access to one or more predictive projects:
 - Each predictive project can have one or more dialing lists.
 - Each dialer list contains a group of phone numbers.
- You must start and stop the dialing for any dialer list in any predictive project, using the check box next to each choice.

NOTE: You can activate or deactivate only the predictive projects that are assigned to the supervisor to view.

- You must have at least one of your agents logged in to Contact Center Anywhere Interaction Manager and logged in to Predictive Dialing.

NOTE: See *Oracle Contact Center Anywhere Interaction Manager Guide* for more information.

Starting Predictive Dialing

Complete the steps in the following procedure to open predictive projects and start predictive dialing.

To start predictive dialing

- 1 Click the Outbound Control tab to open the predictive projects created by your administrator.

NOTE: An animated cursor, with red dots, indicates that your administrator started the predictive project.

Each project has a list that you can see when you click the project box, which opens the lists (much like file folders).

TIP: If you do not see any predictive projects in the Predictive Heading, either your administrator did not create any predictive projects or did not give you access to them. Contact your administrator in this scenario. Similarly, if you see the name of a predictive project, but it does not have an animated cursor next to it, contact your administrator to start the predictive report.

- 2 Select the check box next to a list to activate it.

The color of the list name is dark when active and faded when inactive.

- A completeness meter appears for the project. Each list indicates the penetration of the list and the percentage of numbers that has been dialed.

The following table lists each column in the Outbound Control tab.

Column	Description
Project/List	This column displays the short name of the predictive project and its associated call lists assigned to the list. (Select the item check box to activate it.)
Description	A description of the project as defined in Administration Manager.
Total Contacts	This column represents the total number of contacts loaded for the project. Each contact list is assigned to the project.
Pending	This column represents the total number of contacts that are not completed for the project and for each contact list.
Completed	This column presents the total number of contacts that are completed for the project and for each contact list.
Percent Completed	This column displays the percentage of contacts that are complete. (The percentage is displayed in a graph, along with the percentage value.)
Predictive Summary Area	

Column	Description
Active Contacts	This column is the total number of contacts that are activated for all projects and lists associated with the display divided by the total contacts for all the projects and lists.
Active Contacts Used	This column displays the total number of completed contacts in the active lists out of the total number of contacts for all projects and lists.
Predictive Agents (Agents Logged In)	This column presents the number of agents who are logged in to the Predictive workgroup currently and assigned to the supervisor.
Summary Totals	
Active Contacts x/y	This column displays the total number of contacts that are active for all projects and all lists out of all contacts loaded for all projects and all lists (both active and inactive).
Active Contacts Completed x/y	This column presents the total number of active contacts that were completed or finalized by Oracle Contact Center Anywhere out of all the active contacts.

- 3 Click Yes to confirm that you want to start calling the numbers in that list.
You can start as many dialer lists as you want in any predictive project to which you have access.

9

Working with Standard Reports

This section describes the standard reports that are available for you to view and understand contact center trends, activities, and agent performance. This section includes the following topics:

- [Standard Reports](#)
- [Viewing Standard Reports](#)
- [Contact Center Operations Reports](#)
- [Workgroup Productivity Reports](#)
- [Predictive and Preview Reports](#)
- [Agent Profile and Productivity Reports](#)
- [Project Segments Report](#)

Standard Reports

You can view standard reports to help you understand the key performance indicators to help you more efficiently manage your contact center.

This topic includes the following:

- [List of Standard Reports on page 87](#)
- [Common Standard Report Items on page 89](#)

List of Standard Reports

Table 3 provides a list of all the standard reports available from Supervision Manager by report group.

NOTE: The specific reports that you can access depend on how Oracle Contact Center Anywhere is configured. Therefore, you might not see all of the reports described.

Table 3. Supervision Manager Standard Reports

Report Name	Description
Contact Center Operations	
Weekly Project Routing Schedule	Lists all of the schedules defined for your contact center for Dialed Number Identification Service (DNIS) routing.
Workgroup Skills	Displays the skills assigned to a workgroup and the rating of those skills.
Workgroup Productivity	

Table 3. Supervision Manager Standard Reports

Report Name	Description
Workgroup Segments	(Formerly named Workgroup Key Statistics) Shows statistics that help you understand the performance of each workgroup in your contact center.
Workgroup Interval Time	Shows how your workgroups are performing at specific times of the day.
Workgroup Interval Time by Media	Shows how many interactions of each media type your contact center receives at specific times of the day.
Outcome Statistics	Allows you to track the results of interactions based on the interaction type (ACD call, Web callback, and so on).
Overdue Callbacks	Lists all waiting Web callback interactions
Predictive and Preview Reports	
Predictive Dialer Totals	Shows a group of call-related statistics (number of calls, answer rate, and so on) for predictive dialing.
Predictive Productivity	Displays a breakdown of the production statistics, based on the agents used for all predictive call attempts.
Predictive Summary	Displays a breakdown of the actions (left message, callback, and so on) of all predictive call attempts.
Predictive Detailed	Displays a breakdown of the results (busy, no answer, and so on) of all predictive call attempts.
Preview Summary	Displays a breakdown of the preview results based on the agents used for any or all predictive call attempts.
Agent Profile and Productivity	
Agent Information	Displays profile information (extension, email address, and so on) for agents.
Agent Interaction	Displays details about the number and duration of the selected interaction type for the selected agents.
Agent Skills	Lists all the skills defined for your company, and indicates which agents possess that skill and their rating for the skill. Shows you which agents possess each skill in your contact center.
Agent Utilization	Lets you analyze agent activity by showing the amount of time each agent spent handling interactions, awaiting interactions, or on break.
Direct Dialing Statistics	Shows the statistics for the calls dialed directly to agents, or dialed by agents to external numbers.
Login by Groups of Users	Displays the agents who logged in, the login time, and login duration.

Table 3. Supervision Manager Standard Reports

Report Name	Description
Login by User	Provides information about the login activity for each of your agents.
Project	
Project Segments	(Formerly named Project Key Statistics) Shows a set of interaction statistics, broken down by interaction type (phone, email, and so on), and as a summary across all interaction types.

Common Standard Report Items

Table 4 lists the items that most, but not all, standard reports have in common, and describes each item.

Table 4. Example Standard Report Common Items

Item	Description
Report Name	The name of the report followed by a user-defined name
Report Includes XXX	Shows the subjects of the report (such as workgroups, Oracle Contact Center Anywhere users, prospects, and so on)
Generated date and time	The day (mm/dd/yyyy) and time (hh:mm:ss A.M. or P.M.) when this report was generated. NOTE: The date format can vary. It depends on the default settings for the report, or user selections when users view the report.
Time Zone	The time zone used to generate the report
Report Date Range to Include	Shows the period of the report from one date (dd/mm/yyyy) and time (hh:mm:ss) to another date (dd/mm/yyyy) and time (hh:mm:ss)

Viewing Standard Reports

You can view existing standard reports. However, you must be an administrator to create new reports.

NOTE: If you want a new report, or want to change a report, contact your administrator.

To view a standard report

- 1 Click the Reporting tab.
- 2 Click the Reports menu.
- 3 Double-click the Reports menu to open one of the report groups (such as Agent Profiles & Productivity).

- 4 Double-click a report name (such as Agent Skills) to open a list of available reports.

NOTE: This list includes reports that your administrator previously created and granted you permission to view. If the report name is not expandable, there are no available reports for that report type.

- When an administrator creates a report, the administrator usually sets some configuration options on the report. The configuration options depend on the specific report.

For example, your administrator can configure the Workgroup Segments Report to show statistics on workgroups or statistics on projects. The administrator can also configure this report to show only one workgroup or all workgroups. In addition, the administrator can control which types of interactions to include, and which to ignore (such as including calls, chats, and email, and ignoring faxes).

Scheduling a Standard Report and Selecting Regional Options

The following topic describes how to schedule a standard report and how to select regional options.

To schedule a standard report and to select regional options

- 1 Click a report name.

The Report dialog box opens.

NOTE: Depending on what type of report you are viewing, you might see a Covered Period tab, a Regional Options tab, or both.

- 2 On the Period Covered tab, select the start and end dates, and the start and end times.

The following table describes the fields and controls.

Field	Description
Start Date	<p>Click the calendar icon to open a calendar from which you can choose the start date of the report range:</p> <ul style="list-style-type: none"> ■ Click the right-angle bracket (>) or the left-angle bracket (<) to advance or move back the calendar one month ■ Click the right, double-angle brackets (>>) or the left, double-angle brackets (<<) to advance or move back the calendar one year. <p>Choose the report start date by clicking a day in the calendar, or click today to choose today's date (based on your workstation's system clock).</p> <p>You can also type a date in the text box, using the mm/dd/yyyy format:</p> <ul style="list-style-type: none"> ■ From the first drop-down list, select the starting hour (24-hour notation). ■ From the second drop-down list, select the starting minutes. <p>For more information about the calendar, see Selecting a Date from the Calendar on page 92.</p>
End Date	<p>Click the calendar icon to open a calendar from which you can choose the end date of the report range:</p> <ul style="list-style-type: none"> ■ Click the right-angle bracket (>) or the left-angle bracket (<) to advance or move back the calendar one month. ■ Click the right, double-angle brackets (>>) or the left, double-angle brackets (<<) to advance or move back the calendar one year. <p>Choose the report end date by clicking a day in the calendar. Or, click today to choose today's date (based on your workstation's system clock).</p> <p>You can also type a date in the text box, using the mm/dd/yyyy format:</p> <ul style="list-style-type: none"> ■ From the first drop-down list, select the closing hour (24-hour notation). ■ From the second drop-down list, select the closing minute.
Start Time	From the drop-down lists, choose the starting hour (24-hour notation) and minute for your report range.
End Time	From the drop-down lists, choose the closing hour (24-hour notation) and minute for your report range.

- Click the Regional Options tab, and complete the Regional Options tab fields.

The following table describes the selection and fields for selecting regional options.

Field	Description
Select Time Zone	
Company Defined Time Zone	Choose Company Default Time Zone to display all report times in your company's default time zone.
User Defined Time Zone	Choose User Time Zone to display all report times in the time zone configured for your Oracle Contact Center Anywhere workstation.
Select Report Language	From the drop-down list, choose the language to use in the report.
Select Date Format	
Company Defined Date Format	Choose Company Default Date Format to display all report dates in your company's default format.
User Defined Date Format	Select the report date format from the drop-down list.

- Click OK.

A new browser window opens containing the report.

Selecting a Date from the Calendar

Many Oracle Contact Center Anywhere screens include a calendar icon to help you to select a date (for example, when creating search parameters for finding a specific interaction stored in the Oracle Contact Center Anywhere database). The following topic helps you to use the calendar feature.

To select a date from the calendar

- Click the calendar icon to open a calendar.

On the calendar, the current month and year appear in the date box.

- Do the following to select a different day or month:

- Click the arrows to advance or move back the calendar one month.
- From the drop-down list, select a different month-year combination from the list.
- Click a day of the week for the date.

The calendar closes automatically after a day is selected.

NOTE: To close the calendar manually, click **Close**.

Report Start and End Times

For almost every report, the start and end times work in the same way. For example, if you are running an Agent Utilization Report, you might select:

- 07/01/08 as the start date
- 07/30/08 as the end date
- 8:00 (A.M.) as the start time
- 17:00 (5:00 P.M.) as the end time

Your report includes events:

- Starting at 8:00 A.M. on 7/01/08
- Closing at 5:00 P.M. on 07/30/08

Any event that occurred between those times, 24 hours a day, seven days a week, is included in your report. Each report works in this way, with the following exceptions:

- Workgroup Interval Time Report
- Workgroup Interval Time by Media Report
- Advanced Report Templates

If you run these reports, and select the same start and end times, listed in the previous example, your report includes events that occurred between 8:00 A.M. and 5:00 P.M, each day between 7 January 2007 and 30 July 2007.

Contact Center Operations Reports

This topic describes the operations reports. It includes the following topics:

- [Weekly Project Routing Schedules Report on page 93](#)
- [Workgroup Skills Report on page 94](#)

Weekly Project Routing Schedules Report

The Weekly Project Routing Schedules Report lists all project schedules and operating hours for your contact center, as configured by an administrator using Supervision Manager.

NOTE: When a company is using Campaign Manager for its call flow, then the company typically uses business events to define the company's operating hours.

Table 5 describes the Weekly Project Routing Schedules Report, the columns, and their corresponding tables.

Table 5. Weekly Project Routing Schedules Report

Column	Description	Table
Day	The routing day.	Not applicable.
DNIS	(Dial Number Identification Service) The telephone number or email address customers use to reach the scheduled project.	LibraryDNIS
From Project	The project that the schedule temporarily disables while the <i>To Project</i> runs.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsWeeklyRouting ■ hasfromproject
Start Time	The time (24-hour clock) on the specified day the project is scheduled to start.	Not applicable.
Time Zone	The time zone used to generate the report. The values in the Start Time column are for this time zone.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsWeeklyRouting ■ hastimezone
To Project	The name of the project that the schedule runs at the specified day and start time.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsWeeklyRouting ■ hastoproject

Workgroup Skills Report

The Workgroup Skills Report shows the skills assigned to a workgroup. The report shows all agents for the entire company, not only the agents whom you supervise.

Table 6 describes the Workgroup Skills Report, the columns, and their corresponding tables.

Table 6. Workgroup Skills Report

Column	Description	Table
Rating	The rating (weight) of this skill (from 0 to 100) regarding its importance to this workgroup. The higher the rating, Oracle Contact Center Anywhere is more likely to route an interaction to this workgroup.	Workgroupskill <ul style="list-style-type: none"> ■ skillvalue

Table 6. Workgroup Skills Report

Column	Description	Table
Skill Name	The name of the skill required in this workgroup.	Workgroupskill ■ skillid
Workgroup	The name of the workgroup.	Workgroupskill ■ workgroupid

Workgroup Productivity Reports

This topic describes the workgroup productivity reports. It includes the following information:

- [Outcome Statistic Report on page 95](#)
- [Workgroup Interval Time by Media Report on page 98](#)
- [Workgroup Segments Report on page 100](#)
- [Overdue Callbacks Report on page 109](#)
- [Workgroup Interval Time Report on page 110](#)

Outcome Statistic Report

For each interaction type, the Outcome Statistics Report shows the number of interactions that were assigned an outcome by agents at the end of each interaction. You can use this report to track the results of interactions based on the interaction type.

NOTE: This report is available only if outcomes are defined.

Table 7 describes the Outcome Statistics Report and the corresponding tables.

Table 7. Outcome Statistics Report

Column	Description	Table
Callback	The number of ACD workgroup callback interactions that were assigned this outcome.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasCallback
Chat	The number of chat interactions that were assigned this outcome.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasACDChats
Inbound	The number of inbound interactions that were assigned this outcome by agents. NOTE: This number does not include calls routed through the ACD Server to an available workgroup agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasInbound
Outbound	The number of outbound interactions that were assigned this outcome by agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasOutbound
Outcome	Administrators can create a list of outcomes to describe the result of an interaction. Whether an agent is required to select an outcome is decided by the administrator. Example outcomes might include: Sale, Request for Literature, Request for Product Change, Order Pending, Order Placed, and so on.	Not applicable.
Predictive	The number of predictive interactions that were assigned this outcome by agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasPredictive

Table 7. Outcome Statistics Report

Column	Description	Table
Preview	The number of preview interactions that were assigned this outcome by agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasPreview
Web Callback	This report shows how many Web callback interactions that were assigned this outcome by agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasWebCallback
Workgroup Calls	This report shows how many inbound telephone call interactions (routed to a workgroup) that were assigned this outcome by agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasACDCalls
Workgroup Emails	This report shows how many workgroup email interactions that were assigned this outcome by agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasEmails
Workgroup Fax	This report shows how many workgroup fax interactions that were assigned this outcome by agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasFaxes

Table 7. Outcome Statistics Report

Column	Description	Table
Workgroup Voicemail	This report shows how many workgroup voicemail interactions that were assigned this outcome by agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasVoicemails
Total	The total number of interactions assigned this outcome.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsOutcomes ■ HasACDCalls

Workgroup Interval Time by Media Report

The Workgroup Interval Time by Media Type Report shows how many interactions of each media type your contact center receives at specific times of the day, during a specified period.

Each row of the report is dedicated to a single time interval, based on the value your administrator set up for this report. Therefore, selecting a start and end time for this report is slightly different from the procedure for other reports. For more information, see [Report Start and End Times on page 93](#).

Table 8 describes the Workgroup Interval Time by Media Report and the corresponding tables.

Table 8. Workgroup Interval Time by Media Report

Column	Description	Table
Callback	The number of calls that were set to callback.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ HasCallback
Chat	Number of times an interaction is routed to a workgroup. NOTE: Note: An interaction may be counted more than once.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ HasACDChat

Table 8. Workgroup Interval Time by Media Report

Column	Description	Table
Interval	<p>The period of the report. You can set the length for each interval in the Set Interval Time field on the Content tab when creating the report definition. The total number of rows in the report is based on your specified Interval Time and the period of your report.</p> <p>For example, the report would contain eight rows if the report was created for the period between 2:00 P.M. and 4:00 P.M. for a single day with interval times of 15 minutes.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ TimeInterval
Total	<p>The total number of interactions received for the entire period.</p> <p>NOTE: The total interaction count does not increment unless an agent accepts the interaction.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ HasTotInteractions
Total	<p>The total number of interactions received for each time interval.</p> <p>NOTE: The total interaction count does not increment unless an agent accepts the interaction.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ HasTotIntervalInteractions
Web Callback	<p>The number of times an interaction is routed to a workgroup.</p> <p>NOTE: Note: An interaction may be counted more than once.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ HasWebCallback
Workgroup Calls	<p>The number of times an interaction is routed to a workgroup.</p> <p>NOTE: Note: An interaction may be counted more than once.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ HasACDCalls

Table 8. Workgroup Interval Time by Media Report

Column	Description	Table
Workgroup Email	The number of times an interaction is routed to a workgroup. NOTE: Note: An interaction may be counted more than once.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ HasACDEmail
Workgroup Fax	The number of times an interaction is routed to a workgroup. NOTE: Note: An interaction may be counted more than once.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ HasACDFax
Workgroup Voicemail	The number of calls that were sent to voicemail.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDInterval ■ HasACDVoiceMail

Workgroup Segments Report

The Workgroup Segments Report shows contact center use and agent performance for the projects and workgroups that you select. It includes the activity for all agents in a project or workgroup. This report includes interactions that were routed to workgroup agents by Automatic Call Distribution (ACD). This report does not include:

- Calls made directly to an agent
- Outbound calls made by an agent

This report contains the following information:

- [Segment Events Area on page 101](#)
- [Abandoned Interval Area on page 102](#)
- [Agent Answered Interval Area on page 103](#)
- [Media Type Segments Handled Area on page 105](#)
- [Agent Segment Processing Area on page 107](#)
- [Summary Area on page 107](#)

NOTE: This report was formerly called: Workgroup Key Statistics Report.

Segment Events Area

The Segment Events area shows information for interactions received by the contact center.

Table 9 describes the various segment event items.

Table 9. Segment Events Items

Column	Description	Table
Abandoned	The number of workgroup interactions received by the contact center, but abandoned by the customer before being accepted by an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions ■ TimetoAbandoned
Agent Answered	The number of workgroup interactions routed to and accepted by agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions ■ HasACDCalls ■ HasACDCallback ■ HasWebCB ■ HasVoicemail ■ HasChat ■ HasEmail ■ HasFax
Callback Calls	The number of callback and Web callback interactions handled by the contact center.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions ■ HasACDCallback ■ HasACDCalls
No Answer	The total number of interactions sent to, but not answered by an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions

Table 9. Segment Events Items

Column	Description	Table
Other Events	The total number of events that overflowed to a project menu, or where the project results are <i>Other</i> .	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions
Other Workgroups	The total number of interactions routed to other workgroups.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions
Total Segments Received	The total number of interactions coming into the contact center.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions
Voicemail	The number of calls in which the caller left a voicemail message for a workgroup agent, rather than wait in the queue to be connected to an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions ■ HasVoicemail

Abandoned Interval Area

The Abandoned Interval area shows the statistics for the time that customers waited before deciding to abandon their attempt to reach your contact center.

Table 10 describes the abandoned interval items.

Table 10. Abandoned Interval Items

Column	Description	Table
0 min 31 sec to 1 min 0 sec	The number of interactions abandoned after waiting 30 seconds, but no longer than 60 seconds.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ActionID ■ Duration
1 min 1 sec to 1 min 30 sec	The number of interactions abandoned after waiting 61 seconds, but no longer than 1 minute and 30 seconds.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ActionID ■ Duration
1 min 31 sec to 2 min	The number of interactions abandoned after waiting between 1 minute and 30 seconds and 2 minutes.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ActionID ■ Duration
Over 2 min 0 sec	The number of interactions abandoned after waiting more than 2 minutes.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ActionID ■ Duration
Under 0 min 30 Seconds	The number of interactions abandoned after waiting less than 30 seconds.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ActionID ■ Duration

Agent Answered Interval Area

The Agent Answered Interval area shows statistics for the time customers waited before being connected to an agent.

Table 11 describes the agent answered statistics.

Table 11. Agent Answered Interval Items

Column	Description	Table
Below Threshold 1	The total number of interactions that were accepted by an agent before the time limit expired. This value is supplied for Threshold 1 in the Content tab of the report definition.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsCallCenterKey ■ CallThreshold1 ■ CallbackThreshold1 ■ WebCallbackThreshold1 ■ FaxesThreshold1 ■ EmailThreshold1 ■ ChatThreshold1
Below Threshold 2	The total number of interactions that were accepted by an agent before the time limit expired. This value is supplied for Threshold 2 in the Content tab of the report definition.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsCallCenterKey ■ CallThreshold2 ■ CallbackThreshold2 ■ WebCallbackThreshold2 ■ FaxesThreshold2 ■ EmailThreshold2 ■ ChatThreshold2

Table 11. Agent Answered Interval Items

Column	Description	Table
Greater than Threshold 2	The total number of interactions that were accepted by an agent after the time limit expired. The value is supplied for Threshold 1 in the Content tab of the report definition.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsCallCenterKey ■ CallThreshold2 ■ CallbackThreshold2 ■ WebCallbackThreshold2 ■ FaxesThreshold2 ■ EmailThreshold2 ■ ChatThreshold2
Total Segments Answered by Agent	The total number of interactions routed to and accepted by the workgroup agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsCallCenterKey ■ HasACDCalls ■ HasACDCallback ■ HasWebCB ■ HasVoicemail ■ HasChat ■ HasEmail ■ HasFax

Media Type Segments Handled Area

The Media Type Segments Handled area shows the number of interactions of each media type handled by the selected projects or workgroups.

Table 12 describes the media type segments that are handled.

Table 12. Media Type Items

Column	Description	Table
Callback	The number and percentage of interactions that reached the contact center by phone, were routed to a workgroup, and requested a callback rather than wait in the workgroup queue for an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions
Chat	The number and percentage of customers who reached the contact center by requesting a chat with an agent using your Web site.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions
Web Callback	The number and percentage of customers who reached the contact center by requesting a callback from an agent using your Web site.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions
Workgroup Calls	The number and percentage of interactions that reached the contact center by phone, were routed to a workgroup, and subsequently handled by an agent. NOTE: This number does not include predictive calls and preview calls.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions
Workgroup Email	The number and percentage of interactions that reached the contact center by email, were routed to a workgroup, and subsequently handled by an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions
Workgroup Fax	The number and percentage of fax interactions that were routed to a workgroup and subsequently handled by an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions
Workgroup Voicemail	The number and percentage of interactions that reached the contact center by phone, were routed to a workgroup, and elected to leave a voicemail message rather than wait in the workgroup queue for an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions

Agent Segment Processing Area

The Agent Segment Processing area shows the average time that agents spent in various phases of the interaction.

Table 13 lists the entities of the agent segment processing area.

Table 13. Agent Segment Processing Items

Column	Description	Table	Calculation
Average Handle Time per Segment	The average time that agents spent processing a call, (including talk time and wrap-up time), for the segment of the call, and for the reporting workgroup.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	[(Total talk time) plus (total hold time) plus (total wrap time)] divided by (total number of segments)
Average Hold Time (AHT)	The average time that agents kept callers on hold.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	(Total hold time) divided by (number of segments that went on hold)
Average Speed of Answer (ASA)	The average time for agents to answer an interaction.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
Average Talk Time (ATT)	The average time that agents spent talking with callers, including hold time.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
Average Wrap Up Time	The average time that agents spent wrapping up interactions (where the agent status was wrap-up).	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.

Summary Area

The Summary area shows the overview data for interactions received and for interaction waiting times.

Table 14 describes the Summary area.

Table 14. Summary Items

Column	Descriptions	Table	Calculation
Average Ring Time	The average ring time. The time is calculated as follows: (the total ring time divided by the number of calls offered to the agent.)	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
Average Time to Abandoned	The average time before the interaction was abandoned for all segments of the interaction.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
Duration of Handled Segments	The total time that the interactions spent in Oracle Contact Center Anywhere.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Oracle Contact Center Anywhere calculates this duration as the difference between the time the interaction was received and the end of the interaction for the segment of the call for the report.
Longest Wait to Answer Time	How long the interaction with the longest queue time waited for an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
Number of Times Interactions Went to Hold	The total number of voice interactions that an agent placed on hold at any time.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
OverFlow In	The total number of ACD interactions that were answered in the overflow workgroup.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
OverFlow Out	The total number of ACD interactions that overflowed to another workgroup.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.

Table 14. Summary Items

Column	Descriptions	Table	Calculation
Shortest Wait to Answer Time	How long the interaction with the shortest queue time waited for an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
Total Segments Answered by Agent	The total number of interactions received by Oracle Contact Center Anywhere, routed to a workgroup, and handled by an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
Total Segments Received	The total number of interactions received by your workgroup or project.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
Total Wait To Answer Time	The total time interactions spent waiting for an agent in a workgroup queue.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.
Transferred In	The number of interactions that entered the workgroup by way of a transfer.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsCallCenterKey ■ HistoryActions 	Not applicable.

Overdue Callbacks Report

The Overdue Callbacks Report lists all Web callback requests that have aged past the requestor's specified date and time. It shows the date and time that the customer requested the callback, as well as the customer's contact information. This report helps you to determine if interactions are overdue, recently overdue, or upcoming.

Table 15 describes the Overdue Callbacks Report.

Table 15. Overdue Callbacks Report

Column	Description
Customer Information	Information about the customer, including the customer's first name, last name, phone number, extension (where applicable), email address, company, and the customer's time zone.
Overdue	The customer has been waiting (for a requested callback) longer than the maximum, overdue threshold time.
Recently Overdue	The customer has been waiting (for a requested callback) longer than the overdue time, but has not yet waited longer than the maximum, overdue threshold time.
Request Date	The day when the customer requested the callback.
Request Time	The time the customer requested the callback.
Upcoming	The time when the customer requested a callback has not yet arrived.

Workgroup Interval Time Report

The Workgroup Interval Time Report shows how agents are performing at specific times of the day during a period. Time intervals can be as brief as 1 minute and as long as 60 minutes.

Each row of the report shows a single time interval, based on the interval value that your administrator set. The administrator can include the threshold values to indicate the number of interactions missed or met by interval. Therefore, selecting a start and end time for this report is slightly different from the procedure for other reports. For more information, see [Report Start and End Times](#) on page 93.

Table 16 describes the Workgroup Interval Time Report, the corresponding tables, and the formulas used in calculations (where applicable).

Table 16. Workgroup Interval Time Report

Column	Description	Table	Calculation
Interval	<p>The period of the report.</p> <p>The total number of rows in the report is based on your specified Interval Time and the period of the report.</p> <p>For example, the report would contain eight rows if the report was created for the period between 2:00 P.M. and 4:00 P.M. for a single day with interval times of 15 minutes.</p>	<p>The following is a list of the tables that are used in the Workgroup Interval Time Report:</p> <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDIntervalTime ■ Invervaltime 	Not applicable.
Agent Answered	The columns in this area apply to the number of interactions that were answered by agents during each of the time intervals.		
Below Threshold 1	The total number of interactions accepted by agents within the first defined threshold for the interactions in the report.	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ HistoryActions ■ Duration ■ ReportsACDIntervalTime ■ Callthreshold1 ■ Callbackthreshold1 ■ WebCallbackthreshold1 ■ Chathreshold1 ■ Emailthreshold1 ■ Faxthreshold1 	Not applicable.

Table 16. Workgroup Interval Time Report

Column	Description	Table	Calculation
Below Threshold 2	The total number of interactions accepted by agents within the second defined threshold for the interactions in the report.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ Duration ■ ReportsACDIntervalTime ■ Callthreshold2 ■ Callbackthreshold2 ■ WebCallbackthreshold2 ■ Chathreshold2 ■ Emailthreshold2 ■ Faxthreshold2 	Not applicable.
Greater than Threshold 2	The total number of interactions accepted by agents outside the second threshold for the interactions in the report.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ Duration ■ ReportsACDIntervalTime ■ Callthreshold2 ■ callbackthreshold2 ■ WebCallbackthreshold2 ■ Chathreshold2 ■ Emailthreshold2 ■ Faxthreshold2 	Not applicable.
Abandon	The total number of interactions where the client disconnected after entering the queue, but before reaching an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDIntervalTime ■ Hasdropped 	Not applicable.
Above Threshold 1	The total number of abandoned interactions outside the first threshold for the interactions in the report.	Not applicable	Not applicable.

Table 16. Workgroup Interval Time Report

Column	Description	Table	Calculation
Total	The total number of abandoned interactions.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDIntervalTime ■ HasTotalInteractions 	Not applicable.
Service Performance Level	The percentage of calls answered within the time specified.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsACDIntervalTime ■ HasPercentageServiceLevel 	Total number of interactions answered before threshold 1 divided by (total number of answered interactions plus abandoned interactions after threshold 1). NOTE: This calculation is not applied to voicemail, email and fax interactions.

Predictive and Preview Reports

This topic describes the predictive and preview reports. It includes the following information:

- [Preview Summary Report on page 113](#)
- [Predictive Summary Report on page 115](#)
- [Predictive Detailed Report on page 120](#)
- [Predictive Productivity Report on page 125](#)
- [Predictive Dialer Total Report on page 127](#)

NOTE: You cannot view these reports if your contact center is not running predictive or preview campaigns.

Preview Summary Report

The Preview Summary Report provides a breakdown of the project outcomes (for example, busy and no answer) of all preview call attempts, and the follow-up action taken in response to each outcome.

Table 17 describes the Preview Summary Report and the corresponding tables.

Table 17. Preview Summary Report

Column	Description	Table
Project	The name of the preview calling project.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryPredictiveResults ■ ReportsPreview
Outcome	The outcome assigned to the interaction by the agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryPredictiveResults ■ ReportsPreview ■ HasOutcomeName
Phone	The telephone number dialed in the preview call attempt.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryPredictiveResults ■ ReportsPreview ■ HasPhone
Action	The action taken as a result of the predictive call attempt.	
None	No action is required.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryPredictiveResults ■ ReportsPreview ■ HasAction ■ ActionID
Add to Do Not Call List	Choosing this result removes the number from the preview calling list, so that Oracle Contact Center Anywhere does not provide the number to agents to call again.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryPredictiveResults ■ ReportsPreview ■ HasAction ■ ActionID

Table 17. Preview Summary Report

Column	Description	Table
Call Back	<p>Oracle Contact Center Anywhere will call this number back at a specified day and time.</p> <p>NOTE: Callbacks for predictive and preview calls work differently from callbacks for ACD calls.</p> <p>When you schedule an ACD callback (after the customer calls your company and is routed to you), Oracle Contact Center Anywhere automatically calls the customer at the correct time, and then connects the customer to an agent.</p> <p>When you schedule a callback for a predictive or preview call, Oracle Contact Center Anywhere tries to call every number in the current Dialer List before it tries the callback number. (A dialer list is the list of predictive or preview phone numbers that Oracle Contact Center Anywhere is using.)</p> <p>If there are a lot of numbers in the current dialer list, it is possible that the callback is not dialed at the time that you set in the Outcome dialog box.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryPredictiveResults ■ ReportsPreview ■ HasAction ■ ActionID
Personal Callback	<p>When selected, Oracle Contact Center Anywhere adds a new task to your Task tab. When the time for the callback arrives, Interaction Manager opens a reminder box on your machine with the customer's name and phone number.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryPredictiveResults ■ ReportsPreview ■ HasAction ■ ActionID

Predictive Summary Report

The Predictive Summary Report lists the total number of occurrences of each possible predictive call result for the selected projects or workgroups.

Table 18 describes the Predictive Summary Report, the columns, and their corresponding tables.

Table 18. Predictive Summary Report

Column	Description	Table
Results	The result of the predictive call attempt is under this main heading.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Answer	A result in which a person answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Answer, Not Connected	A result where the predictive call was answered, but the agent and the client were not connected.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResult ■ ResultsID
Answering Machine	A result where an answering machine answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID

Table 18. Predictive Summary Report

Column	Description	Table
Answering Machine, Not Connected	A result in which the predictive call was answered, but the agent and the answering machine were not connected.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Busy	A result in which the predictive call reached a busy signal.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Error	A result in which an error prevented the predictive call from being made. For example, there was no dial tone, or no line was available, and so on.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Fax	A result in which a fax machine answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Invalid	A result in which the number used for the predictive call was out of service, or not a valid number.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID

Table 18. Predictive Summary Report

Column	Description	Table
No Answer	A result in which there was no answer to the number dialed.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Action	The action taken as a result of the attempted predictive-call can be one of the items listed in the following cells:	
Abandon before connect	The call was abandoned before connecting to an agent.	Not applicable
Call back	Oracle Contact Center Anywhere will call this number back at the specified time.	Not applicable
Call back message	Left the specified message on the answering machine that answered the predictive call, and will call this number back at the specified time.	Not applicable
Call back message failed	Failed to leave the specified message on the answering machine that answered the predictive call.	Not applicable
Call failed	The predictive call failed.	Not applicable
Connect to agent	The predictive call was connected to an agent.	Not applicable
Leave message	Left the specified message on the answering machine that answered the predictive call.	Not applicable
Leave message failed	Failed to leave the specified message on the answering machine that answered the predictive call.	Not applicable
Out of list	The number was removed from the predictive database and is not called again.	Not applicable
Route to project	The predictive call was answered then routed to a project.	Not applicable
Route to project failed	The predictive call was answered by routing to the other specified project failed.	Not applicable
Send Fax	Sent the specified fax to the fax machine that answered the predictive call.	Not applicable

Table 18. Predictive Summary Report

Column	Description	Table
Send Fax failed	An attempt to send a fax was unsuccessful.	Not applicable
Outcomes	Outcomes are call results that are configured by the company administrator and assigned to the predictive project.	Not applicable
Total	The total number of predictive call attempts receiving results, actions, or outcomes. (This number totals 100%.)	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Total	The total number of predictive call attempts for each result, action, or outcome, and the percentage of each type.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Percentage of Answer Machine, Not Connected to Answer	This report automatically calculates the percentage of interactions that received an Answer Machine, Not Connected outcome compared with those that received an Answer outcome.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID
Percentage of Answer, Not Connected to Answer	This report automatically calculates the percentage of interactions that received an Answer, Not Connected outcome compared with those that received an Answer outcome.	Corresponding tables include: <ul style="list-style-type: none"> ■ LibOutcome ■ ReportsOutcome ■ ReportsPredictive ■ HistoryPredictiveResults ■ ResultsID

Predictive Detailed Report

The Predictive Detailed Report provides statistics in three different formats:

- **Results.** Detected by the predictive dialer of the call attempt (Answered, Error, Answer Machine, and so on).
- **Outcomes.** All calls handled by the agent (Sale, Sale Pending, No Sale, and so on), as defined for the company.
- **Actions.** Based on the dialer results (call back later, leave a message, and so on).

NOTE: You can run the Predictive Detailed Report in a number of ways, because this report can become large.

Table 19 describes the Predictive Detailed Report, the columns, and their corresponding tables.

Table 19. Predictive Detailed Report

Column	Description	Table
Results	The results column shows the type of predictive call attempts.	
Total	The total number of each interaction result type and the percentage of that type compared with all results.	
Error	An error (such as no dial tone, no line available, and so on) prevented the predictive call from being made.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ResultID
Busy	The predictive call resulted in a busy signal.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ResultID

Table 19. Predictive Detailed Report

Column		Description	Table
	No Answer	There was no answer at the number dialed.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ResultID
	Fax	A fax machine answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ResultID
	Invalid	The number used for the predictive call was out of service, or not a valid number.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ResultID
	Answer, Not Connected	The predictive call was answered, but the agent and the client were not connected.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ResultID

Table 19. Predictive Detailed Report

Column	Description	Table
Answering Machine	An answering machine answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ResultID
Answer	A person answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ResultID
Answering Machine, Not Connected	The predictive call was answered, but the agent and the answering machine were not connected.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ResultID
Total	The total number of interactions for each result type. The percentage equals 100%.	
Actions	The action taken as a result of the predictive call attempt.	
Abandon before connect	Call was abandoned before connecting.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID

Table 19. Predictive Detailed Report

Column	Description	Table
Call back	Oracle Contact Center Anywhere will call this number back at the specified time.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID
Call back message	Left the specified message on the answering machine that answered the predictive call. Oracle Contact Center Anywhere will call this number back at the specified time.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID
Call back message failed	Failed to leave the specified message on the answering machine that answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID
Call failed	The predictive call failed.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID

Table 19. Predictive Detailed Report

Column		Description	Table
	Connect to agent	The predictive call was connected with an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID
	Leave message	Left the specified message on the answering machine that answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID
	Leave message failed	Failed to leave the specified message on the answering machine that answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID
	Out of list	The number was removed from the predictive database, and will not be called again.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID

Table 19. Predictive Detailed Report

Column		Description	Table
	Route to project	The predictive call was answered, and then routed to a project.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID
	Route to project failed	The predictive call was answered, but routing to the specified project failed.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID
	Send Fax	Sent the specified fax to the fax machine that answered the predictive call.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID
	Send Fax failed	An attempt to send a fax was unsuccessful.	Corresponding tables include: <ul style="list-style-type: none"> ■ ReportsPredictive ■ HistoryActions ■ HistoryPredictiveResults ■ HistoryOutcomes ■ ActionID

Predictive Productivity Report

The Predictive Productivity Report shows the results for a specific predictive dialing project.

Table 20 describes the main report elements, their corresponding tables, and the formulas used in calculations (where applicable).

Table 20. Predictive Productivity Report

Column	Description	Table	Calculation
Agent Name	The name of the agent included in this report.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryOutcome ■ ProjectsPredictiveProduction ■ HasAgentName 	Not applicable
Calls per Hour	The number of calls accepted for each hour.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryOutcome ■ ProjectsPredictiveProduction ■ HasCallsPerHour 	(Calls per hour) divided by (number of login hours)
Calls Taken	The number of calls that the agent accepted during the login period.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryOutcome ■ ProjectsPredictiveProduction ■ HasCallsTaken 	Not applicable
Close Rate Sales	The percentage of sales that the agent made compared to the number of calls accepted during the login period.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryOutcome ■ ProjectsPredictiveProduction ■ HasSalesCloseRate 	Not applicable
Log in Duration	How long the agent was logged in to this predictive campaign.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryOutcome ■ ProjectsPredictiveProduction ■ HasLoginDuration 	Not applicable

Table 20. Predictive Productivity Report

Column	Description	Table	Calculation
Number of Sales	The number of sales made by the agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryOutcome ■ ProjectsPredictiveProduction ■ HasAgentName 	Not applicable
Sales per Hour	The number of sales made for each hour.	None	(Sales per hour) divided by (number of login hours)
Talk Time	How long the agent spent in a Busy status during this predictive campaign.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryOutcome ■ ProjectsPredictiveProduction ■ HasTalkTime 	Not applicable
Talk Time per Log In	The percentage of time that the agent spent in a Busy status during the predictive campaign.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ HistoryOutcome ■ ProjectsPredictiveProduction ■ HasNumberofSales 	Not applicable

Predictive Dialer Total Report

The Predictive Dialer Total Report shows a group of call-related statistics (number of calls, answer rate, and so forth) for predictive dialing in 1-minute intervals.

Table 21 describes the report elements, their corresponding tables, and the formulas used in calculations (where applicable).

Table 21. Predictive Dialer Total Report

Column	Description	Table	Calculation
Abandon Rate (Dropped Rate)	<p>This field shows the percentage of calls that were determined to have been answered. A connection to an agent could not be made in the acceptable time. As a result, the call was disconnected.</p> <p>NOTE: This field is cumulative.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	(Total number of dropped calls) divided by (the total number of calls since the project started)
Answer Rate	<p>The total number of answered calls compared with the total number of calls since the project began.</p> <p>NOTE: This field is cumulative.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	(Total number of live answered calls) divided by (total number of calls since the project started)
Average Waiting Time	<p>The average time that all agents in the project spent waiting to be given a call since predictive dialing began. This field is cumulative.</p> <p>To be considered waiting, an agent must be:</p> <ul style="list-style-type: none"> ■ Available ■ Associated with a predictive project that is running ■ Logged in to predictive dialing 	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	Not applicable

Table 21. Predictive Dialer Total Report

Column	Description	Table	Calculation
Dialer Ratio	<p>A predictive call can have a number of different results. For example, there might be no answer, the line might be busy, or the customer might hang up. Therefore, on average, Oracle Contact Center Anywhere calls more than one number to successfully connect one customer to an agent. The number of calls that Oracle Contact Center Anywhere makes to successfully connect one customer to an agent is called the dialer ratio.</p> <p>If Oracle Contact Center Anywhere makes an average of three calls before it connects one customer to an agent, then the dialer ratio is three calls to one. The completed call was the third call.</p> <p>Oracle Contact Center Anywhere tries to predict when an agent is available and makes a specific number of predictive calls. If the dialer ratio is fixed, the ratio is reported from the setting in Supervision Manager. If the dialer ratio was set to pacing in Supervision Manager, the dialer algorithm dynamically calculates the dialer ratio.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	Not applicable

Table 21. Predictive Dialer Total Report

Column	Description	Table	Calculation
Number of Active Calls	<p>The number of calls that were active in Oracle Contact Center Anywhere during the reporting interval. A call is considered active when Oracle Contact Center Anywhere begins dialing that number. A call is considered inactive when a customer or agent hangs up, or when Oracle Contact Center Anywhere hangs up.</p> <p>For example, if the project is in the 5th minute of running, the total number of calls made (Number of Calls) might be 50. However, during the 5th minute, only 15 calls might be active.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	Not applicable
Number of Calls	<p>The total number of calls made since the predictive project began in Supervision Manager.</p> <p>This number is cumulative for as long as the predictive project runs. If you stop the project, the number of calls resets to zero (0).</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	Not applicable
Number of Calls Per Agent	<p>Reflects the average number of calls handled per agent.</p> <p>NOTE: This field is cumulative.</p>	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	(Total number of calls) divided by (total number of times that agents had an Available status)
Number of Calls Per Hour	The average number of calls made for each hour.	<p>Corresponding tables include:</p> <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	([The total number of calls made] divided by [the total dialing time]) multiplied by 60 hours

Table 21. Predictive Dialer Total Report

Column	Description	Table	Calculation
Project Name	The name of the project(s) selected for the report.	Corresponding tables include: <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	Not applicable
Time	Each row in the report shows the statistics for 1 minute of predictive dialing. For example, if you choose a report start time of 9:00 A.M. and a report end time of 5:00 P.M., the report has 480 rows for each project selected.	Corresponding tables include: <ul style="list-style-type: none"> ■ PredictiveProjectStats ■ ReportsPredictiveTotal 	Not applicable

Agent Profile and Productivity Reports

This topic describes the agent profile and productivity reports. It includes the following information:

- [Login by Groups of Users Report on page 131](#)
- [Agent Skills Report on page 132](#)
- [Agent Utilization Report on page 132](#)
- [Direct Dialing Statistics Report on page 133](#)
- [Agent Information Report on page 136](#)
- [Agent Interaction Report on page 137](#)
- [Login by User Report on page 139](#)

Login by Groups of Users Report

The Login by Groups of Users Report shows the total logged-in time for each agent. It is similar to the Login by User Report, except that this report shows data for the entire period, and not for each session.

NOTE: When configuring this report, you can use the Users Supervised By option to exclude supervisors.

Table 22 describes the main report elements.

Table 22. Login by Groups of Users Report

Column	Description
Agent or Workgroup, Department, or Supervisor to which the agent belongs	This report can include all agents in a department or workgroup, supervised by a supervisor, or only selected agents. The names of the departments, workgroups, supervisors, or agents appear in this column.
Total	The total time (hh:mm:ss) that the agent was logged in to Oracle Contact Center Anywhere.
Username	The agent's login name.

Agent Skills Report

The Agent Skills Report shows the agent profiles and their associated skill levels. It shows:

- All the skills defined for your company
- Which agents possess each skill
- Each agent's rating for that skill

Thus, you can quickly see which agents possess which skill in your contact center, and identify the agents whom you want to include in a workgroup requiring specific skills or requirements.

NOTE: This report is available only to companies for which skills were created.

Table 23 describes the main report elements of the Agent Skills Report.

Table 23. Agent Skills Report

Column	Description
Skill Name (such as Macintosh, PC, UNIX)	The name of the skill required for the agent.
First Name	The agent's first name.
Last Name	The agent's last name.
Rating	The skill-level rate (weighting from 0 to 100) assigned to a skill when creating an agent.

Agent Utilization Report

The Agent Utilization Report shows agent activity, including the amount of time each agent spent handling interactions, awaiting interactions, on a break, and the total time logged in.

Table 24 describes the main report elements.

Table 24. Agent Utilization Report

Column	Description
Agents	The full names of the agents appear below this column (one agent for each row).
Available	How long (hh:mm:ss) the agent's status was Available and the percentage of time that the agent was Available when compared with the agent's total logged-in time. This amount accumulates each time that the agent logs in.
Busy	How long (hh:mm:ss) the agent's status was Busy, and the percentage of time that the agent was Busy when compared with the agent's total logged-in time. This amount accumulates with the addition of each time that the agent logs in.
On Break	How long (hh:mm:ss) the agent's status was On Break, and the percentage of time that the agent was On Break when compared with the agent's total logged-in time. This amount accumulates with the addition of each time that the agent logs in.
Report Date Range to Include	This report includes information from this date (dd/mm/yyyy) and time (hh:mm:ss) to this date (dd/mm/yyyy) and time (hh:mm:ss).
Total Time Logged In	How long (hh:mm:ss) the agent was logged in to Oracle Contact Center Anywhere. (The time accumulates with the addition of each time that the agent logs in.)

Direct Dialing Statistics Report

The Direct Dialing Statistics Report shows nonworkgroup calls where:

- An agent dialed another agent
- An agent called an external number
- A caller dialed an agent directly

This report shows the activity for the entire company, and includes all agents in a selected project or workgroup, and not only the agents whom you supervise.

The report includes three areas:

- **Agent Segment Processing.** The average time that agents spent in various phases of each interaction.
- **Summary.** The overall data for the interactions received and overview data for the interaction waiting times.

- **Media Type Segments Received.** The number of interactions of each media type handled by the selected projects.

For more information on the report elements, their corresponding tables, and formulas used in the calculations (where applicable), see: [Agent Segment Processing Area on page 134](#), [Media Type Segments Received Type Area on page 134](#), and [Summary Area on page 135](#).

Agent Segment Processing Area

The Agent Segment Processing area of the Direct Dialing Statistics report shows the average time that agents spent in various phases of an interaction.

[Table 25](#) describes the Agent Segment Processing area of the Direct Dialing Statistics report.

Table 25. Direct Dialing Statistics Report: Agent Segment Processing Area

Column	Description	Calculation
Average Talk Time (ATT)	The average time (in seconds) that agents spent talking with callers, including hold time (for the requested period).	Not applicable
Average Hold Time (ATH)	The average time (in seconds) that agents kept callers on hold (for the requested period).	Not applicable
Average Handle Time per Segment	The average time (in seconds) agents spent processing a call (including talk time, hold time, and wrap-up time) for the segment of the call for the reporting project (for the requested period).	(Talk time plus wrap-up time) divided by (total interactions)

Media Type Segments Received Type Area

The Media Type Segments Received Type area of the Direct Dialing Statistics report shows the number of interactions of each media type handled by the selected projects or workgroups.

Table 26 describes the Media Type Segments Received Type area of the Direct Dialing Statistics report.

Table 26. Direct Dialing Statistics Report: Interaction Type Area

Item	Description	Table
Direct Inbound	The number of calls made by callers directly to a specific agent plus calls abandoned in the IVR before becoming an ACD call (even if the call was not directed to an agent). A caller using the company directory to reach a specific agent is also counted as a direct inbound call.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportCallCenterKeyNoACD ■ HasInbound
Direct Outbound	The number of calls made by agents directly to an external phone number.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportCallCenterKeyNoACD ■ HasOutbound
Inbound Extension	The number of calls received by agents from other agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportCallCenterKeyNoACD ■ HasInExt
Outbound Extension	The number of calls made by a specific agent to other agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportCallCenterKeyNoACD ■ HasOutExt
Total Segments Received	The total number of direct dialed calls made or handled by agents (for the requested period).	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportCallCenterKeyNoACD

Summary Area

The Summary area of the Direct Dialing Statistics report shows the overview data for the interactions received and interaction waiting times.

Table 27 describes the Summary area of the Direct Dialing Statistics Report.

Table 27. Direct Dialing Statistics Report: Summary Area

Column	Descriptions	Table	Calculation
Total Interactions Received	The total number of interactions received by the specified project.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportCallCenterKeyNoACD 	Not applicable.
Number of Times Interactions Went to Hold	The total number of times that nonworkgroup voice interactions are placed on hold at any time by an agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportCallCenterKeyNoACD 	Not applicable.
Duration of Interactions	The total time that interactions spent in Oracle Contact Center Anywhere.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportCallCenterKeyNoACD 	The difference between the time that Oracle Contact Center Anywhere received the interaction and the end of the interaction.

Agent Information Report

The Agent Information Report shows profile information for each agent defined for the company, in the workgroups and departments that you select.

Table 28 describes the Agent Information Report and its corresponding tables.

Table 28. Agent Information Report

Column	Description
Accounting Standing	Identifies whether the agent is active or inactive.
Active Address	The number that the agent configured for inbound call-routing.
Email	The agent's email address.
Extension	The agent's telephone extension number.
First Name	The agent's first name.
Last Name	The agent's last name.
Phone	The agent's telephone number.
Skills	The skills assigned to the agent.

Table 28. Agent Information Report

Column	Description
Username	The agent's login name.
Workgroups	The workgroups to which the agent belongs.

Agent Interaction Report

The Agent Interaction Report shows the distribution of calls and other interaction types for agents grouped by projects, workgroups, or departments. It shows the number of interactions that the agent handled.

Table 29 describes the main Agent Interaction Report elements, and their corresponding tables.

Table 29. Agent Interaction Report

Column	Description	Table
Agents	The agent's full name. This column shows the list of agents (one agent user name for each row).	Not applicable
Callback	The number of callback interactions that the agent accepted.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasACDCallback
Chat	The number of chat interactions that the agent accepted.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasChat
In Ext	The number of telephone calls that the agent received from other Oracle Contact Center Anywhere agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasInExt
Inbound	The number of inbound calls made directly to and accepted by the agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasInbound

Table 29. Agent Interaction Report

Column	Description	Table
Out Ext	The number of telephone calls that this agent made to other Oracle Contact Center Anywhere agents.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasOutExt
Outbound	The number of outbound calls that this agent made to customers.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasOutbound
Predictive	The number of predictive call interactions accepted by the agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasPredictive
Preview	The number of preview call interactions made by the agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasPreview
Total	The total number of interactions handled by the agent.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions
Voicemail	The number of voicemail interactions that the agent accepted.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasVoicemail
Web Callback	The number of Web callback interactions that the agent accepted.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasWebCallback

Table 29. Agent Interaction Report

Column	Description	Table
Workgroup Calls	The number of workgroup calls that the agent accepted.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasACDCalls
Workgroup Email	The number of workgroup email interactions that the agent accepted.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasEmail
Workgroup Fax	The number of workgroup fax interactions that the agent accepted.	Corresponding tables include: <ul style="list-style-type: none"> ■ HistoryActions ■ ReportsAgentInteractions ■ HasFax

Login by User Report

The Login by User Report shows the total time that agents and supervisors were logged in to Oracle Contact Center Anywhere for each session.

The difference between this report and the Login by Groups of Users Report is that the Login by User Report shows data for each session. The Login by Groups of Users Report shows data for the entire period.

Table 30 describes the Login by User Report elements.

Table 30. Login by User Report

Column	Definition
Username	The agent's login name.
Duration	How long the agent was logged in to Oracle Contact Center Anywhere for each session.
Login Date	The day (mm/dd/yyyy) when the agent logged in to Oracle Contact Center Anywhere. NOTE: The Date format can vary. It depends on the default settings for the report, or users selections when they view the report.

Table 30. Login by User Report

Column	Definition
Login Time	The time (hh:mm:ss A.M. or P.M.) when the agent logged in to Oracle Contact Center Anywhere.
Total Time Logged In	How long the agent was logged in to Oracle Contact Center Anywhere, which is an accumulative value of multiple login times for the same login date.

Project Segments Report

The Project Segments Report shows a set of interaction statistics, by interaction type (phone, email, and so on) and a summary for all interaction types.

NOTE: This report was formerly known as the Project Key Statistics Report.

Table 31 describes the report elements, their corresponding tables, and the formulas used in calculations (where applicable).

Table 31. Project Segments Report

Column	Description	Table	Calculation
Interaction Summary	The rows under this area show the statistics for the interactions that were recorded during this reporting period.		
Average Hold Time (AHT)	The average time that customers spent on hold.	HistoryActions	(Total hold time) divided by (total number of hold segments)
Average Speed of Answer (ASA)	The average time that customers spent waiting in a queue for an agent, including ring time.	HistoryActions	(Total time in queue) divided by (total number of answered segments)
Average Talk Time (ATT)	The average time that agents spent talking with customers.	HistoryActions	(Total talk time) divided by (total number of answered segments)
Average Wrap Up Time (AWT)	The average time that agents spent wrapping up a concluded interaction.	HistoryActions	(Total wrap-up time) divided by (total number of answered segments that went to wrap-up)
Longest Wait to Answer Time	The longest time spent by any customer waiting in a queue for an agent, including the ring time.	HistoryActions	Not applicable

Table 31. Project Segments Report

Column	Description	Table	Calculation
Shortest Wait to Answer Time	The shortest time spent by any customer waiting in a queue for an agent, including the ring time.	HistoryActions	Not applicable
Total Hold Time	The total time customers spent on hold.	HistoryActions	Not applicable
Total Segments Received	The total number of interactions that occurred for the specified period and project.	HistoryActions	Not applicable
Total Wait To Answer Time	The total time that all customers spent in a queue (including the ring time) for the specified period.	HistoryActions	Not applicable
Total Talk Time	The total time agents spent talking with customers (for the specified period).	HistoryActions	(Talk time)
Total Wrap-up Time	The total time that all agents spent in the wrap-up state while wrapping up concluded interactions.	HistoryActions	Not applicable
Total Enter IVR	The total interactions that entered IVR.	HistoryActions	Not applicable
Total IVR Time	The total time that all customers spent in IVR, for the specified time.	HistoryActions	Not applicable
Average Time in IVR	The average time that all customers spent in IVR, for the specified time.	HistoryActions	Not applicable
Interaction Type Summary			
Chat	The total number of chat interactions.	HistoryActions	Not applicable

Table 31. Project Segments Report

Column	Description	Table	Calculation
Inbound Calls	The total number of inbound call interactions. NOTE: If a Direct Inward Dialing number (DID) was set for an agent, then direct inbound calls are not included in reports.	HistoryActions	Not applicable
Outbound Calls	The total number of calls made by agents directly to outside numbers.	HistoryActions	Not applicable
Predictive	The total number of predictive calls made during the specified period.	HistoryActions	Not applicable
Preview	The total number of preview calls made during the specified period.	HistoryActions	Not applicable
Total	The total number of all interaction types recorded during this reported period.	HistoryActions	Not applicable
Web Callback	The total number of Web callbacks that were made during the specified period.	HistoryActions	Not applicable
Workgroup Email	The total number of workgroup email that were made during the specified period.	HistoryActions	Not applicable

10 Working with Advanced Reports

This section describes the advanced reports that you can view in tabular and graphical format. The topics include:

- [Advanced Reports](#)
- [Viewing Advanced Reports](#)
- [Interval Workgroup Performance Report](#)
- [User Login/Logout Report](#)
- [User Hourly Average Report](#)
- [Daily Project Performance Report](#)
- [Daily User Performance Report](#)
- [Peak Interactions Report](#)
- [Interaction Outcome by Workgroup Report](#)
- [User Status Duration Report](#)

Advanced Reports

You can view advanced reports to help you understand the key performance indicators to help you more efficiently manage your contact center.

List of Advanced Reports

Table 32 provides the names and descriptions for each of the advanced reports available from Supervision Manager to help you understand the trends, activities, and agent performance.

Table 32. List of Advanced Reports

Report	Description
Daily Project Performance Report	<p>This report provides contact center activity by call number and call type, time measurements of contact center activity, talk time, and the service-level performance compared to the preset thresholds.</p> <p>Use this report to determine the volume and service factors by project to identify the busy hour and staffing requirements, based on the call volume.</p> <p>You can configure this report to show all activity for all projects, or for the individual projects that you select by interval, or by dates.</p>
Interval Workgroup Performance Report	<p>This report shows the workgroup call activity, total workgroup ACD status time, and the total number of agents logged in. The administrator sets the interval. The statistics tracked include:</p> <ul style="list-style-type: none"> ■ Number, type and disposition of calls ■ Service levels ■ Collective time in ACD states ■ Agent login activity and visibility into ACD states <p>Use this report to identify the volume, call routing, and service factors measured by the workgroup service level, as well as a user-defined service level.</p>
User Login/Logout Report	<p>This report shows agent login and logout activity by date, time, event, and reason.</p> <p>Use this report to determine how a specific user is spending time compared with other users.</p>
User Hourly Average Report	<p>This report highlights individual agent performance by time in ACD status, call counts, call types, and talk time. It provides information on hourly agent activity, including calls handled, along with time spent in different ACD states.</p> <p>Use this report to determine agent average performance compared to reasonable expectations.</p>
Daily Project Performance Report	<p>This report provides information on daily agent activity, including time spent in different ACD states, call counts, and talk time. Use this report to monitor agent performance compared to reasonable expectations.</p>

Table 32. List of Advanced Reports

Report	Description
Peak Interactions Report	This report tracks the peak number of interactions in 15-minute intervals. (This information is stored in the Interactions Peak table in the Oracle Contact Center Anywhere database.) Use this report to determine the peak-interaction activity for all projects or for individual projects.
Interaction Outcome by Workgroup Report	This report tracks interactions by outcome, number of interactions for each outcome duration, and the average duration.
User Status Duration Report	<p>This report tracks agent activity through the use of user-defined agent statuses. It provides more information about the way agents spend their time compared with the standard ACD statuses of Available, Busy, and On Break. This report tracks:</p> <ul style="list-style-type: none"> ■ User ■ Date ■ Status (company defined) ■ Duration ■ ACD status (system default) ■ Percentage of total <p>Use this report to determine how a specific user spends time compared with other users.</p>

NOTE: Supervisors cannot create or edit report definitions. If you are a supervisor and want a new report, or want to change an existing report, contact your administrator.

Viewing Advanced Reports

This topic describes how to view existing advanced reports.

To view advanced reports

- 1 Click Advanced Reports, and then Advanced Reports.
A list of advanced report types opens.
- 2 Click the Advanced Report type containing the report that you want to view.
A list of existing reports opens.
- 3 Do one of the following:
 - Right-click a report from the report list, and select View from the shortcut menu.
 - Left-click a report from the list, and select View at the top of the screen.
The Report dialog box opens.

Defining the Period in an Advanced Report

This topic describes how to define the period to include in an advanced report.

To define the period to include in an advanced report

- In the Period Covered tab, set the date and time.

Table 33 describes the fields and controls in an advanced report.

Table 33. Time Range in an Advanced Report

Field	Description
Start Date	<p>Click the calendar icon to open a calendar from which you can choose the start date of the report period:</p> <ul style="list-style-type: none"> ■ Click the right-angle bracket or the left-angle bracket to advance or move back the calendar one month ■ Click the right, double-angle brackets (>>) or the left, double-angle brackets (<<) to advance or move back the calendar one year. <p>Choose the report start date by clicking a day in the calendar, or click today to choose today's date (based on your workstation's system clock).</p>
End Date	<p>Click the calendar icon to open a calendar from which you can choose the end date of the report period:</p> <ul style="list-style-type: none"> ■ Click the right-angle bracket or the left-angle bracket to advance or move back the calendar one month. ■ Click the right, double-angle brackets (>>) or the left, double-angle brackets (<<) to advance or move back the calendar one year. <p>Choose the report end date by clicking a day in the calendar. Or, click today to choose today's date (based on your workstation's system clock).</p>

Defining the Display Time, Language, and Date Format for an Advanced Report

You can define the display time, language, and date format for an advanced report.

To define the display time, language, and date format for an advanced report

- 1 Click the Regional Options tab.

- 2 Complete the Regional Options fields.

Field	Description
Display Time	Do one of the following: <ul style="list-style-type: none"> ■ Choose Company Default Time Zone to display all report times in the time zone defined as the default for your company. ■ Choose User Time Zone to display all report times in the time zone that have been configured.
Report Language	From the drop-down list, select the language in which you want the report to appear.
Select Date Format to Display in Report	Do one of the following: <ul style="list-style-type: none"> ■ Choose Company Default Date Format to display all report dates in the format defined as the default for your company. ■ Choose User Defined Date Format to display all report dates in the format configured.

- 3 Click OK.

The report appears in a browser window.

Interval Workgroup Performance Report

This topic describes the Interval Workgroup Performance Report. The Interval Workgroup Performance Report tracks workgroup activity in 15-minute intervals. It contains the following statistics:

- Number, type, and disposition of calls
- Service levels
- Collective time in ACD states
- Agent login activity and visibility into ACD states

Interval Workgroup Performance Report

This topic describes the different parts of the Interval Workgroup Performance Report:

- **Date(s)**. The period between the start and end date.
- **Within Hours**. The period in hours that the report covers.
- **Workgroup(s)**. The name of the workgroups identified in the Content tab.
- **Report Printed On**. The date and time, based on the time zone selection.
- **Page 1 of x**. Where x indicates the total number of pages.

The Workgroup Performance Report has five areas:

- Calls Area on page 148
- Service Level on page 155
- Time (Totals) on page 156
- Handled Time on page 157
- User Defined Threshold on page 158

Calls Area

The Calls Area tracks the number and type of calls offered, the disposition of the call (answered, refused, abandoned, and so on), and the service level of the workgroup compared with its preset threshold.

Table 34 describes the Calls Area fields, tables, and formulas used in the calculations (where applicable) of the Interval Workgroup Performance Report.

Table 34. Interval Workgroup Performance Report

Field	Description	Table	Calculation
Time	Beginning of 15-minute interval	The corresponding tables include: <ul style="list-style-type: none"> ■ Workgroup Stats ■ StartIntervalTime 	Not applicable
ACD In	Total number of ACD calls offered within the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ Workgroup Stats ■ TotAbuACDCalls 	Calculate the sum of (TotAbuACDCalls)
Abn ACD	Total number of abandoned ACD calls within the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ Workgroup Stats ■ TotAbanACDCalls 	Calculate the sum of (TotAbanACDCalls)
Ref ACD	Total number of refused ACD calls during the interval. (ACD calls offered to the workgroup and not accepted.)	The corresponding tables include: <ul style="list-style-type: none"> ■ Workgroup Stats ■ TotRefusedACDCalls 	Calculate the sum of (TotRefusedACDCalls)
Wrap ACD	Total number of calls that went into wrap-up mode during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ Workgroup Stats ■ TotWrapACDCalls 	Calculate the sum of (TotWrapACDCalls)

Table 34. Interval Workgroup Performance Report

Field	Description	Table	Calculation
ACD Xfered In	Number of ACD calls that were transferred into a workgroup during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ TrxIn 	Calculate the sum of (TrxIn)
ACD Xfered Out	Number of ACD calls that were transferred out of the workgroup during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ TrxOut 	Calculate the sum of (TrxOut)
ACD OVR In	The number of calls that were offered by overflowed conditions to the workgroup.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ TotOVinACDCalls 	Calculate the sum of (TotOVinACDCalls)
ACD OVR Out	The number of calls that met the overflow criteria (although not necessarily answered by another workgroup).	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ TotOVOutACDCalls 	Calculate the sum of (TotOvOutACDCalls)
Total	The total number or percentage of each call item, for each workgroup (during the requested period).	None	Not applicable
Grand Total	The total number or percentage of each call item, for all selected workgroups combined (during the requested period).	None	Not applicable

Service Level Area

The Service Level area describes the service level percentage for each call item, for each workgroup during a specified period.

Table 35 describes the fields, tables, and formulas used in the calculations (where applicable) in the TFS Area of the Interval Workgroup Performance Report .

Table 35. Service Level area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
% Service Level	The percentage of calls answered by a workgroup compared to a target within the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ Ans2-300ACDCalls ■ TotABUACD ■ Abn2-300ACDCalls 	Calculate the sum (Ans2-300ACDCalls) divided by (SumTotABUACD) plus the sum of (TotAbn2-300ACDCalls)
Total	The average service-level percentage for each call item, for each workgroup (during the requested period).	None	Not applicable
Grand Total	The average service-level percentage for each call item, for all selected workgroups combined (during the requested period).	None	Not applicable

Time (Totals) Area

The Time (Totals) Area tracks the time that agents were logged in during the interval, the cumulative time spent in the different ACD States (Busy, Available, On Break), Maximum Abandon and Answer Delay, and the Average Speed of Answer (ASA).

Table 36 describes the Time (Totals) Area fields, tables, and formulas used in the calculations (where applicable) of the Interval Workgroup Performance Report.

Table 36. Time (Totals) of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
Logged In	Cumulative total time users were logged in during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ Workgroup Stats ■ TimeUsersLoggedIn 	Calculate the sum of (TimeUsersLoggedIn)
Busy	Cumulative total time users spent in the Busy state during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ Workgroup Stats ■ TimeUsersBusy 	Calculate the sum of (TimeUsersBusy)
Avail	Cumulative total time users spent in the Available state during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeUsersAvailable 	Calculate the sum of (TimeUsersAvailable)
On Break	Cumulative total time users spent in the On Break state during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ Workgroup Stats ■ TimeUsersOnBrea 	Calculate the sum of (TimeUsersOnBreak)
Max Answer Delay	Maximum time to answer a call during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ MaxTABUACDCalls 	Calculate the sum of (MaxTABUACDCalls)
Max Abandon Delay	Maximum time before the caller abandoned the call during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ MaxTAbanACDCalls 	Calculate the sum of (MaxTAbanACDCalls)
ACD ASA	Average speed of answer during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ AnsPreThre ■ TotACDCalls 	Calculate the sum of (TimeABUACDCalls) divided by TotACDCalls

Table 36. Time (Totals) of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
Total	The average total time for each Time field (except Max Answer Delay and Max Abandon Delay), for all workgroups combined (during the requested period).	None	Not applicable
Total <date>	The average time for each time field (except Max Answer Delay and Max Abandoned Delay) for the day.	None	Not applicable
Grand Total	The average time for each time field for all workgroups combined during the requested period.	None	Not applicable

Handled Time Area

The Handled Time Area tracks the total and average ACD talk time.

Table 37 describes the Handled Time Area fields, tables, and formulas used in the calculations (where applicable) of the Interval Workgroup Performance Report.

Table 37. Handled Time Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
Total ACD Talk Time	Total Talk Time (including Hold time) for ACD calls during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeTalkACDCalls 	Calculate the sum of (TimeTalkACDCalls)
Avg ACD Talk Time	Average Talk Time (including Hold time) for ACD calls during the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeTalkACDCalls ■ TotABUACDCalls 	Calculate the sum of (TimeTalkACDCalls) divided by the sum of (TotABUACDCalls)
Total Wrap Time	Total time that users are in the wrap-up state for this workgroup for the interval.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeWrapACDCalls 	Calculate the sum of (TimeWrapACDCalls)

Table 37. Handled Time Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
Avg Wrap Time	Average wrap-up time for each call.	The corresponding tables include: <ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeWrapACDCalls ■ TotWrapACDCalls 	Calculate the sum of (TimeWrapACDCalls) divided by the sum of (TotWrapACDCalls)
Total	The total and average amount of time, for each Talk Time field, for each workgroup (during the requested period).	None	Not applicable
Grand Total	The total and average amount of time, for each Talk Time field, for all workgroups combined (during the requested period).	None	Not applicable

User Defined Threshold Area

The User Defined Threshold Area tracks activity and performance thresholds.

Table 38 describes the User Defined Threshold Area fields, tables, and formulas used in the calculations (where applicable) of the Interval Workgroup Performance Report.

Table 38. User Defined Threshold Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
Ans Pre Thresh	The number of ACD calls that were answered (Ans) within (less than) the user-defined threshold within the daily group.	The corresponding tables include: <ul style="list-style-type: none"> ■ Ans2ACDCalls ■ Ans300ACDCalls (where 2 is the minimum and 300 is the maximum)	Calculate the sum of (Ans2ACDCalls minus 300ACDCalls)
% Ans Pre Thresh	The percentage of ACD calls that were answered (Ans) within (less than) the user-defined threshold within the daily group.	The corresponding tables include: <ul style="list-style-type: none"> ■ Ans2ACDCall ■ Ans300ACDCalls ■ TotAbuACDCalls (where Abu indicates Answered By the User)	Calculate the sum of (Ans2ACDCalls minus Ans300ACDCalls) divided by the sum of (TotAbuACDCalls)
Ans Post Thresh	The number of ACD calls that were answered (Ans) after (greater than) the user-defined threshold within the daily group.	The corresponding tables include: <ul style="list-style-type: none"> ■ Ans2ACDCalls ■ Ans300ACDCalls 	Calculate the sum of (Ans2ACDCalls minus Ans300ACDCalls)
% AnsPost Thresh	The percentage of ACD calls that were answered (Ans) after (greater than) the user-defined threshold within the daily group.	The corresponding tables include: <ul style="list-style-type: none"> ■ Ans2ACDCalls ■ Ans300ACDCalls ■ TotAbuACDCalls 	Calculate the sum of (Ans2ACDCalls minus Ans300ACDCalls) divided by the sum of (TotAbuACDCalls)
Abn Pre Thresh	The number of ACD calls that were abandoned (Abnd) before (less than) the user-defined threshold within the daily group.	The corresponding tables include: <ul style="list-style-type: none"> ■ Abnd2ACDCalls-Abnd300ACDCalls ■ TotAbndACDCalls 	Calculate the sum of (Abnd2ACDCalls-Abnd300ACDCalls)

Table 38. User Defined Threshold Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
% Abn Pre Thresh	The percentage of ACD calls that were abandoned (Abnd) before (less than) the user-defined threshold within the daily group.	The corresponding tables include: <ul style="list-style-type: none"> ■ Abnd2ACDCalls-Abnd300ACDCalls ■ TotAbndACDCalls 	Calculate the sum of (Abnd2ACDCalls-Abnd300ACDCalls) divided by the sum of (TotAbndACDCalls)
Abn Post Thresh	The number of ACD calls that were abandoned after (greater than) the user-defined threshold within the daily group.	The corresponding tables include: <ul style="list-style-type: none"> ■ Abnd2ACDCalls-Abnd300ACDCalls ■ TotAbndACDCalls 	Calculate the sum of (Abnd2ACDCalls-Abnd300ACDCalls)
% Abn Post Thresh	The percentage of ACD calls that were abandoned after (greater than) the user-defined threshold within the daily group.	The corresponding tables include: <ul style="list-style-type: none"> ■ Abnd2ACDCalls-300ACDCalls ■ TotAbndACDCalls 	Calculate the sum of (Abn2 minus 300ACDCalls) divided by the sum of (TotAbndACDCalls)
Custom Service Level	The percentage of calls that were answered within <i>x</i> seconds (where <i>x</i> is a Service Level time factor defined as a variable for the report).	The corresponding tables include: <ul style="list-style-type: none"> ■ Ans2ACDCalls-Ans300ACDCalls ■ TotAbuACDCalls ■ Abnd2ACDCalls-Abnd300ACDCalls 	Calculate the sum of (Ans2ACDCalls-Ans300ACDCalls) divided by the sum of (TotAbuACDCalls) plus the sum of (Abnd2ACDCalls-Abnd300ACDCalls)
Total	The total number or percentage of each field for the workgroup.	None	Not applicable
Grand Total	The total number or percentage for each field for all workgroups.	None	Not applicable

Service Level

The Service Level Area describes the service-level percentage for each call item, for each workgroup during a specified period.

Table 39 describes the Service Level Area fields, tables, and formulas used in the calculations (where applicable) of the Interval Workgroup Performance Report.

Table 39. Service Level Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
Service Level	The percentage of calls answered within X seconds (target as defined for the workgroup), within the reporting interval.	<ul style="list-style-type: none"> ■ WorkgroupStats ■ Ans2-300ACDCalls ■ TotABUACD ■ Abn2-300ACDCalls 	Calculate the sum of (Ans2-300ACDCalls)/((SumTotABUACD) plus calculate the sum of (TotAbn2-300ACDCalls)
Total	The average service-level percentage for each call item, for each workgroup (during the requested period).	None	Not applicable
Grand Total	The average service-level percentage for each call item, for all selected workgroups combined (during the requested period).	None	Not applicable

Time (Totals)

The Time (Totals) Area tracks the time that agents were logged in during the interval, the cumulative time spent in the different ACD States (Busy, Available, On Break), Maximum Abandon and Answer Delay, and the Average Speed of Answer (ASA).

Table 40 describes the Time (Totals) Area fields, tables, and formulas used in the calculations (where applicable) of the Interval Workgroup Performance Report.

Table 40. Time (Totals) Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
Logged In	Cumulative total time users were logged in during the interval.	<ul style="list-style-type: none"> ■ Workgroup Stats ■ TimeUsersLoggedIn 	Calculate the sum of (TimeUsersLoggedIn)
Busy	Cumulative total time users spent in the Busy state during the interval.	<ul style="list-style-type: none"> ■ Workgroup Stats ■ TimeUsersBusy 	Calculate the sum of (TimeUsersBusy)
Avail	Cumulative total time users spent in the Available state during the interval.	<ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeUsersAvailable 	Calculate the sum of (TimeUsersAvailable)

Table 40. Time (Totals) Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
On Break	Cumulative total time users spent in the On Break state during the interval.	<ul style="list-style-type: none"> ■ Workgroup Stats ■ TimeUsersOnBrea 	Calculate the sum of (TimeUsersOnBreak)
Max Answer Delay	Maximum time to answer a call during the interval.	<ul style="list-style-type: none"> ■ WorkgroupStats ■ MaxTABUACDCalls 	Calculate the sum of (MaxTABUACDCalls)
Max Abandon Delay	Maximum time before the caller abandoned the call during the interval.	<ul style="list-style-type: none"> ■ WorkgroupStats ■ MaxTAbanACDCalls 	Calculate the sum of (MaxTAbanACDCalls)
ACD ASA	Average speed of answer during the interval.	<ul style="list-style-type: none"> ■ WorkgroupStats ■ AnsPreThre ■ TotACDCalls 	Calculate the sum of (TimeABUACDCalls) divided by TotACDCalls
Total	The average total time for each Time field (except Max Answer Delay and Max Abandon Delay), for all workgroups combined (during the requested period).	None	Not applicable
Total <date>	The average time for each time field (except Max Answer Delay and Max Abandoned Delay) for the day.	None	Not applicable
Grand Total	The average time for each time field for all workgroups combined during the requested period.	None	Not applicable

Handled Time

The Handled Time Area tracks the total and average ACD Talk Time.

Table 41 describes the Handled Time Area fields, tables, and formulas used in the calculations (where applicable) of the Interval Workgroup Performance Report.

Table 41. Handled Time Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
Total ACD Talk Time	Total Talk Time (including Hold time) for ACD calls during the interval.	<ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeTalkACDCalls 	Calculate the sum of (TimeTalkACDCalls)
Avg ACD Talk Time	Average Talk Time (including Hold time) for ACD calls during the interval.	<ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeTalkACDCalls ■ TotABUACDCalls 	Calculate the sum of (TimeTalkACDCalls) divided by the sum of (TotABUACDCalls)
Total Wrap Time	Total time that users are in the wrap-up state for this workgroup for the interval.	<ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeWrapACDCalls 	Calculate the sum of (TimeWrapACDCalls)
Avg Wrap Time	Average wrap-up time for each call.	<ul style="list-style-type: none"> ■ WorkgroupStats ■ TimeWrapACDCalls ■ TotWrapACDCalls 	Calculate the sum of (TimeWrapACDCalls) divided by the sum of (TotWrapACDCalls)
Total	The total and average amount of time, for each Talk Time field, for each workgroup (during the requested period).	None	Not applicable
Grand Total	The total and average amount of time, for each Talk Time field, for all workgroups combined (during the requested period).	None	Not applicable

User Defined Threshold

The User Defined Threshold Area tracks activity and performance thresholds.

Table 42 describes the User Defined Threshold Area fields, tables, and formulas used in the calculations (where applicable) of the Interval Workgroup Performance Report.

Table 42. User Defined Threshold Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
Ans Pre Thresh	The number of ACD calls that were answered (Ans) within (less than) the user-defined threshold within the daily group.	<ul style="list-style-type: none"> ■ Ans2ACDCalls- Ans300ACDCalls (where 2 is min. and 300 is max.) 	Calculate the sum of (Ans2ACDCalls- Ans300ACDCalls)
% Ans Pre Thresh	The percentage of ACD calls that were answered (Ans) within (less than) the user-defined threshold within the daily group.	<ul style="list-style-type: none"> ■ Ans2ACDCalls ■ Ans300ACDCalls ■ TotAbuACDCalls (where Abu indicates Answered By the User) 	Calculate the sum of (Ans2ACDCalls minus Ans300ACDCalls) divided by the sum of (TotAbuACDCalls)
Ans Post Thresh	The number of ACD calls that were answered (Ans) after (greater than) the user-defined threshold within the daily group.	Ans2ACDCalls- Ans300ACDCalls	Calculate the sum of (Ans2ACDCalls- Ans300ACDCalls)
% AnsPost Thresh	The percentage of ACD calls that were answered (Ans) after (greater than) the user-defined threshold within the daily group.	<ul style="list-style-type: none"> ■ Ans2ACDCalls- Ans300ACDCalls ■ TotAbuACDCalls 	Calculate the sum of (Ans2ACDCalls- Ans300ACDCalls) divided by the sum of (TotAbuACDCalls)
Abn Pre Thresh	The number of ACD calls that were abandoned (Abnd) before (less than) the user-defined threshold within the daily group.	<ul style="list-style-type: none"> ■ Abnd2ACDCalls- Abnd300ACDCalls ■ TotAbndACDCalls 	Calculate the sum of (Abnd2ACDCalls- Abnd300ACDCalls)
% Abn Pre Thresh	The percentage of ACD calls that were abandoned (Abnd) before (less than) the user-defined threshold within the daily group.	<ul style="list-style-type: none"> ■ Abnd2ACDCalls- Abnd300ACDCalls ■ TotAbndACDCalls 	Calculate the sum of (Abnd2ACDCalls- Abnd300ACDCalls) divided by the sum of (TotAbndACDCalls)
Abn Post Thresh	The number of ACD calls that were abandoned after (greater than) the user-defined threshold within the daily group.	<ul style="list-style-type: none"> ■ Abnd2ACDCalls- Abnd300ACDCalls ■ TotAbndACDCalls 	Calculate the sum of (Abnd2ACDCalls- Abnd300ACDCalls)

Table 42. User Defined Threshold Area of the Interval Workgroup Performance Report

Field	Description	Table	Calculation
% Abn Post Thresh	The percentage of ACD calls that were abandoned after (greater than) the user-defined threshold within the daily group.	<ul style="list-style-type: none"> ■ Abnd2ACDCalls-300ACDCalls ■ TotAbndACDCalls 	Calculate the sum of (Abnd2A-300ACDCalls) divided by the sum of (TotAbndACDcalls)
Custom Service Level	The percentage of calls that were answered within x seconds (where x is a Service Level time factor defined as a variable for the report).	<ul style="list-style-type: none"> ■ Ans2ACDCalls-Ans300ACDCalls ■ TotAbuACDCalls ■ Abnd2ACDCalls-Abnd300ACDCalls 	Calculate the sum of (Ans2ACDCalls-Ans300ACDCalls) divided by the sum of (TotAbuACDCalls) plus the sum of (Abnd2ACDCalls-Abnd300ACDCalls)
Total	The total number or percentage of each field for the workgroup.	None	Not applicable
Grand Total	The total number or percentage for each field for all workgroups.	None	Not applicable

User Login/Logout Report

The User Login/Logout Report tracks, by user (agents and supervisors), the user’s login and logout activity, the duration of the login, and the logout reason for a specified date and time.

Parts of the User Login/Logout Report

This topic describes the different parts of the User Login/Logout Report:

- **Date(s).** The start and end dates for the period.
- **Users.** The users included in the report, as indicated in the Content tab.
- **Report Printed On.** The date and time, based on the time zone selection.
- **Page 1 of x.** Where x indicates the total number of pages.

Table 43 describes the Login/Logout Area elements, the corresponding tables, and the formulas used in calculations (where applicable) of the User Login/Logout Report.

Table 43. Login/Logout Area of the User Login/Logout Report

Field	Description	Table	Calculation
Name	User name	<ul style="list-style-type: none"> ■ userlogin ■ userid 	Not applicable
Date	Date of login	userlogin	Not applicable

Table 43. Login/Logout Area of the User Login/Logout Report

Field	Description	Table	Calculation
Event Time	Time of login/logout	UserStats ■ logindate	Not applicable
Type	Agent's activity (login and logout) associated with each event time	userlogin ■ logintype	Not applicable
Duration	Duration of login	UserStats ■ duration	Calculate the sum of (Duration)
Logout Reason	Reason for logout: ■ 0 indicates Agent Logout ■ 1 indicates Web Session Timeout ■ 2 indicates Agent Inactivity ■ 3 indicates Resource Shutdown ■ 4 indicates Second Login ■ 5 indicates Supervisor Logout ■ 6 indicates Login by Phone	userlogin ■ logoutreason	Not applicable
Total	The total login duration for all selected agents.	userlogin ■ Date ■ duration	Date plus duration
Average	The average login duration for all agents.	None	Total login duration divided by the number of agents reported

User Hourly Average Report

This topic describes the User Hourly Average Report. The User Hourly Average Report highlights individual agent performance by time in ACD status, call counts, call types, and talk time. It provides information on hourly agent activity, including calls handled, along with time spent in different ACD States. Use this report to assist contact center management in determining average performance for agents compared to reasonable expectations.

NOTE: You can also configure this report to show all activity by all projects or for selected individual projects.

Parts of the User Hourly Average Report

This topic describes the different parts of the User Hourly Average Report:

- **Date(s).** The period between the start and end dates.
- **Users.** The users identified in the Content tab.
- **Report Printed On.** The date and time, based on the time zone selection.
- **Page 1 of x.** Where x indicates the total number of pages.

Table 44 describes the User Hourly Average Report elements, the corresponding tables, and the formulas used in the calculation (where applicable).

Table 44. User Hourly Average Report

Item	Description	Table	Calculation
Date	The date of user activity.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStats ■ StartDate ■ EndDate 	None
Average Calls Per Hour	The average number of calls handled for each hour.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStats ■ TotACDCalls ■ TimeUserLoggedIn 	(TotACDCalls divided by TimeUserLoggedIn (in seconds)) multiplied by 3600 seconds
Average Talk Time	The average time spent talking on phone calls (including hold time).	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStates ■ TimeTalkACDCalls ■ TimeUserLoggedIn 	(TimeTalkACDCalls divided by TimeUserLoggedIn (in seconds)) multiplied by 3600 seconds
Average Available Time	The average time spent in the Available state.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStats ■ TotUserAvailable ■ TimeUserLoggedIn 	(TotUserAvailable) divided by TimeUserLoggedIn (in seconds)) multiplied by 3600 seconds

Table 44. User Hourly Average Report

Item	Description	Table	Calculation
Average Busy Time	The average time spent in the Busy state.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStats ■ TotUserBusy ■ TimeUserLoggedIn 	$(\text{TotUserBusy} \text{ divided by } \text{TotLoggedIn} \text{ (in seconds)}) \text{ multiplied by } 3600 \text{ seconds}$
Average Break Time	The average time spent in the On Break state.	The corresponding tables include: <ul style="list-style-type: none"> ■ TimeUserOnBreak ■ TimeUserLoggedIn 	$(\text{TotUserOnBreak} \text{ divided by } \text{TotLoggedIn} \text{ (in seconds)}) \text{ multiplied by } 3600 \text{ seconds}$
Average Hold Time	The average time spent in the Hold state.	The corresponding tables include: <ul style="list-style-type: none"> ■ TimeHoldACDCalls ■ TimeUserLoggedIn 	$(\text{TimeHoldACDCalls} \text{ divided by } \text{TotLoggedIn} \text{ (in seconds)}) \text{ multiplied by } 3600 \text{ seconds}$
Average Wrap Time	The average time spent in the Wrap-up state.	The corresponding tables include: <ul style="list-style-type: none"> ■ TimeWrapACDCalls ■ TimeUserLoggedIn 	$(\text{TimeWrapACDCalls} \text{ divided by } \text{TotLoggedIn} \text{ (in seconds)}) \text{ multiplied by } 3600 \text{ seconds}$
Average Handle Time	The average time to process calls.	The corresponding tables include: <ul style="list-style-type: none"> ■ TimeTalkACDCalls ■ TimeWrapACDCalls ■ TotACDCalls 	$(\text{TimeTalkACDCalls} \text{ plus } \text{TimeWrapACDCalls}) \text{ divided by } \text{TotACDCalls}$
Total	The average time of each item, for each agent in the report.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStats ■ TimeUserLoggedIn 	Not applicable
Grand Total	The average time of each item, for all agents in the report.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStats ■ TimeUserLoggedIn 	Not applicable

Daily Project Performance Report

The Daily Project Performance Report shows contact center activity by call number and type, time measurements of contact center activity, and service level performance compared to the preset thresholds.

NOTE: You can also configure this report to show all activity by all projects or for selected individual projects.

Parts of the Daily Project Performance Report

This topic describes the various parts of the Daily Project Performance Report:

- **Dates.** The period between the start and end dates.
- **Projects.** The project names selected from the Contents - Projects tab.
NOTE: If the project name is too long for the space provided within the report, only part of the name appears. If the report includes more projects than there is room to display at the top of the report, more project names appear at the bottom of the report.
- **Report Printed On.** The date and time, based on the time zone selection.
- **Page 1 of x.** Where x indicates the total number of pages.

The report includes three areas:

- [Call Measures Area on page 164](#)
- [Time Measures Area on page 166](#)
- [Average Speed to Answer Area on page 167](#)

Call Measures Area

The Call Measures Area tracks call type, calls offered, calls answered, and percentage of calls answered before and after the specified threshold.

Table 45 describes the elements in the Call Measures Area of the Daily Project Performance Report, the corresponding tables, and the formula used in the calculation (where applicable).

Table 45. Call Measures Area of Daily Project Performance Report

Item	Description	Table	Calculation
Total In	Total of incoming calls	The corresponding tables include: <ul style="list-style-type: none"> ■ Project Stats ■ TotalInCalls 	Calculate the sum of (TotInCalls)
Total Out	Total of outgoing calls	The corresponding tables include: <ul style="list-style-type: none"> ■ Projectstats ■ TotalOutCalls 	Calculate the sum of (TotOutCalls)
Internal In	Total of internal extension Calls	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotInternalInCalls 	Calculate the sum of (TotInternalInCalls)
Internal Out	Total of outgoing extension calls	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotalInternalOut 	Calculate the sum of (TotInternalOutCalls)
Ans ACD	Total of ACD calls answered	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotalABUACDCalls 	Calculate the sum of (TotABUACDCalls)
Off ACD	Total of ACD calls offered by the project to the workgroup.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotACDCalls 	Calculate the sum of (TotACDCalls)
Abdn ACD	Total of ACD calls abandoned	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotAbanACDCalls 	Calculate the sum of (TotAbanACDCalls)

Table 45. Call Measures Area of Daily Project Performance Report

Item	Description	Table	Calculation
Ref ACD	Total of ACD calls refused	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotRefusedACDCalls 	Calculate the sum of (TotRefusedACDCalls)
Total <date>	For each day of a project, this number is the total amount for each item in the Call Measures category.	ProjectStats	Not applicable
Total <Project Name>	For each project, this number is the total amount for each item in the Call Measures category, for all days.	ProjectStats	Not applicable
Grand Total	The total for each item in Call Measures category, for all projects.	ProjectStats	Not applicable

Time Measures Area

The Time Measures (Avg) Area shows the average time for the key statistical areas.

Table 46 describes the elements in the Time Measures Area of the Daily Project Performance Report, and the formula used in the calculation (where applicable).

Table 46. Time Measures (AVG) Area of Daily Project Performance Report

Item	Description	Table	Calculation
Talktime ACD Duration	Average talk time for all ACD calls in the project.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TimeTalkACDCalls 	Calculate the sum of (TimeTalkACDCalls) divided by the sum of (TOTOFFACDCALLS)
Talktime Out Duration	Average talk time for all outbound calls.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotTimeOutCalls 	Calculate the sum of (TotTimeOutCalls) divided by the sum of (TotOutCalls)

Table 46. Time Measures (AVG) Area of Daily Project Performance Report

Item	Description	Table	Calculation
ABDN ACD Duration	Average time that callers waited before abandoning a call.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TimeAbanACDCalls 	Calculate the sum of (TimeAbanACDCalls) divided by the sum of (TotAbanACDCalls)
Wrap ACD Duration	Average wrap-up time for ACD calls.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TimeWrapACDCalls 	Calculate the sum of (TimeWrapACDCalls) divided by the sum of (TotWrapACDCalls)
Max ABND	Maximum amount of time an ACD call was in the queue before abandoning the call.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ MaxTAbanACD 	Max(MaxTAbanACDCalls)
Total <date>	For each day of a project, this time is the total duration for each Time Measures item.	ProjectStats	Not applicable
Total <Project Name>	Average time for each item for the project, except Max, ABND ACD (Abandoned ACD), which represents the maximum wait to abandoned for the project.	ProjectStats	Not applicable
Grand Total	Average time for each item for all projects, except Max, ABND ACD (Abandoned ACD), which represents the maximum wait to abandoned for all projects.	ProjectStats	Not applicable

Average Speed to Answer Area

The Average Speed to Answer (ASA) Area shows the average time for the project to receive ACD calls.

Table 47 describes the Average Speed to Answer Area of the Daily Performance Report, the corresponding tables, and the formula used in the calculation (where applicable).

Table 47. Average Speed to Answer Area of Daily Project Performance Report

Item	Description	Table	Calculation
ACD ASA	The average speed of answer for ACD calls received by the project.	The corresponding tables include: <ul style="list-style-type: none"> ■ Ans2-300ACDCalls ■ TotACDCalls 	Calculate the sum of (Ans2-300ACDCalls) divided by the sum of (TotAnsACDCalls)
Total <date>	Average speed of answer for ACD calls for the day.	ProjectStats	Not applicable
<Project Name>	Average speed of answer for ACD calls for all days.	ProjectStats	Not applicable
Grand Total	Average ACD ASA for all projects.	ProjectStats	Not applicable

Daily User Performance Report

The Daily User Performance Report shows contact center activity by call number and type, time measurements of contact center activity, and service level performance compared to the preset thresholds.

NOTE: You can also configure this report to show all activity by all projects or for selected individual projects.

Parts of the Daily User Performance Report

This topic describes the various parts of the Daily User Performance Report:

- **Dates.** The period between the start and end dates.
- **Projects.** The project names selected from the Contents - Projects tab.
 - NOTE:** If the project name is too long for the space provided within the report, only part of the name appears. If the report includes more projects than there is room to display at the top of the report, more project names appear at the bottom of the report.
- **Report Printed On.** The date and time, based on the time zone selection.
- **Page 1 of x.** Where x indicates the total number of pages.

The report includes three areas:

- [Call Measures Area on page 169](#)
- [Time Measures Area on page 170](#)
- [Average Speed to Answer Area on page 171](#)

Call Measures Area

The Call Measures Area tracks call type, calls offered, calls answered, and percentage of calls answered before and after the specified threshold.

Table 48 describes the elements in the Call Measures Area of the Daily User Performance Report, the corresponding tables, and the formula used in the calculation (where applicable).

Table 48. Call Measures Area of Daily User Performance Report

Item	Description	Table	Calculation
Total In	Total of incoming calls	The corresponding tables include: <ul style="list-style-type: none"> ■ Project Stats ■ TotalInCalls 	Calculate the sum of (TotInCalls)
Total Out	Total of outgoing calls	The corresponding tables include: <ul style="list-style-type: none"> ■ Projectstats ■ TotalOutCalls 	Calculate the sum of (TotOutCalls)
Internal In	Total of internal extension Calls	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotInternalInCalls 	Calculate the sum of (TotInternalInCalls)
Internal Out	Total of outgoing extension calls	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotalInternalOut 	Calculate the sum of (TotInternalOutCalls)
Ans ACD	Total of ACD calls answered	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotalABUACDCalls 	Calculate the sum of (TotABUACDCalls)
Off ACD	Total of ACD calls offered by the project to the workgroup.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotACDCalls 	Calculate the sum of (TotACDCalls)
Abdn ACD	Total of ACD calls abandoned	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotAbanACDCalls 	Calculate the sum of (TotAbanACDCalls)

Table 48. Call Measures Area of Daily User Performance Report

Item	Description	Table	Calculation
Ref ACD	Total of ACD calls refused	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotRefusedACDCalls 	Calculate the sum of (TotRefusedACDCalls)
Total <date>	For each day of a project, this number is the total amount for each item in the Call Measures category.	ProjectStats	Not applicable
Total <Project Name>	For each project, this number is the total amount for each item in the Call Measures category, for all days.	ProjectStats	Not applicable
Grand Total	The total for each item in Call Measures category, for all projects.	ProjectStats	Not applicable

Time Measures Area

The Time Measures (Avg) Area shows the average time for the key statistical areas.

Table 49 describes the elements in the Time Measures Area of the Daily User Performance Report, and the formula used in the calculation (where applicable).

Table 49. Time Measures (AVG) Area of Daily User Performance Report

Item	Description	Table	Calculation
Talktime ACD Duration	Represents the average talk time for all ACD calls in the project.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TimeTalkACDCalls 	Calculate the sum of (TimeTalkACDCalls) divided by the sum of (TotACDCalls).
Talktime Out Duration	Represents the average talk time for all outbound calls.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TotTimeOutCalls 	Calculate the sum of (TotTimeOutCalls) divided by the sum of (TotOutCalls).

Table 49. Time Measures (AVG) Area of Daily User Performance Report

Item	Description	Table	Calculation
ABDN ACD Duration	Represents the average time that callers waited before abandoning a call.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TimeAbanACDCalls 	Calculate the sum of (TimeAbanACDCalls) divided by the sum of (TotAbanACDCalls).
Wrap ACD Duration	Represents the average wrap-up time for ACD calls.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ TimeWrapACDCalls 	Calculate the sum of (TimeWrapACDCalls) divided by the sum of (TotWrapACDCalls).
Max ABND	Represents the maximum amount of time an ACD call was in the queue before abandoning the call.	The corresponding tables include: <ul style="list-style-type: none"> ■ ProjectStats ■ MaxTAbanACD 	Max(MaxTAbanACDCalls).
Total <date>	For each day of a project, this time is the total duration for each Time Measures item.	ProjectStats	Not applicable.
Total <Project Name>	Represents the average time for each item for the project, except Max, ABND ACD (Abandoned ACD), which represents the maximum wait to abandon element for the project.	ProjectStats	Not applicable.
Grand Total	Represents the average time for each item for all projects, except Max, ABND ACD (Abandoned ACD), which represents the maximum wait to abandon element for all projects.	ProjectStats	Not applicable.

Average Speed to Answer Area

The Average Speed to Answer (ASA) Area shows the average time for the project to receive ACD calls.

Table 50 describes the Average Speed to Answer Area of the Daily User Performance Report, the corresponding tables, and the formula used in the calculation (where applicable).

Table 50. Average Speed to Answer Area of Daily User Performance Report

Item	Description	Table	Calculation
ACD ASA	The average speed of answer for ACD calls received by the project.	The corresponding tables include: ■ Ans2-300ACDCalls ■ TotACDCalls	Calculate the sum of (Ans2-300ACDCalls) divided by the sum of (TotAnsACDCalls)
Total <date>	Average speed of answer for ACD calls for the day.	ProjectStats	Not applicable
<Project Name>	Average speed of answer for ACD calls for all days.	ProjectStats	Not applicable
Grand Total	Average ACD ASA for all projects.	ProjectStats	Not applicable

Peak Interactions Report

This topic describes the Peak Interactions Report. The Peak Interactions Report tracks the peak number of interactions used by Oracle Contact Center Anywhere, reported in preset intervals for the company.

Parts of the Peak Interactions Report

This topic describes the different parts of the Peak Interactions Report:

- **Company name.** The name of the company.
- **Start Date and End Date.** The period between the start and end dates.
- **Report Printed On.** The date and time, based on the time zone selection.
- **Page 1 of x.** Where x indicates the total number of pages.

Table 51 describes the Peak Interactions Report elements, the corresponding tables, and the formulas used in calculations (where applicable).

Table 51. Peak Interactions Report

Item	Description	Table	Calculation
Intervals	The time interval.	None	Not applicable
Interactions	The peak number of interactions during the interval.	InteractionsPeak ■ peakInteractions	Not applicable

Table 51. Peak Interactions Report

Item	Description	Table	Calculation
Logins	The peak number of logins during the interval.	InteractionsPeak ■ peakLogins	Not applicable
Calls	The peak number of calls during the interval.	InteractionsPeak ■ peakCalls	Not applicable
Chats	The peak number of chats during the interval.	InteractionsPeak ■ peakChats	Not applicable
Emails	The peak number of email during the interval.	InteractionsPeak ■ peakEmails	Not applicable
Overall	The maximum number of simultaneous logins, interactions, calls, chat, email of the company during the requested period.	InteractionsPeak ■ peakEmails ■ peakLogins ■ peakCalls ■ peakChats	Not applicable

Interaction Outcome by Workgroup Report

The Interaction Outcome by Workgroup report tracks interactions by outcome, number of interactions for each outcome duration, and the average duration.

NOTE: You can also configure this report to show all activities by all workgroups or for selected workgroups.

Parts of the Interaction Outcome by Workgroup Report

This topic describes the different parts of the Interaction Outcome by Workgroup Report:

- **Date(s).** The period between the start and end dates.
- **Workgroup(s).** The name of the workgroups identified in the Content tab.
- **Report Printed On.** The date and time, based on the time zone selection.
- **Page 1 of x.** Where x indicates the total number of pages.

Table 52 describes the Interaction Outcome Report elements, the corresponding tables, and the formulas used in calculations (where applicable).

Table 52. Interaction Outcome Report

Item	Description	Table	Calculation
Date	The date of the selected outcome.	None	Not applicable
Outcome	The name of the outcome selected for the interaction type.	None	Not applicable
Total Time of Interaction	The total time of the interaction, including queue time, talk time, and wrap-up time.	The corresponding tables include: <ul style="list-style-type: none"> ■ TimeABUACDCalls ■ TimeTalkACDCalls ■ TimeWrapACDCalls (These tables are repeated for each media type.)	Calculate the sum of (TimeABUACDCalls) plus the sum of (TimeTalkACDCalls) plus the sum of (TimeWrapACDCalls) (This calculation is repeated for each media type.)
Count of Interaction	The number of answered interactions.	TotABUACDCalls (This table is repeated for each media type.)	Calculate the sum of (TotalABUACDCalls) (This calculation is repeated for each media type.)
Average Interaction Duration	The average time of the interaction.	The corresponding tables include: <ul style="list-style-type: none"> ■ TimeABUACDCalls ■ TimeTalkACDCalls ■ TimeWrapACDCalls ■ TotABUACDCalls (These tables are repeated for each media type.)	[Calculate the sum of (TimeABUACDCalls) plus the sum of (TimeTalkACDCalls) plus the sum of (TimeWrapACDCalls)] divided by TotABUACD Calls (This calculation is repeated for each media type.)

User Status Duration Report

This topic describes the User Status Duration Report. The User Status Duration Report tracks agent activity using the user-defined agent statuses. It provides more detail about how agents spend their time compared with the standard ACD statuses of Available, Busy, and On Break.

This report tracks the following information:

- User

- Date
- Status (company defined)
- Duration
- ACD Status (system default)
- Percentage of total

Use this report to assist contact center management in determining how a specific user spends time compared with other users.

NOTE: You can also configure this report to show all activities by all users or for selected users.

Parts of the User Status Duration Report

This topic describes the different parts of the User Status Duration Report:

- **Date(s).** The period between the start and end dates.
- **Users.** The names of the users, as indicated in the Content tab.
- **Report Printed On.** The date and time, based on the time zone selection.
- **Page 1 of x.** Where x indicates the total number of pages.

Table 53 describes the User Status Duration Report elements, the corresponding tables, and the formulas used in the calculations (where applicable).

Table 53. User Status Duration Report

Item	Description	Table	Calculation
Status	The name of the user-defined status.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStatusName ■ Name 	Not applicable
Duration	The cumulative time spent in the status.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStatusDuration ■ Duration 	Not applicable
ACD State	The ACD status (Available, Busy, or On Break) that corresponds to the user-defined status.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStatus ■ UserStatusID 	Not applicable

Table 53. User Status Duration Report

Item	Description	Table	Calculation
% of Total	The time the user spent in each status as a percentage of the total duration signed in for that day. NOTE: This percentage might not equal 100 percent for the total.	The corresponding tables include: <ul style="list-style-type: none"> ■ UserStatusName ■ UserStatusDuration ■ TimeUserLoggedIn 	Calculate the sum of (UsersStatusDuration) divided by the sum of (TimeUserLoggedIn)
First Log In	The timestamp of the first login of the day.	None	Not applicable
Last Logout	The timestamp of the last logout of the day. If the agent is logged in, this field is blank.	None	Not applicable
Total At Work Time	The total time of the user for the day. If the agent is still logged in, this field is blank.	TimeUserLoggedIn	Time difference between the user's first login timestamp and the last logout timestamp.
Total Busy	The total duration for the ACD status Busy. This duration includes the user-defined status as well as the ACD status.	TotUserBusy	Calculate the sum of (TotUserBusy)
Total Available	The total duration for the ACD status Available. This duration includes the user-defined status as well as the ACD status.	TotUserAvailable	Calculate the sum of (TotUserAvailable)
Total On Break	The total duration for the ACD status On Break. This duration includes the user-defined status as well as the ACD status.	TotUserOnBreak	Calculate the sum of (TotUserOnBreak)

Supervision ManagerOracle Contact Center Anywhere

A

Glossary

This glossary contains terms and acronyms used throughout this guide. These definitions apply to *Oracle Contact Center Anywhere Supervision Manager Guide*.

Term	Definition
ABD	Abandoned. Indicates an abandoned ACD interaction.
ACD	Automatic Call Distributor.
ACD SMS	ACD call for Short Message Service (SMS) protocol.
AHT	Average Handle Time. The average handle time for all interactions.
alarms	The alarm feature in Supervision Manager automatically notifies the contact center supervisor when alarm conditions are met. There are three types of alarms: media duration, status duration, and general.
ANS	The number of interactions answered.
ASA	Average Speed of Answer. The average speed of answer for ACD calls. The time begins when the ACD call enters the queue and ends when it is answered by an agent.
ATT	Average Talk Time. Indicates the average amount of time that the agent spent on interactions (including time on hold).
callback	Customers can request a callback for a specific day and time. When the time arrives, Oracle Contact Center Anywhere calls (ACD) the customer and connects the customer to an available workgroup agent.
chat	Customers use the Internet to contact agents to seek information and chat with a live agent.
coaching	Coaching allows you to talk to the agent while the agent is handling an interaction and is working off-hook. The agent can hear you, but the customer cannot. This term is commonly known as <i>whisper coaching</i> .
contact center	A point of contact for business patrons.
inbound	A call to a specific agent's extension and not to a workgroup. This call does not include calls routed through the ACD server to an available workgroup agent. <i>See also</i> outbound.
intelligent chat	The agent can select words or phrases and look for suggested responses.
outbound	A call initiated by an agent. This call does not include outbound calls made by agents on telephone lines outside Supervision Manager. <i>See also</i> inbound.

Term	Definition
outcome	The result of an interaction. Administrators can create a list of outcomes to describe the result of an interaction. Whether an agent is required to select an outcome is decided by the administrator. Example outcomes include Sale, Request for Literature, Request for Product Change, and so on.
OFL	Overflow. Interactions that reached the overflow criteria.
panel	A workspace view area, which you can modify to show workgroup, agent, interaction, and other contact center details of your choosing. Supervision Manager provides four separate panels, named My Panels in the sidebar.
panel group	A group of panels organized in a single Panel Group Icon. These panels can be expanded or contracted by double-clicking the Panel Group Control.
panel thumbnail	Icon on the sidebar that can be named. Selecting a panel thumbnail causes the workspace to populate with the configuration associated with that panel.
predictive dialing	Oracle Contact Center Anywhere automatically dials a series of phone number of existing customers or potential customers (from a list provided by the predictive project). When a customer answers the phone, Oracle Contact Center Anywhere connects the customer to the next available agent who usually reads a prepared script.
preview	The agent dials a customer's number from a list provided by the preview project in which the agent is currently working.
service level	Represents preset performance thresholds that are established for offline (email and faxes) and online (calls, chats, SMS, and callbacks) interactions.
SL	Service Level.
supervisor alarms	Alarms can be configured to highlight events of interest to the supervisor user within the panels and views.
supervisor configuration	A collection of four panels that provide a real-time view of the call center activity (agents, workgroups, projects, and alarms). Each supervisor's configuration can be unique to meet his or her needs. The supervisor configuration is saved as an XML file in the Oracle Contact Center Anywhere database as part of the user preferences.
supervisor template	The structural element of the supervisor configuration that does not contain any company or user specific data. This portion of the supervision configuration can become a template and shared among users, companies, and so on.
views	Views are object specific (agents, workgroups, projects, interactions, partitions, and so on) and can be configured to show all data available to the user or user specific data.
whisper coaching	Allows you to talk to the agent while the agent is handling an interaction and is working off-hook. The agent can hear you, but the customer cannot. See <i>also</i> coaching.

Term	Definition
Web callback	Through the Internet, customers can request an automatic callback from a business Web site by entering their name and phone number. When the agent receives and accepts the notification, Contact Center Anywhere automatically dials the number and connects the agent and customer. <i>See also</i> callback.
workgroup	Any group of agents grouped to assist a customer. This group can revolve around skills, locations, and so forth.
workgroup call	Inbound calls (including ACD callback requests, but not including calls routed to voicemail) sent to a workgroup. <i>See also</i> workgroup.
workgroup email	Email sent to a workgroup. <i>See also</i> workgroup.
workgroup fax	Faxes sent to a workgroup. <i>See also</i> workgroup.
workgroup voicemail	A voice message left by a caller for a workgroup. <i>See also</i> workgroup.

Index

Symbols

% Abandoned 76
% Abn Post Thresh 155, 160
% Abn Pre Thresh 155, 159
% Ans Pre Thresh 154, 159
% AnsPost Thresh 154, 159
% Answered 76
% Available 60
% Available Agents 76
% Busy 60
% of Total 176
% On Break 60
% Unavailable Agents 76
%Service Level 150, 156

Numerics

0 min 31 sec to 1 min 0 sec 103
1 min 1 sec to 1 min 30 sec 103
1 min 31 sec to 2 min 103

A

Abandon 112
Abandon First Event 68
Abandon First Segment 65
abandon rate (dropped rate)
dropped rate 128
Abandoned 76, 101
Abandoned Interactions Total 68
abandoned interval 102
ABD Calls 66, 73, 177
ABD Chat 66, 73
Abn ACD 148
Abn Post Thresh 155, 159
Abn Pre Thresh 154, 159
Above Threshold 1 112
ACD ASA 151, 157
ACD calls, automatic call acceptance 31
ACD In 148
ACD OVR In 149
ACD OVR Out 149
ACD State 175
ACD Xfered In 149
ACD Xfered Out 149
activated alarms 55
Active Alt Wgrp Agents 76
Active In Wgrp Agents 76

Active Non Wgrp Agents 76
Add to Do Not Call List 114
Agent 60, 64
Agent Answered 101, 111
Agent Information Report 88
Agent Interaction 88
Agent Interaction Report 88
Agent Name 126
Agent Profile & Productivity reports 88
agent segment processing 107
Agent Skills Report 88
agent statistics 60
Agent Utilization Report 88
agents
chatting with 41
coaching 38, 177, 178
defined 12
disconnecting 39
joining 38
listening 37
logging out 39
monitoring 37
recording interactions 43
remove from join 39
stop coaching, coaching agents, stop 38
stop listening 38
take over screen 42
Agents View Window, create 60
AHT Calls (Average Handle Time) 76
AHT Calls (Avg Handle Time) 68
AHT Chat (Average Handle Time) 77
AHT Chat (Avg Handle Time) 68
AHT Email (Average Handle Time) 77
AHT Email (Avg Handle Time) 68
AHT Total (Avg Handle Time) 61, 177
alarm, defined 177
alarms 49
delete 56
edit 55
enable or disable 56
General alarm 50
levels 50
Media Duration 50
Status Duration 50
viewing activated alarms 55
ANI 64
ANS Callbacks 66, 73

ANS Chat 66, 73
ANS Email 66, 73
ANS Fax 66, 73
ANS Inbound 66, 73
Ans Pre Thresh 154, 159
ANS Predictive 66, 73
ANS Preview 66, 73
ANS Vmail 66, 73
ANS Web Callbacks 66, 73
Answer First Event 68
Answer First Segment 65
answer rate 128
Answer, Not Connected 121
Answered Current 77
Answered Interactions Total 68
Answered Total 77
application tabs
 defined 13
ASA Calls 68, 77, 177
ASA Chat 68, 77
ASA Email 69, 77
Assigned Agents 77
Assistance Needed 61
ATT Call (Avg Talk Time) 61, 177
ATT Calls (Average Talk Time) 77
ATT Calls (Avg Talk Time) 69
ATT Chat (Average Talk Time) 77
ATT Chat (Avg Talk Time) 61, 69
ATT Email (Average Talk Time) 78
ATT EMail (Avg Talk Time) 69
ATT Email (Avg Talk Time) 61
ATT Total (Average Talk Time) 61
Avail 151, 156
available
 system status 45
Available Agents 78
Available Time Total 61
Average Available Time 162
Average Break Time 163
Average Busy Time 163
Average Calls Per Hour 162
Average Handle Time 163
Average Handle Time per Segment 107, 134
Average Hold Time 107, 134, 140, 163
Average Hold Time Total 61
Average Interaction Duration 174
Average Ring Time 108
Average Speed of Answer (ASA) 140
Average Talk Time 107, 134, 140, 162
Average Time in IVR 141
Average Time to Abandoned 108
average waiting time 128
Average Wrap Time 163
Average Wrap Up Time 107, 140

Avg ACD Talk Time 152, 158
Avg Call Route Time 69
Avg Ring Time 61
Avg Wrap Time 61, 153, 158
Avg Wrap Time Call 69, 78
Avg Wrap Time Chat 69, 78
Avg Wrap Time Email 69, 78

B

Below Threshold 1 104, 111
Below Threshold 2 104, 112
billing, selecting project 32
Broadcast message, defined 40
Busy 151, 156
busy system status 45

C

calendar
 select date 92
 using 92
Call Center Operations reports 87
Call External IVR 69
Callback 115, 137
 Calls 101
 Outcome Statistics Report 96
 Workgroup Interval Time by Media Report 98
Callback Answered 61
callback, defined 177
Calls 173
 per hour 126
 taken 126
Calls Queued 66, 73
CB Queued (Callbacks) 66, 73
CB Total (Callbacks) 66, 73
changing column width of view window 21
Chat 96, 98, 137, 141, 173
Chat Queued 66, 74
Chat Total 66, 69, 74
chat with an agent 41
chat, defined 177
chat, ending 42
Chats Answered 61
close rate sales 126
coaching agents 38, 177, 178
coaching, defined 177
collapse
 Interaction Control Bar 14
 sidebar scroll bar 13
 sidebar tabs 13
column width
 changing 21
columns
 moving 22

Company Defined Date Format (report field) 92

Company Defined Time Zone (report field) 92

contact center, defined 177

Count of Interaction 174

create

Agents View Window 60

Interactions View Window 63

Partition View Window 64

Project Media Totals View Window 65

Project Statistics View Window 68

view windows 17

Workgroup Media Totals View Window 72

Workgroup Statistics View Window 75

Custom Service Level 155, 160

custom statuses 47

Customer Information 110

D

Daily Project Performance Report, description 144

Daily Project Performance, description 144

Date 160, 162, 174

delete

View Windows 20

deleting an alarm 56

Department 62

dialer algorithm 129

dialer ratio 129

Direct Dialing Statistics Report 88

Direct Inbound 135

Direct Inbound Answered 62

Direct Outbound 135

disable alarm 56

disconnecting an agent 39

Display Time 147

DNIS 64

Duration 161, 175

Duration of Answered Interactions 108

Duration of Interactions 136

E

edit

view window contents 20

edit alarm 55

Email 139, 173

email options, setting 35

email program, identifying 30

Email Queued 66, 74

Email Total 66, 69, 74

Emails Answered 62

enable alarm 56

End Date, defining 91, 146

End Time, defining 91

error messages

java applet 27

Event Time 161

expand

Interaction Control Bar 14

sidebar scroll bar 13

sidebar tabs 13

Ext Number 64

Ext to Ext Current 69

Extension 62

Extension Calls Total 70

Extension Dialed 62

F

Fax 139

Fax Answered 62

Fax In Total 70

Fax Out Total 70

Fax Queued 66, 74

Fax Sent 62

Fax Total 66, 74

find recordings 44

First Log In 176

formula

Answer Rate formula 128

average number of calls made per hour

formula 130

Number of Calls Per Agent formula 130

full access account

defined 13

full access supervisor accounts 13

G

General alarm

creating 53

defined 50

Generated date and time 89

Greater than Threshold 2 105, 112

H

Host IP Address 62

how to

chat with an agent 41

coach an agent 38, 177, 178

create a General alarm 53

create a Media Duration Alarm 52

create a Status Duration Alarm 50

create a Workgroup Media Totals View

Window 72

create a Workgroup Statistics View

Window 75

- create an Agents View Window 60
- create an Interactions View Window 63
- create an Partition View Window 64
- create Project Media Totals View Window 65
- create Project Statistics View Window 68
- delete an alarm 56
- disconnect agent 39
- edit alarms 55
- enable or disable an alarm 56
- end chat 42
- find recordings 44
- join an agent 38
- listen
 - to recording 44
- listen to an agent 37
- log an agent out 39
- monitor agents 37
- record an agent interaction 43
- remote viewing 42
- remove yourself after joining an agent 39
- select a date 92
- send message to all agents 40
- send message to one agent 40
- stop coaching 38
- stop listening to agent 38
- take over agent screen 42
- use the calendar 92
- view activated alarms 55

I**icon**

- Listen to Agent 37

icons, changing appearance of 33**In Ext 137****In Overflow 78****In Transferred 78****inactivity**

- logout 27
- timeout message 27

Inbound 96, 137**Inbound Calls 142****Inbound Calls Total 70****Inbound Direct Current 70****Inbound Extension 135****Inbound Total 65, 67, 74****inbound, defined 177****intelligent chat, defined 177****Interaction Control Bar**

- collapse 14
- defined 14
- expand 14

Interaction statistics 63**Interaction types**

- Callback 106

- Chat 106

- Web Callback 106

- Workgroup Calls 106

- Workgroup Email 106

- Workgroup Fax 106

- Workgroup Voicemail 106

Interactions 172**interactions**

- new, notifying 30

Interactions Assigned 62**Interactions Total 62****Interactions View Window, create 63****Internal 65****Internal Ext Answered 62****Interval 99, 111****Interval Workgroup Performance Report, description 144****Intervals 172****Invalid 117****IVR Completed 65, 70****IVR Transfer Out 65, 70****J****java applet**

- error messages, understanding 27

join an agent 38**L****Last Logout 176****levels of alarms 50****limited account**

- defined 13

limited supervisor accounts 13**listen**

- stop 38
- to agent 37

Listen to Agent icon 37**listen to recording 44****Location Duration 64****log in duration 126****log out an agent 39****Logged In 151, 156****Logged In Agents 78****Login by Groups of Users Report 88****Login by User Report 89****Login Duration 62****Logins 173****logout**

- IM, forcing 27

Logout Reason 161**Longest Wait to Answer Time 108, 140**

M

main screen 13
 make predictive calls 83
 managing view windows 19
 Max Abandon Delay 151, 157
 Max Answer Delay 151, 157
 Max TT Call (Max Talk Time) 78
 Max TT Chat (Max Talk Time) 78
 Max Wait Call 70, 79
 Max Wait Chat 70, 79
 Max Wait Email 70, 79
 Media Duration Alarm
 creating 52
 defined 50
 Media Type 64
 Media Type Segments Handled 105
 Media Type Segments Received Type 134
 Media Types 105
 message
 send to all agents 40
 send to one agent 40
 Monitor Type 62
 monitoring agents 37
 moving column positions in view
 windows 22
 moving View Windows 20
 moving view windows 17
 MTT Calls (Max Talk Time) 70
 MTT Chat (Max Talk Time) 70
 MTT EMail (Max Talk Time) 70
 MTT Email (Max Talk Time) 79
 multiple View Windows in a panel 19

N

Name 160
 naming panels 14
 Network Status 62
 No Answer 101
 No Answer Total 62
 Not Ready Time Total 62
 Number of Active Calls 130
 Number of Calls 130
 number of calls per agent 130
 number of calls per hour 130
 number of sales 127
 Number of Times Interactions Went to
 Hold 136
 Number of Times Interactions went to
 hold 108

O

off-hook
 working 31

OFL Call Inbound (Overflow In Calls) 74
 OFL Calls Inbound (Overflow In Calls) 67
 OFL CB (Overflow Callbacks) 67, 74
 OFL Chat (Overflow Chat) 67, 74, 178
 OFL Email (Overflow Email) 67, 74
 OFL Fax (Overflow Fax) 67, 74
 OFL Predictive (Overflow Predictive) 67, 74
 OFL Preview (Overflow Preview) 67, 74
 OFL Vmail (Overflow Voicemail) 67, 74
 OFL WCB (Overflow Web Callbacks) 67, 74
 On Break 151, 157
 on break system status 45
 Other Events 102
 Other Workgroups 102
 Out Ext 138
 Out Overflow 79
 Out Transferred 79
 Outbound 96, 138
 Outbound Calls 142
 Outbound Calls Total 70
 Outbound Current 71
 Outbound Dialed 62
 Outbound Extension 135
 Outbound Total 65
 outbound, defined 177
 Outcome 114, 174
 Outcome Statistics Report 88
 outcome, defined 178
 outside phone number, setting 34
 Over 2 min 0 sec 103
 Overdue 110
 Overdue Callbacks Report 88
 OverFlow In 108
 OverFlow Out 108
 Overflowed 64

P

panel
 defined 14
 naming 14
 panel groups, defined 178
 panel thumbnail, defined 178
 panel, defined 178
 Partition 62
 partition
 defined 12
 Partition statistics 64
 Partition View Window, create 64
 partitions
 definition of 25
 Peak Interactions Report, description 145
 Personal Callback 115
 Phone 114

phone extension, setting 33
 phone options, identifying 33
 POP3 Queued 67, 75
 pre-defined system states 45
 Predictive 67, 75, 96, 138, 142
Predictive and Preview Reports reports 88
Predictive Answered 62
 predictive call 129
 predictive calls, making 83
Predictive Detailed Report 88
Predictive Dialer Total Report 88
 predictive dialing, defined 178
Predictive Productivity 88
Predictive Productivity Report 88
Predictive Summary Report 88
Predictive Total 67, 71, 75
Preview 67, 97, 138, 142
Preview Dialed 62
Preview Summary 88
Preview Summary Report 88
Preview Total 67, 71, 75
 preview, defined 178
Priority 64
Project 64, 114
Project Key Statistics 89
Project Media Total statistics 65
Project Media Totals View Window,
 create 65
Project Name 131
Project reports 89
Project Segments 89
Project Segments Report 89
Project statistics 68
Project Statistics View Window, create 68
 project, selecting for billing 32
prompts
 voicemail, recording 36
 welcome, using 31

Q

Queued Interactions 79

R

Recently Overdue 110
Recording 62
recording
 agent interactions 43
 finding 44
 listen to 44
Ref ACD 148
regional options, setting 35
remote view 42
remove from joining an agent 39

Report Date Range to Include 89
Report Includes XXX 89
Report Language 147
Report Name 89
reports
 Agent Profile & Productivity reports 88
 Call Center Operations 87
 Predictive and Preview Reports 88
 Project reports 89
 start and end times 93
 viewing and printing 89
 Workgroup Productivity 87
Request Date 110
Request Time 110
resizing View Windows 21

S

sales per hour 127
segment events 101
Select Date Format (report field) 92
Select Date Format to Display in Report 147
Select Report Language 92
Select Time Zone (report field) 92
Service Performance Level 113
Session ID 62
Session Server 62
Shortest Queue Time 141
Shortest Wait to Answer Time 109
sidebar scroll bar
 collapse 13
 expand 13
sidebar tabs
 collapse 13
 defined 13
 expand 13
SL Offline 79
SL Offline (Service Level) 71, 178
SL Online 79
SL Online (Service Level) 71
SMS Answered 62
SMS Total 71
sorting contents of view windows 21
start and end times for reports 93
Start Date, defining 91, 146
Start Time, defining 91
statistics
 agent 60
 interaction 63
 partition 64
 project 68
 project media totals 65
 workgroup 75
 workgroup media totals 72

- Status** 175
- Status Duration** 62
- Status Duration Alarm**
 - creating 50
 - defined 50
- Status in Workgroup** 63
- Status Selected** 63
- Status Selected Duration** 63
- statuses**
 - custom 47
 - pre-defined 45
- supervisor accounts**
 - full 13
 - limited 13
 - types 13
- supervisor alarms, defined** 178
- supervisor configuration, defined** 178
- supervisor template, defined** 178
- switching View Windows** 19
- System Duration** 64
- system states**
 - pre-defined 45
- system status**
 - available 45
 - busy 45
 - on break 45
 - pre-defined 45

T

- take over agent screen** 42
- talk time** 127
- talk time per log In** 127
- terminology**
 - agents 12
 - application tabs 13
 - broadcast message 40
 - full access account 13
 - General alarm 50
 - Interaction Control Bar 14
 - limited account 13
 - Media Duration Alarm 50
 - panel 14
 - partition 12
 - sidebar tabs 13
 - Status Duration Alarm 50
 - unit 12
 - view 17
 - View Windows 17
 - workgroups 12
 - workspace 14
- Time** 131, 148
- Time Zone** 89
- timeout** 27

- Total** 113
- Total ACD Talk Time** 152, 158
- Total At Work Time** 176
- Total Available** 176
- Total Busy** 176
- Total Enter IVR** 141
- Total Hold Time** 141
- Total Interactions** 65, 71, 79
- Total Interactions Received** 136
- Total IVR Time** 141
- Total number of interactions received** 99
- total number of predictive call attempts** 119
- Total On Break** 176
- Total Segments Answered by Agent** 105, 109
- Total Segments Received** 102, 109, 135, 141
- Total Talk Time** 141
- Total Time of Interaction** 174
- Total Wait To Answer Time** 109, 141
- Total Wrap Time** 152, 158
- Total Wrap-up Time** 141
- Transferred In** 109
- Transfers Made** 63
- Type** 161
- types of supervisor accounts** 13

U

- Unavailable Agents** 79
- under 0 min 30 Seconds** 103
- unit**
 - defined 12
 - definition of 25
- Upcoming** 110
- User Defined Date Format (report field)** 92
- User Defined Time Zone (report field)** 92
- User Hourly Average Report, description** 144
- User Login/Logout Report, description** 144
- User Name** 63
- User Status Duration Report, description** 145
- Utilization Rate** 65

V

- view**
 - defined 17
- View Window**
 - types 59
- view window column width**
 - changing 21
- View Windows**
 - defined 17
 - deleting 20

- moving 20
- multiple in a panel 19
- resizing 21
- switching 19
- view windows**
 - changing contents 20
 - creating 17
 - managing 19
 - moving 17
 - moving column positions 22
 - sorting contents 21
- viewing activated alarms** 55
- viewing and printing reports** 89
- viewing remotely** 42
- views, defined** 178
- Vmail Queued** 67, 75
- Vmail Total** 67, 75
- Voicemail** 102, 138
- voicemail prompts, recording** 36

- W**
- wait time to accept interaction** 103
- WCB Queued (Web Callbacks)** 67, 75
- WCB Total (Web Callbacks)** 67, 75
- Web Callback** 138, 142
 - Outcome Statistics Report 97
 - Workgroup Interval Time by Media Report 99
- Web Callback Answered** 63
- Web Callback Total** 71
- Web callback, defined** 179
- Weekly Project Routing Schedule Report** 87
- welcome prompt, using** 31
- Wgrp Call Current** 71
- Wgrp Call Total** 71
- Wgrp Callback Current** 71
- Wgrp Callback Total** 71
- Wgrp Calls Answered** 63
- Wgrp Chat Current** 71
- Wgrp Email Current** 71
- Wgrp Fax Current** 71
- Wgrp Fax Total** 72
- Wgrp Interactions Current** 72
- Wgrp Interactions Total** 72
- Wgrp SMS Current** 72
- Wgrp Vmail Answered** 63
- Wgrp Vmail Current** 72
- Wgrp Vmail Total** 72
- whisper coaching, defined** 178
- Workgroup** 64
 - workgroup call, defined 179
 - Workgroup Calls 97, 99, 139
 - Workgroup Email 100, 142
 - workgroup email, defined 179
 - Workgroup Emails 97
 - Workgroup Fax 97, 100
 - workgroup fax, defined 179
 - Workgroup Interval Time by Media Report 88
 - Workgroup Interval Time Report 88
 - Workgroup Key Statistics 88
 - Workgroup Media Totals statistics 72
 - Workgroup Media Totals View Window, create 72
 - Workgroup Productivity reports 87
 - Workgroup Segments Report 88
 - Workgroup Skills Report 87
 - Workgroup statistics 75
 - Workgroup Statistics View Window, create 75
 - Workgroup Voicemail 98, 100
 - workgroup voicemail, defined 179
 - workgroup, defined 179
- workgroups**
 - defined 12
- workspace**
 - defined 14
- Wrap ACD** 148